Megger

PAT4 APPLIANCE TESTING CERTIFICATE

Certificate No.: 595

This form allows data to be imported from: Megger PAT4

Serial No.: 6410-922/080308/8504

CLIENT DETAILS

Client Name	RN PROPERTY	Location Name	COMMUNAL AREA, 28 TYNEMOUTH ROAD
Address	SOUTH HOUSE ELIOT VALE BLACKHEATH LONDON	Address	LONDON N15 4AL

APPLIANCE DETAILS

Appliance ID	6665902	Description	WASHING MACHINE
Serial Number	BOSCH	Room	COMM AREA
Class	1	Voltage	230 V
Fuse Rating	13 A	VA Rating	0 VA
Group Code		Group Description	
Test Date	15/03/2012	Test Time	12:35:00
Retest Frequency	12 months		

TEST RESULTS

m 12

TEST TYPE	PARAMETERS / PASSBANDS	RESULT	STATUS
VISUAL CHECKS:	Environment		Pass
	Mains Lead		Pass
	Mains Plug		Pass
	On/Off Switch		Pass
	Case		Pass
	Suitability		Pass
	Wall Socket		Pass
	Other		Pass
CONTINUITY:	Ω	0.116 Ω	Pass
		- Ω	Skip
		- Ω	Skip
INSULATION RESISTANCE:	MEG Ω	>50 MEG Ω	Pass
OPERATION:	KVA	0.01 KVA	Pass
LEAKAGE: (Idiff)	mA	0 mA	Pass
EXTENSION LEAD			Skip
FLASH TEST	V	- mA	Skip
REPAIR CODE: 0		**Overall Status:**	P

CONTRACTOR DETAILS

Company Name	Safelink Electrical Services Ltd	Tester Name	Lucian T
Address	3A Davenport Road Catford London SE6 2AY	Qualifications	P.A.T. Competent
		Position	Operative
		Signature	

This form was developed by Megger Limited
© Megger Limited August 2004

Megger

PAT4 APPLIANCE TESTING CERTIFICATE

Certificate No.: 595

This form allows data to be imported from: Megger PAT4

Serial No.: 6410-922/080308/8504

CLIENT DETAILS

Client Name: RN PROPERTY

Address: SOUTH HOUSE, ELIOT VALE, BLACKHEATH, LONDON

Location Name: COMMUNAL AREA, 28 TYNEMOUTH ROAD

Address: LONDON N15 4AL

APPLIANCE DETAILS

Appliance ID: 6665901 Description: DRYER

Serial Number: ZANUSSI Room: COMM AREA

Class: 1 Voltage: 230 V Fuse Rating: 13 A VA Rating: 0 VA

Group Code: Group Description:

Test Date: 15/03/2012 Test Time: 12:32:00 Retest Frequency: 12 months

TEST RESULTS

m 12

TEST TYPE	PARAMETERS / PASSBANDS	RESULT	STATUS
VISUAL CHECKS:	Environment		Pass
	Mains Lead		Pass
	Mains Plug		Pass
	On/Off Switch		Pass
	Case		Pass
	Suitability		Pass
	Wall Socket		Pass
	Other		Pass
CONTINUITY:	Ω	0.124 Ω	Pass
		- Ω	Skip
		- Ω	Skip
INSULATION RESISTANCE:	MEG Ω	>50 MEG Ω	Pass
OPERATION:	KVA	0.01 KVA	Pass
LEAKAGE: (Idiff)	mA	0 mA	Pass
EXTENSION LEAD			Skip
FLASH TEST	V	- mA	Skip
REPAIR CODE: 0		**Overall Status:**	P

CONTRACTOR DETAILS

Company Name: Safelink Electrical Services Ltd

Address: 3A Davenport Road, Catford, London, SE6 2AY

Tester Name: Lucian T

Qualifications: P.A.T. Competent

Position: Operative

Signature:

This form was developed by Megger Limited
© Megger Limited August 2004

Megger

PAT4 APPLIANCE TESTING CERTIFICATE

Certificate No.: 608

This form allows data to be imported from: Megger PAT4

Serial No.: 6410-922/080308/8504

CLIENT DETAILS

Client Name	RN PROPERTY	Location Name	FLAT 1, 28 TYNEMOUTH ROAD
Address	SOUTH HOUSE ELIOT VALE BLACKHEATH LONDON	Address	LONDON N15 4AL

APPLIANCE DETAILS

Appliance ID	66651	Description	FRIDGE FREEZER
Serial Number	BEKO	Room	1
Class	2	Voltage	230 V
Fuse Rating	13 A	VA Rating	0 VA
Group Code		Group Description	
Test Date	23/03/2012	Test Time	04:12:00
Retest Frequency	12 months		

TEST RESULTS

m 12

TEST TYPE	PARAMETERS / PASSBANDS	RESULT	STATUS
VISUAL CHECKS:	Environment		Pass
	Mains Lead		Pass
	Mains Plug		Pass
	On/Off Switch		Pass
	Case		Pass
	Suitability		Pass
	Wall Socket		Pass
	Other		Pass
CONTINUITY:	Ω	- Ω	Skip
		- Ω	Skip
		- Ω	Skip
INSULATION RESISTANCE:	MEG Ω	>50 MEG Ω	Pass
OPERATION:	KVA	0 KVA	Pass
LEAKAGE: (Idiff)	mA	0 mA	Pass
EXTENSION LEAD			Skip
FLASH TEST	V	- mA	Skip
REPAIR CODE: 0		**Overall Status:**	**P**

CONTRACTOR DETAILS

Company Name	Safelink Electrical Services Ltd	Tester Name	Lucian T
Address	3A Davenport Road Catford London SE6 2AY	Qualifications	P.A.T. Competent
		Position	Operative
		Signature	

This form was developed by Megger Limited
© Megger Limited August 2004

Megger

PAT4 APPLIANCE TESTING CERTIFICATE

Certificate No.: 594

This form allows data to be imported from: Megger PAT4

Serial No.: 6410-922/080308/8504

CLIENT DETAILS

Client Name	RN PROPERTY	Location Name	FLAT 2, 28 TYNEMOUTH ROAD
Address	SOUTH HOUSE ELIOT VALE BLACKHEATH LONDON	Address	LONDON N15 4AL

APPLIANCE DETAILS

Appliance ID	666521	Description	FRIDGE
Serial Number	PROLINE	Room	KITCHEN
Class	2	Voltage	230 V
Fuse Rating	13 A	VA Rating	0 VA
Group Code		Group Description	
Test Date	15/03/2012	Test Time	12:26:00
Retest Frequency	12 months		

TEST RESULTS

m 12

TEST TYPE	PARAMETERS / PASSBANDS	RESULT	STATUS
VISUAL CHECKS:	Environment		Pass
	Mains Lead		Pass
	Mains Plug		Pass
	On/Off Switch		Pass
	Case		Pass
	Suitability		Pass
	Wall Socket		Pass
	Other		Pass
CONTINUITY:	Ω	- Ω	Skip
		- Ω	Skip
		- Ω	Skip
INSULATION RESISTANCE:	MEG Ω	>50 MEG Ω	Pass
OPERATION:	KVA	0 KVA	Pass
LEAKAGE: (Idiff)	mA	0 mA	Pass
EXTENSION LEAD			Skip
FLASH TEST	V	- mA	Skip
REPAIR CODE: 0		**Overall Status:**	**P**

CONTRACTOR DETAILS

Company Name	Safelink Electrical Services Ltd	Tester Name	Lucian T
Address	3A Davenport Road Catford London SE6 2AY	Qualifications	P.A.T. Competent
		Position	Operative
		Signature	

This form was developed by Megger Limited
© Megger Limited August 2004

Megger

PAT4 APPLIANCE TESTING CERTIFICATE

Certificate No.: 611

This form allows data to be imported from: Megger PAT4

Serial No.: 6410-922/080308/8504

CLIENT DETAILS

Client Name	RN PROPERTY	Location Name	FLAT 3, 28 TYNEMOUTH ROAD
Address	SOUTH HOUSE ELIOT VALE BLACKHEATH LONDON	Address	LONDON N15 4AL

APPLIANCE DETAILS

Appliance ID: 666531 Description: FRIDGE FREEZER

Serial Number: PROLINE Room: ROOM3

Class: 1 Voltage: 230 V Fuse Rating: 13 A VA Rating: 0 VA

Group Code: Group Description:

Test Date: 03/04/2012 Test Time: 05:38:00 Retest Frequency: 12 months

TEST RESULTS

m 12

TEST TYPE	PARAMETERS / PASSBANDS	RESULT	STATUS
VISUAL CHECKS:	Environment		Pass
	Mains Lead		Pass
	Mains Plug		Pass
	On/Off Switch		Pass
	Case		Pass
	Suitability		Pass
	Wall Socket		Pass
	Other		Pass
CONTINUITY:	Ω	0.067 Ω	Pass
		- Ω	Skip
		- Ω	Skip
INSULATION RESISTANCE:	MEG Ω	>50 MEG Ω	Pass
OPERATION:	KVA	0.118 KVA	Pass
LEAKAGE: (Idiff)	mA	0 mA	Pass
EXTENSION LEAD			Skip
FLASH TEST	V	- mA	Skip
REPAIR CODE: 0		**Overall Status:**	**P**

CONTRACTOR DETAILS

Company Name	Safelink Electrical Services Ltd	Tester Name	Lucian T
Address	3A Davenport Road Catford London SE6 2AY	Qualifications	P.A.T. Competent
		Position	Operative
		Signature	

This form was developed by Megger Limited
© Megger Limited August 2004

Megger

PAT4 APPLIANCE TESTING CERTIFICATE

Certificate No.: 606

This form allows data to be imported from: Megger PAT4

Serial No.: 6410-922/080308/8504

CLIENT DETAILS

Client Name	RN PROPERTY	Location Name	FLAT 4, 28 TYNEMOUTH ROAD
Address	SOUTH HOUSE ELIOT VALE BLACKHEATH LONDON	Address	LONDON N15 4AL

APPLIANCE DETAILS

Appliance ID	66654	Description	FRIDGE FREEZER
Serial Number	BEKO	Room	4
Class	2	Voltage	230 V
Fuse Rating	13 A	VA Rating	0 VA
Group Code		Group Description	
Test Date	23/03/2012	Test Time	04:20:00
Retest Frequency	12 months		

TEST RESULTS

m 12

TEST TYPE	PARAMETERS / PASSBANDS	RESULT	STATUS
VISUAL CHECKS:	Environment		Pass
	Mains Lead		Pass
	Mains Plug		Pass
	On/Off Switch		Pass
	Case		Pass
	Suitability		Pass
	Wall Socket		Pass
	Other		Pass
CONTINUITY:	Ω	- Ω	Skip
		- Ω	Skip
		- Ω	Skip
INSULATION RESISTANCE:	MEG Ω	>50 MEG Ω	Pass
OPERATION:	KVA	0 KVA	Pass
LEAKAGE: (Idiff)	mA	0 mA	Pass
EXTENSION LEAD			Skip
FLASH TEST	V	- mA	Skip
REPAIR CODE: 0		**Overall Status:**	**P**

CONTRACTOR DETAILS

Company Name	Safelink Electrical Services Ltd	Tester Name	Lucian T
Address	3A Davenport Road Catford London SE6 2AY	Qualifications	P.A.T. Competent
		Position	Operative
		Signature	

This form was developed by Megger Limited
© Megger Limited August 2004

Megger

PAT4 APPLIANCE TESTING CERTIFICATE

Certificate No.: 621

This form allows data to be imported from: Megger PAT4

Serial No.: 6410-922/080308/8504

CLIENT DETAILS

Client Name	RN PROPERTY	Location Name	FLAT 5, 28 TYNEMOUTH ROAD
Address	SOUTH HOUSE ELIOT VALE BLACKHEATH LONDON	Address	LONDON N15 4AL

APPLIANCE DETAILS

Appliance ID	666551	Description	FRIDGE
Serial Number	PROLINE	Room	FLAT 5
Class	2	Voltage	230 V
Fuse Rating	10 A	VA Rating	1500 VA
Group Code		Group Description	
Test Date	25/04/2012	Test Time	03:27:00
Retest Frequency	12 months		

TEST RESULTS

m 12

TEST TYPE	PARAMETERS / PASSBANDS	RESULT	STATUS
VISUAL CHECKS:	Environment		Pass
	Mains Lead		Pass
	Mains Plug		Pass
	On/Off Switch		Pass
	Case		Pass
	Suitability		Pass
	Wall Socket		Pass
	Other		Pass
CONTINUITY:	Ω	- Ω	Skip
		- Ω	Skip
		- Ω	Skip
INSULATION RESISTANCE:	MEG Ω	>50 MEG Ω	Pass
OPERATION:	KVA	0 KVA	Pass
LEAKAGE: (Idiff)	mA	0 mA	Pass
EXTENSION LEAD			Skip
FLASH TEST	V	- mA	Skip
REPAIR CODE: 0		**Overall Status:**	**P**

CONTRACTOR DETAILS

Company Name	Safelink Electrical Services Ltd	Tester Name	M Seaton
Address	3A Davenport Road Catford London SE6 2AY	Qualifications	P.A.T. Competent
		Position	Operative
		Signature	

This form was developed by Megger Limited
© Megger Limited August 2004

Megger

PAT4 APPLIANCE TESTING CERTIFICATE

Certificate No.: 593

This form allows data to be imported from: Megger PAT4

Serial No.: 6410-922/080308/8504

CLIENT DETAILS

Client Name	RN PROPERTY	Location Name	FLAT 6, 28 TYNEMOUTH ROAD
Address	SOUTH HOUSE ELIOT VALE BLACKHEATH LONDON	Address	LONDON N15 4AL

APPLIANCE DETAILS

Appliance ID	666561	Description	FRIDGE
Serial Number	PROLINE	Room	KITCHEN
Class	2	Voltage	230 V
Fuse Rating	13 A	VA Rating	0 VA
Group Code		Group Description	
Test Date	15/03/2012	Test Time	12:21:00
Retest Frequency	12 months		

TEST RESULTS

m 12

TEST TYPE	PARAMETERS / PASSBANDS	RESULT	STATUS
VISUAL CHECKS:	Environment		Pass
	Mains Lead		Pass
	Mains Plug		Pass
	On/Off Switch		Pass
	Case		Pass
	Suitability		Pass
	Wall Socket		Pass
	Other		Pass
CONTINUITY:	Ω	- Ω	Skip
		- Ω	Skip
		- Ω	Skip
INSULATION RESISTANCE:	MEG Ω	>50 MEG Ω	Pass
OPERATION:	KVA	0 KVA	Pass
LEAKAGE: (Idiff)	mA	0 mA	Pass
EXTENSION LEAD			Skip
FLASH TEST	V	- mA	Skip
REPAIR CODE: 0		**Overall Status:**	**P**

CONTRACTOR DETAILS

Company Name	Safelink Electrical Services Ltd	Tester Name	Lucian T
Address	3A Davenport Road Catford London SE6 2AY	Qualifications	P.A.T. Competent
		Position	Operative
		Signature	

This form was developed by Megger Limited
© Megger Limited August 2004

Megger

PAT4 APPLIANCE TESTING CERTIFICATE

Certificate No.: 622

This form allows data to be imported from: Megger PAT4

Serial No.: 6410-922/080308/8504

CLIENT DETAILS

Client Name	RN PROPERTY	Location Name	FLAT 7, 28 TYNEMOUTH ROAD
Address	SOUTH HOUSE ELIOT VALE BLACKHEATH LONDON	Address	LONDON N15 4AL

APPLIANCE DETAILS

Appliance ID	666571	Description	FRIDGE
Serial Number	BEKO	Room	FLAT 7
Class	2	Voltage	230 V
Fuse Rating	10 A	VA Rating	1500 VA
Group Code		Group Description	
Test Date	25/04/2012	Test Time	04:05:00
Retest Frequency	12 months		

TEST RESULTS

m 12

TEST TYPE	PARAMETERS / PASSBANDS	RESULT	STATUS
VISUAL CHECKS:	Environment		Pass
	Mains Lead		Pass
	Mains Plug		Pass
	On/Off Switch		Pass
	Case		Pass
	Suitability		Pass
	Wall Socket		Pass
	Other		Pass
CONTINUITY:	Ω	- Ω	Skip
		- Ω	Skip
		- Ω	Skip
INSULATION RESISTANCE:	MEG Ω	>50 MEG Ω	Pass
OPERATION:	KVA	0 KVA	Pass
LEAKAGE: (Idiff)	mA	0 mA	Pass
EXTENSION LEAD			Skip
FLASH TEST	V	- mA	Skip
REPAIR CODE: 0		**Overall Status:**	**P**

CONTRACTOR DETAILS

Company Name	Safelink Electrical Services Ltd	Tester Name	M Seaton
Address	3A Davenport Road Catford London SE6 2AY	Qualifications	P.A.T. Competent
		Position	Operative
		Signature	

This form was developed by Megger Limited
© Megger Limited August 2004

Megger

PAT4 APPLIANCE TESTING CERTIFICATE

Certificate No.: 605

This form allows data to be imported from: Megger PAT4

Serial No : 6410-922/080308/8504

CLIENT DETAILS

Client Name	RN PROPERTY	Location Name	FLAT 8, 28 TYNEMOUTH ROAD
Address	SOUTH HOUSE ELIOT VALE BLACKHEATH LONDON	Address	LONDON N15 4AL

APPLIANCE DETAILS

Appliance ID	66658	Description	FRIDGE FREEZER
Serial Number	BEKO	Room	8
Class	2	Voltage	230 V
Fuse Rating	13 A	VA Rating	0 VA
Group Code		Group Description	
Test Date	23/03/2012	Test Time	04:50:00
Retest Frequency	12 months		

TEST RESULTS

m 12

TEST TYPE	PARAMETERS / PASSBANDS	RESULT	STATUS
VISUAL CHECKS:	Environment		Pass
	Mains Lead		Pass
	Mains Plug		Pass
	On/Off Switch		Pass
	Case		Pass
	Suitability		Pass
	Wall Socket		Pass
	Other		Pass
CONTINUITY:	Ω	- Ω	Skip
		- Ω	Skip
		- Ω	Skip
INSULATION RESISTANCE:	MEG Ω	>50 MEG Ω	Pass
OPERATION:	KVA	0 KVA	Pass
LEAKAGE: (Idiff)	mA	0 mA	Pass
EXTENSION LEAD			Skip
FLASH TEST	V	- mA	Skip
REPAIR CODE: 0		**Overall Status:**	**P**

CONTRACTOR DETAILS

Company Name	Safelink Electrical Services Ltd	Tester Name	Lucian T
Address	3A Davenport Road Catford London SE6 2AY	Qualifications	P.A.T. Competent
		Position	Operative
		Signature	

This form was developed by Megger Limited
© Megger Limited August 2004