





Date: 01 / 03 / 22

Ref: Mark Devonshire Pl

Sash


1: B/01(R/F-F-UL-Ray-L)
2: B/02(R/F-F-UL-Ray-L)
3: B/03(R/F-F-UL-Ray-L)
4: ~~B/04(R/F-F-UL-Ray-L)~~




Notes

- Acorn to supply top sash glaz and curved stick-on bars.

Glass Perimeter Moulding



Glazing Bar



Height Above Floor

<800

Timber

- ☐ FSC Softwood
☒ FSC Hardwood Red Grandis

Fixed Sash

Top Bottom

- ☒ Sliding
☐ Fixed

Balancing

- ☒ Ropes and weights
☐ Spring balances
☒ Groove in sash
☐ Groove in box

Meeting Rail

- ☒ Chamfered
☐ Stepped

Addition for Distortion

- ☐ Add to top rail
☒ Add to bottom rail 20

Horns - See Tracing

- ☒ Top
☐ Bottom

Glazing

Top Bottom

- ☒ Single mm
☒ Double 4 8 4
☐ Pilkington K
☒ Soft-coat
☒ Argon-filled
☐ Thermix black
☒ Swisspacer white
☐ Aluminium spacer
☒ Toughened
☐ Sandblasted
☐

Glass Fixing

- ☐ Putty
☒ Timber bead outside
☒ Seal with glazing silicone

Glazing Bar(s)

- ☐ Real glazing bar
☒ Integral spacer bar
☒ Stick on timber bead
☐

Finish

Int. Exterior


- ☐ No finish at all
☐ Colour matched filler
☒ Primer - white
☒ Spray - white
☐ Spray -
☐

Date: 01 / 03 / 22

Ref: Mark Devonshire Pl

Sash

1: 8/06 (1st-F-Family-L)
2: 8/07 (1st-F-Family-R)
3: 8/08 (1st-F-Studio)
4: ~~8/09 (1st-F-Family-L)~~



Timber

- ☐ FSC Softwood
- ☒ FSC Hardwood Red Grandis

Fixed Sash

Top Bottom

- ☒ Sliding
- ☐ Fixed

Balancing

- ☒ Ropes and weights
- ☐ Spring balances
- ☒ Groove in sash
- ☐ Groove in box

Meeting Rail

- ☒ Chamfered
- ☐ Stepped

Addition for Distortion

- ☐ Add to top rail
- ☒ Add to bottom rail 20

Horns - See Tracing

- ☒ Top
- ☐ Bottom

Glazing

Top Bottom

- ☒ Single 484 mm
- ☒ Double 484
- ☐ Pilkington K
- ☒ Soft-coat
- ☒ Argon-filled
- ☐ Thermix black
- ☒ Swisspacer white
- ☐ Aluminium spacer
- ☒ Toughened
- ☐ Sandblasted
- ☐

Glass Fixing

- ☐ Putty
- ☒ Timber bead outside
- ☒ Seal with glazing silicone


Glazing Bar(s)

- ☐ Real glazing bar
- ☒ Integral spacer bar
- ☒ Stick on timber bead
- ☐


Notes

- Acorn to supply top sash glass and curved stick-on bars.

Glass Perimeter Moulding



Glazing Bar



Height Above Floor

<800

Finish

Int. Exterior

- ☐ No finish at all
- ☐ Colour matched filler
- ☒ Primer - white
- ☒ Spray - white
- ☐ Spray -
- ☐



Date: 03 / 01 / 16

Ref: Mark Devonshire Pl

Horn Detail

Top Sash