

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	CON/2022/0358
Application type	Conservation Area Notification
Site Address:	46 Sheldon Avenue London N6 4JR
Proposal	T1 - Horse Chestnut - (pink) - Remove dead wood. Crown reduce remaining tree by approx 2m to reduce lateral spread and to balance remaining tree. Crown thin by 10% T2 - Gladitcia - Crown thin by approx 25% to bring more light into garden. Reduce the overlong lateral branch growing across the garden by approx 2m to reduce weight.

RECOMMENDATION:	No Objection	
Application date	05/09/2022	
Tree Inspector	DM	Date: 12 th October 2022

Site

The trees T1 (Horse Chestnut) and T2 (Gleditsia), as marked on the plan, are situated in the rear garden of the property. They are not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Highgate Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

T1 - Horse Chestnut - (pink) - Remove dead wood. Crown reduce remaining tree by approx 2m to reduce lateral spread and to balance remaining tree. Crown thin by 10%

T2 - Gladitcia - Crown thin by approx 25% to bring more light into garden. Reduce the overlong lateral branch growing across the garden by approx 2m to reduce weight.

Issues

I hold no objection to the proposed reasonable works and specification. The pruning is within good arboricultural practice.

Recommendation

No Objection