

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	CON/2022/0302
Application type	Conservation Area Notification
Site Address:	10 Donovan Avenue London N10 2JX
Proposal	Cherry (T1) - fell tree. Replant with a deciduous replacement (eg. amelanchier or birch). The tree has extensive dieback in the crown and has been suppressed by the neighbour's plum tree.

RECOMMENDATION:	No Objection	
Application date	29/07/2022	
Tree Inspector	DM	Date: 2 nd September 2022

Site

The Cherry tree T1, as marked on the plan, is situated in the rear garden of the property. It is not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is within the Muswell Hill Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

Cherry (T1) - fell tree. Replant with a deciduous replacement (eg. amelanchier or birch). The tree has extensive dieback in the crown and has been suppressed by the neighbour's plum tree.

Issues

I hold no objections to the proposed removal of the Cherry tree T1. The tree is a poor specimen, in decline, and not worthy of a Tree Preservation Order.

There is a condition to re plant dead and dying within a Conservation Area and the application proposes this.

Recommendation

No Objection

Condition: Re plant *Amelanchier spp.* or *Birch spp.* 10-12cm girth.