

James Argles

From: Planning Support
Subject: FW: CON/2022/0383: 50 Jacksons Lane N6 5SX, CON/2022/0443:CON/2022/0437: 22 Southwood Lawn Road N6 5SF, 21 Broadlands Road N6 4AE, CON/2022/0443: 21 Broadlands Road N6 4AE, CON/2022/0433: 11 Parklands Cholmeley Park N6 5FE ,

Sent: 13 October 2022 14:27

Subject: CON/2022/0383: 50 Jacksons Lane N6 5SX, CON/2022/0443:CON/2022/0437: 22 Southwood Lawn Road N6 5SF, 21 Broadlands Road N6 4AE, CON/2022/0443: 21 Broadlands Road N6 4AE, CON/2022/0433: 11 Parklands Cholmeley Park N6 5FE ,

CON/2022/0383: 50 Jacksons Lane N6 5SX

PLEASE NOTE THESE TREES ARE LOCATED IN THE SHRUBBERY AREA TO THE FRONT OF 44-56 JACKSONS LANE NOT IN THE GARDEN OF 50 JACKSONS LANE

T1 - Robinia to the front of 44 Jacksons Lane - Pollard down to previous pollard point (This tree was reduced down to approx. 8m from ground level 4-5 years ago due to decay at the base. This work is to remove 3-4m re-growth from the pollard point (diameter of cut approx. 90mm)

T2, T3 - Robinias outside opposite 35/37 Jacksons Lane - reduce crowns to points of previous reduction (2-3m approx. branch removal. Trees current approx. height 18-20m), crown lift to 7m from ground level

T4 - Sycamore opposite 39 Jacksons Lane - remove lowest branch over roadway due to decay at base (approx. diameter 70mm)

No Objection

CON/2022/0416: 8 Stormont Road N6 4NL

Trees as specified on application form

No Objection

CON/2022/0443: 21 Broadlands Road N6 4AE

Trees as specified on application form

No Objection but please note that T4 catalpa, may have a TPO.

CON/2022/0433: 11 Parklands Cholmeley Park N6 5FE

T1- Sycamore tree (22m)- removal of sprouts from main trunk up to crown break.

T2- Sycamore tree (19m)- Thin crown by approximately thirty percent to allow light through crown of tree, lift to approximately 4m from ground level.

T1 No Objection

T2 we would trust that lifting the crown to 4 metres above ground level would maintain screening between the property and Furnival House.

CON/2022/0437: 22 Southwood Lawn Road N6 5SF

Reduce crown of pear tree by 3m on all aspects to allow more light into the garden

Comment

There is no indication of the height of this tree. Pruning by 3 metres seems somewhat excessive. Please note that that the applicant has already cut back the adjacent yew tree, to let in more light. CON/2022/0303

Louise Lewis

Highgate Neighbourhood Forum