

Whittington Court N2 OBT



Photograph #4: Shows Hazel trees 11-14 in close proximity to flats and bungalow

21	Common Hazel <i>Corylus avellana</i>	7	150	4	M	P: Good - Normal vitality S: Good - No significant defects	Observations: Multiple stems. Growing on edge of bank. Limited space for crown development. Significant crown asymmetry due to past shortening of Easterly canopy Recommendations: Reduce whole crown to 4m high and reshape. Maintain size with bi-annual pruning. 4.6m ff nearest point
----	---	---	-----	---	---	---	--

12	Common Hazel <i>Corylus avellana</i>	9	100	3	M	P: Good - Normal vitality S: Good - No significant defects	Observations: Limited space for crown development. Branches engulfing adjacent garage block. 110cm from retainer wall 160cm from garage block 3m ff Recommendations: Reduce to a 500mm high coppice stool. Maintain post pruned size with annual trimming
----	---	---	-----	---	---	---	--

Whittington Court

Colour coded tree works schedule: **Red** - Urgent, **Amber** - Within 3 months, **Green** - After 3 months



Appendix 2: Tree Survey Schedule

Tree Number	Species	Height (m)	DBH (mm)	Crown Spread (m)	Age Class	Condition Physiological (P) & Structural (S)	Observations & Recommendations
13	Common Hazel <i>Corylus avellana</i>	8	100	3	M	P: Good - Normal vitality S: Good - No significant defects	Observations: Rooted 100mm from concrete retainer wall. Insufficient space for future development Recommendations: Fell - Fell and treat stump
14	Common Hazel <i>Corylus avellana</i>	8	100	3	M	P: Good - Normal vitality S: Good - No significant defects	Observations: Crown engulfing bungalow. Limited space. Significant size reduction required. Recommendations: Reduce to a 500mm high coppice stool and maintain size with annual trimming