

Notes :



This drawing has been prepared in accordance with BS 5837:2012.

This drawing is intended to be printed and used in colour only, and for no purpose other than the consideration of trees in accordance with BS 5837.

BS5837:2012 Cascade chart for tree quality assessment			
Category & Definition	Criteria (including subcategories where appropriate)	Identification on plan	
Trees unsuitable for retention			
Category U			Red on plan RB 1270.0
Trees to be considered for retention			
	1. Heavy arboricultural qualities	2. Heavy landscape qualities	3. Heavy cultural values, including conservation
Category A			
Trees of high quality with limited remaining life expectancy of at least 40 years	Trees that are in good health, with no significant structural defects, and which are expected to live for at least 40 years. They may be of any species or size, but must be of a species that is native to the UK.	Trees that are of high quality, and which are expected to live for at least 40 years. They may be of any species or size, but must be of a species that is native to the UK.	Light Green RB 0.250.0
Category B			
Trees of moderate quality with an expected remaining life expectancy of at least 20 years	Trees that are in good health, with no significant structural defects, and which are expected to live for at least 20 years. They may be of any species or size, but must be of a species that is native to the UK.	Trees that are of moderate quality, and which are expected to live for at least 20 years. They may be of any species or size, but must be of a species that is native to the UK.	Med Green RB 0.250.0
Category C			
Trees of low quality with an expected remaining life expectancy of at least 10 years, or young trees with a diameter below 100mm	Trees that are in poor health, with significant structural defects, and which are expected to live for at least 10 years. They may be of any species or size, but must be of a species that is native to the UK.	Trees that are of low quality, and which are expected to live for at least 10 years. They may be of any species or size, but must be of a species that is native to the UK.	Grey RB 091.091.091

KEY

- Root Protection Area (RPA)
- Tree Stem
- T1 Tree No.



Rev	Details	Date	Checked By
Drawing Number		AEL-18617-TCP	
 Apex Environmental Ltd 3 Lawrence Way, Lichfield, WS13 6RD TEL: 0121 249 1235 e-mail: info@ael-treconsultants.co.uk web: www.ael-treconsultants.co.uk			
Client		XP Property	
Project		108-110 Colney Hatch Lane	
Title Tree Constraints Plan			
Scale	Date	Drawn By	Checked By
1:200	17/10/2022	RJH	
Drawing Number		Revision	
		A	
THIS DRAWING IS CONFIDENTIAL AND MUST NOT BE REPRODUCED WITHOUT THE CONSENT OF APEX ENVIRONMENTAL LTD			