

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	CON/2022/0436
Application type	Conservation Area Notification
Site Address:	1 Olivers Row London N8 9BF
Proposal	Cherry (T1): <i>Laetiporus sulphureus</i> fruiting body identified at approximately 5m height on main stem. High potential of stem failure at this point. Tree also has a significant lean and is situated in a raised bed. Hollow when sounding around base. Fell.

RECOMMENDATION:	No Objection	
Application date	10/10/2022	
Tree Inspector	DM	Date: 21 st Novemebr 2022

Site

The Cherry *Prunus* spp. tree T1, as marked on the sketch plan, is situated in the rear garden of the property. It is not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Crouch End Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

Cherry (T1): *Laetiporus sulphureus* fruiting body identified at approximately 5m height on main stem. High potential of stem failure at this point. Tree also has a significant lean and is situated in a raised bed. Hollow when sounding around base. Fell.

Issues

I hold no objections to the proposed tree works.

The fungus *Laetiporus sulphureus* (Chicken of the Woods) is a particularly aggressive brown cubical rot.

There is a condition to re plant dead, dying, and dangerous trees within a Tree Conservation Area.

Recommendation

No Objection

Condition: 10- 12cm girth *Prunus* spp.