

# PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

|                    |                                                                                                                                        |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Application number | <a href="#">CON/2022/0440</a>                                                                                                          |
| Application type   | Conservation Area Notification                                                                                                         |
| Site Address:      | Storage Warehouse 118 Priory Road London N8 7HP                                                                                        |
| Proposal           | Area1 - To laterally reduce by approximately 2.5m up to a height of 10m overhanging branching from neighbouring trees (Ash and Elder). |

|                  |              |                                      |
|------------------|--------------|--------------------------------------|
| RECOMMENDATION:  | No Objection |                                      |
| Application date | 11/10/2022   |                                      |
| Tree Inspector   | DM           | Date: 22 <sup>nd</sup> November 2022 |

## **Site**

The trees are situated in the grounds of the property. They are not publicly visible to the rear.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Alexandra Palace & Park Policy Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

## **Proposal**

Tree works proposed:

Area1 - To laterally reduce by approximately 2.5m up to a height of 10m overhanging branching from neighbouring trees (Ash and Elder).

## **Issues**

I hold no objections to the proposed reasonable works that are within good arboricultural practice and policy.

## **Recommendation**

**No Objection**