

# PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Application number</b> | CON/2022/0482                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Application type</b>   | <b>Conservation Area Notification</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Site Address:</b>      | 8 Grange Road London N6 4AP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Proposal</b>           | <p>Chestnut - Crown reduce the height and spread back to the previous reduction points (approx. 2-2.4m)</p> <p>Sweet Chestnut - Reduce the height by 20% (approx. 1.5-2m). Reduce the crown spread by 25-33% (approx. 1.2-1.5m)</p> <p>Goat Willow - Crown reduce the height and spread back to the previous reduction points (approx. 2.5-3m). Reduce the spread on the south side to give a 1-1.5m clearance from the Cherry tree. Remove the small low branches</p> <p>Maintenance works in line with good Arboricultural practice.</p> |

|                         |                     |                                 |
|-------------------------|---------------------|---------------------------------|
| <b>RECOMMENDATION:</b>  | <b>No Objection</b> |                                 |
| <b>Application date</b> | 26/10/2022          |                                 |
| <b>Tree Inspector</b>   | DM                  | <b>Date:</b> <sup>rd</sup> 2022 |

## **Site**

The various tree, as marked on the sketch s are situated in the front rear garden of the property. They are two trees at the front are publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Highgate Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

## **Proposal**

Tree works proposed:

Chestnut - Crown reduce the height and spread back to the previous reduction points (approx. 2-2.4m)

Sweet Chestnut - Reduce the height by 20% (approx. 1.5-2m). Reduce the crown spread by 25-33% (approx. 1.2-1.5m)

Goat Willow - Crown reduce the height and spread back to the previous reduction points (approx. 2.5-3m). Reduce the spread on the south side to give a 1-1.5m clearance from the Cherry tree. Remove the small low branches

Maintenance works in line with good Arboricultural practice.

## **Issues**

I hold no objections to the proposed reasonable works. The specification is standard, a good model example of a specification, within good arboricultural practice, and husbandry.

## **Recommendation**

**No Objection**