

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	HGY/2022/4034
Application type	Conservation Area Notification
Site Address:	30, Sheldon Avenue, Hornsey, London, N6 4JR
Proposal	T1 Prunus sp. (Cherry) x 4 - Height > 6m, Diameter > 60cm - Reduce to previous points (removing approximately 1-2m) T2 Acacia dealbata (Mimosa) - Height 9m, Diameter 70cm - Reduce to previous points (removing approximately 1-2m) T3 Prunus subhirtella autumnalis (Winter Flowering Cherry) - Height 6m, Diameter 30cm - Reduce by approximately 3-4m T4 Prunus laurocerasus (Laurel) - Height 3m - Cut back towards boundary (removing no more than 3m lengths) T5 Prunus sp. (Cherry) - Height 6m, Diameter 40cm - Cut back towards boundary (removing no more than 3m lengths) T6 Acer sp. (Maple) - Height 4m, Diameter 20cm - Cut back towards boundary (removing no more than 3m lengths) T7 Conifer sp. - Height 17m, Diameter 70cm - Cut back towards boundary (removing no more than 3m lengths)

RECOMMENDATION:	No Objection	
Application date	07/11/2022	
Tree Inspector	DM	Date: 14 th December 2022

Site

The various trees T1- T7, as marked on the sketch plan, are situated in the front and rear garden of the property. The Cherry trees at the front are publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Highgate Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

T1 Prunus sp. (Cherry) x 4 - Height > 6m, Diameter > 60cm - Reduce to previous points (removing approximately 1-2m)

T2 Acacia dealbata (Mimosa) - Height 9m, Diameter 70cm - Reduce to previous points (removing approximately 1-2m)

T3 Prunus subhirtella autumnalis (Winter Flowering Cherry) - Height 6m, Diameter 30cm - Reduce by approximately 3-4m

T4 Prunus laurocerasus (Laurel) - Height 3m - Cut back towards boundary (removing no more than 3m lengths)

T5 Prunus sp. (Cherry) - Height 6m, Diameter 40cm - Cut back towards boundary (removing no more than 3m lengths)

T6 Acer sp. (Maple) - Height 4m, Diameter 20cm - Cut back towards boundary (removing no more than 3m lengths)

T7 Conifer sp. - Height 17m, Diameter 70cm - Cut back towards boundary (removing no more than 3m lengths)

Issues

I hold no objections to the proposed reasonable repeat works.

The specification is within good arboricultural practice and husbandry.

Recommendation

No Objection