

James Argles

From: Planning Support
Subject: FW: Re: Discharge of Condition Planning Application HGY/2022/3972 at 7, Cross Lane, London, N8 7SA.

Sent: 14 December 2022 15:53

Subject: Re: Discharge of Condition Planning Application HGY/2022/3972 at 7, Cross Lane, London, N8 7SA.

Dear Valerie

Re: Discharge of Condition Planning Application HGY/2022/3972 at 7, Cross Lane, London, N8 7SA.

Thanks for contacting the Carbon Management Team (Pollution) regarding the discharge of condition 19 (Non-Road Mobile Machinery) attached to planning permission HGY/2020/1724 and I will like to comment as follows.

Having considered the applicant submitted NRMM registration email dated 03 November 2021 @ 1641hr, **we are satisfied with the discharge of the attached condition 19 (Non-Road Mobile Machinery) of the approved planning application HGY/2020/1724.**

With the registration starting from 6th December 2021 and ending 31st August 2023, the applicant must ensure the site remains register beyond the current end date of 31st August 2023 should the construction work extend beyond this date.

I hope the above clarify our position on the submitted application? Otherwise, feel free to contact should you have any further query in respect of the application quoting M3 reference number WK/553226.

Yours sincerely

Kenny Abere
Lead Officer (Pollution)
Carbon Management
6th Floor North
River Park House
225 High Road
Wood Green
N22 8HQ