

# PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

|                           |                                                                                                                                  |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>Application number</b> | HGY/2022/3878                                                                                                                    |
| <b>Application type</b>   | Tree Preservation Order application                                                                                              |
| <b>Site Address:</b>      | 6, Kensington Place, Hornsey, London, N10 3BY                                                                                    |
| <b>Proposal</b>           | Sycamore group (G1): Reduce height and spread of X2 large sycamore by 3-4m. Reduce height and spread of small sycamores by 2-3m. |

|                         |                     |                                             |
|-------------------------|---------------------|---------------------------------------------|
| <b>RECOMMENDATION:</b>  | <b>No Objection</b> |                                             |
| <b>Application date</b> | 24/10/2022          |                                             |
| <b>Tree Inspector</b>   | DM                  | <b>Date:</b> 20 <sup>th</sup> December 2022 |

## **Site**

The group of Sycamore trees G1, as marked on the sketch plan, are situated in the garden of the property. They are publicly visible from the road.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Rookfield Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

## **Proposal**

Tree works proposed:

Sycamore group (G1): Reduce height and spread of X2 large sycamore by 3-4m. Reduce height and spread of small sycamores by 2-3m.

## **Issues**

I hold no objections to the proposed reasonable works to the sycamore trees. The specification for the leggy sycamores is within good arboriculture practice and husbandry.

## **Recommendation**

**No Objection**