

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	HGY/2022/4079
Application type	Conservation Area Notification
Site Address:	St Marks Church Vicarage Ashley Crescent Wood Green London N22 6LJ
Proposal	No. Type Size Recommendation Reason T1 Laburnum Small Fell & Grind Stump Poor location T2 Elder Small Fell & Grind Stump Too close to fence - Poor T3 Laburnum Small Fell & Grind Stump Poor location T4 Lime Large Repollard to previous reduction points Previously reduced possibly 6-7 years regrowth. Included/ incomplete branch formations T5 Lime Large Repollard to previous reduction points T6 Lime Large Repollard to previous reduction points T7 Lime Large Repollard to previous reduction points T8 Lime Large Repollard to previous reduction points T9 Lime Large Repollard to previous reduction points T10 Apple Medium Crown Reduce by 1 metre Previously reduced T11 Cherry Small Crown Reduce by 1 metre Growth inhibited by surrounding trees T12 Cherry Small Fell & Grind Stump Growth inhibited by surrounding trees T13 Cherry Small Fell & Grind Stump Growth inhibited by surrounding trees T14 Maple Small Fell & Grind Stump Growth inhibited by surrounding trees T15 Hawthorne Small Crown Reduce by 1 metre Growth inhibited by surrounding trees T16 Elder Small Fell & Poison Stump Too close to building T17 Elder Small Fell & Grind Stump Poor specimen - too close to fence S1 Stump Large Grind out 6-8 inches below ground Obstructive.

RECOMMENDATION:	No Objection	
Application date	11/11/2022	
Tree Inspector	DM	Date: 5 th January 2023

Site

The various trees T1, T17-S1, as marked on the plan are situated in the open grounds of the Church property. They are publicly visible.

A site visit was deemed necessary to determine the appropriateness of the proposed works (05/01/2023 at approximately 12pm).

The location is also within the Noel Park Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

No. Type Size Recommendation Reason

T1 Laburnum Small Fell & Grind Stump Poor location

T2 Elder Small Fell & Grind Stump Too close to fence - Poor

T3 Laburnum Small Fell & Grind Stump Poor location

T4 Lime Large Repollard to previous reduction points Previously reduced possibly 6-7 years regrowth. Included/ incomplete branch formations

T5 Lime Large Repollard to previous reduction points

T6 Lime Large Repollard to previous reduction points

T7 Lime Large Repollard to previous reduction points

T8 Lime Large Repollard to previous reduction points

T9 Lime Large Repollard to previous reduction points

T10 Apple Medium Crown Reduce by 1 metre Previously reduced

T11 Cherry Small Crown Reduce by 1 metre Growth inhibited by surrounding trees

T12 Cherry Small Fell & Grind Stump Growth inhibited by surrounding trees

T13 Cherry Small Fell & Grind Stump Growth inhibited by surrounding trees

T14 Maple Small Fell & Grind Stump Growth inhibited by surrounding trees

T15 Hawthorne Small Crown Reduce by 1 metre Growth inhibited by surrounding trees

T16 Elder Small Fell & Poison Stump Too close to building

T17 Elder Small Fell & Grind Stump Poor specimen - too close to fence

S1 Stump Large Grind out 6-8 inches below ground Obstructive.

Issues

I hold no objections to the reasonable proposed tree pruning.

The specification is within good arboricultural practice, and husbandry.

Recommendation

No Objection

