

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	HGY/2022/2574
Application type	Tree Preservation Order application
Site Address:	20 Denton Road London N8 9NS
Proposal	Works to tree protected by a TPO: (T1 & T2) Horse Chestnut & Ash - proposing to remove these two small self seeded saplings (approximately 120mm diameter), as they have seeded in a raised flowerbed and are going to start causing structural issues to the wall if left in situ.

RECOMMENDATION:	No Objection	
Application date	03/10/2022	
Tree Inspector	DM	Date: 23 rd December 2022

Site

The young self set Horse Chestnut *Aesculus* spp. trees T1 & T2, as marked on the sketch plan and seen in the photograph, are situated in the rear garden of the property. They are not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Stroud Green Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

Works to tree protected by a TPO: (T1 & T2) Horse Chestnut & Ash - proposing to remove these two small self seeded saplings (approximately 120mm diameter), as they have seeded in a raised flowerbed and are going to start causing structural issues to the wall if left in situ.

Issues

I hold no objections to the removal of the self-set Horse Chestnut trees that are within an inappropriate place and will cause future direct damage.

Recommendation

No Objection