

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	HGY/2022/4368
Application type	Conservation Area Notification
Site Address:	33 Cecil Road Hornsey London N10 2B
Proposal	Tree location - rear garden Access - side access T1 - L Poplar Remove all regrowth (approx. 4-5m) to leave a bare framework. Sever and shave off excess Ivy. T2 - L Poplar Remove all regrowth (approx. 4-5m) to leave a bare framework. Sever and shave off excess Ivy.

RECOMMENDATION:	No Objection	
Application date	08/12/2022	
Tree Inspector	DM	Date: 18 th January 2023

Site

The Poplar *Populus* spp. trees T1 & T2, as marked on the plan, are situated in the rear garden of the property. They are not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Muswell Hill Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

Tree location - rear garden

Access - side access

T1 - L Poplar

Remove all regrowth (approx. 4-5m) to leave a bare framework.

Sever and shave off excess Ivy.

T2 - L Poplar

Remove all regrowth (approx. 4-5m) to leave a bare framework.

Sever and shave off excess .

Issues

I hold no objections to the proposed repeat reduction works.

Topped Poplars have notorious weak wood and are susceptible to column vessel decay from past heavy reductions forming weak unions with new regrowth poles.

The trees will reform their crowns.

Recommendation

No Objection