

LEGEND



- | | |
|---|---|
|  | Illuminated Escape Signage – Running Man Logo |
|  | Fire Alarm Call Point |
|  | Sounder |
|  | Ceiling mounted Smoke Detector |
|  | 4G comms supply (above ceiling) |
|  | Wifi router |
|  | Networked data point |
|  | Fused Switched double socket above w.top |
|  | Fused Switched double socket |
|  | Fused Switched single socket above w.top |
|  | Fused Switched single socket |
|  | Fused Switch with neon indicator |
|  | Fused Switch Spur |
|  | Fused Non-Switched Spur |
|  | Consumer Unit |
|  | Communications systems cabinet |
|  | Heatrae Sadia Handy |
|  | Heatrae Sadia Express |

LEGEND



-  Illuminated Escape – Running Man Logo
-  Emergency Light Bulkhead Fitting
-  Smoke Detector
-  Ceiling hung strip lights
-  NVC Sterling NST 066 840 ~
-  Pendant lights over retail counters – (L.E.D.)
-  AMSELL IP65 AGAL PD Porch fittings.
-  Aurora DD LH618/40 recessed downlights.
-  Knightsbridge WW40 R Wall washer
-  Aurora fitting with JCC v50 spots.
-  Recess or Surface Mounted Air Curtain / heater
-  External intake/extract vent
-  New airconditioning heating/cooling system

ADAPT EXISTING FIRE ALARM SYSTEM AND RE-USE EXISTING PANE
TO BE IN COMPLIANCE WITH BS-5839

ADAPT EXISTING EMERGENCY LIGHTING SYSTEM TO BE IN COMPLIANCE WITH BS-5266

FIRE SAFETY SIGNS AND NOTICES TO BE PROVIDED IN ACCORDANCE WITH BS 5499-1:2002

ELECTRICAL SOCKET/SPUR ARRANGEMENT IS PRELIMINARY, SUBJECT TO SPECIALIST ELECTRICAL CONTRACTOR REVIEW, TO SUIT ALL NECESSARY ELECTRICAL FIXTURES & FITTINGS INCLUDING SECURITY, COMMUNICATION, HEATING/COOLING, VENTILATION, IT, LIGHTING, ACCESS etc. ADAPT EXISTING ELECTRICAL SYSTEM INCLUDING PROVIDING SUPPLY AND FITTINGS TO SUIT ALL NECESSARY FIXTURES, SECURITY, DOOR ACCESS SYSTEMS.