

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	HGY/2022/4513
Application type	Conservation Area Notification
Site Address:	54 Grove Avenue Hornsey London N10 2AN
Proposal	Rear Garden: Reason for all: Re-landscaping. Small trees to be replaced with Pencil Cypress. T1: Spruce: Approximately 7.00m: Fell to ground level. Grind stump to approximately 300mm below current ground level. T2: Bay multi stemmed: Approximately 7.00m: Fell to ground to ground level and grind to 300mm below current ground level. Mixed species shrubs within bed: Fell all to ground level. Grind stumps to approximately 300mm below current ground level. Rear Left hand boundary: T3: Palm: Approximately 3.50m: Fell to ground level and remove rootball. Right hand planting bed: T4: Multi stemmed Yew: Approximately 7.00m: Fell to ground level. Grind stumps to approximately 300mm below current ground level. Remaining shrubs in bed: Fell to ground level, grind stumps to approximately 300mm.

RECOMMENDATION:	No Objection	
Application date	<i>22/12/2022</i>	
Tree Inspector	DM	Date: 19 th Janary 2023

Site

The various trees T1-T4, as marked on the sketch plan, are situated in the rear garden of the property. They are not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Vallance Road Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

Rear Garden: Reason for all: Re-landscaping. Small trees to be replaced with Pencil Cypress.

T1: Spruce: Approximately 7.00m: Fell to ground level. Grind stump to approximately 300mm below current ground level.

T2: Bay multi stemmed: Approximately 7.00m: Fell to ground to ground level and grind to 300mm below current ground level.

Mixed species shrubs within bed: Fell all to ground level. Grind stumps to approximately 300mm below current ground level.

Rear Left hand boundary:

T3: Palm: Approximately 3.50m: Fell to ground level and remove rootball.

Right hand planting bed:

T4: Multi stemmed Yew: Approximately 7.00m: Fell to ground level. Grind stumps to approximately 300mm below current ground level.

Remaining shrubs in bed: Fell to ground level, grind stumps to approximately 300mm.

Issues

I hold no objections to the proposal. From the images the trees are low grade and not worthy of a Tree Preservation Order.

Part of the landscape is to re plant with Cypress spp.

Recommendation

No Objection