

**Alix Hamilton**

Keltbray Remediation Ltd
St Andrew's House
Portsmouth Road
Esher
KT10 9TA

t: 02076431000

e: alix.hamilton@keltbray.com

i2 Analytical Ltd.
7 Woodshots Meadow,
Croxley Green
Business Park,
Watford,
Herts,
WD18 8YS

t: 01923 225404

f: 01923 237404

e: reception@i2analytical.com

Analytical Report Number : 20-28790

Project / Site name:	Clarendon Road	Samples received on:	08/09/2020
Your job number:	6075	Samples instructed on/ Analysis started on:	08/09/2020
Your order number:	S-RE6075/00005	Analysis completed by:	11/09/2020
Report Issue Number:	1	Report issued on:	11/09/2020
Samples Analysed:	9 leachate samples - 9 soil samples		

Signed: *Karolina Marek*

Karolina Marek
PL Head of Reporting Team
For & on behalf of i2 Analytical Ltd.

Standard Geotechnical, Asbestos and Chemical Testing Laboratory located at: ul. Pionierów 39, 41 -711 Ruda Śląska, Poland.

Accredited tests are defined within the report, opinions and interpretations expressed herein are outside the scope of accreditation.

Standard sample disposal times, unless otherwise agreed with the laboratory, are :

soils - 4 weeks from reporting
leachates - 2 weeks from reporting
waters - 2 weeks from reporting
asbestos - 6 months from reporting

Excel copies of reports are only valid when accompanied by this PDF certificate.

Any assessments of compliance with specifications are based on actual analytical results with no contribution from uncertainty of measurement.
Application of uncertainty of measurement would provide a range within which the true result lies.
An estimate of measurement uncertainty can be provided on request.



Analytical Report Number: 20-28790
 Project / Site name: Clarendon Road
 Your Order No: S-RE6075/00005

Lab Sample Number				1614222	1614223	1614224	1614225
Sample Reference				VS-K5	VS-L5	VS-L6	VS-I6
Sample Number				None Supplied	None Supplied	None Supplied	None Supplied
Depth (m)				3.00	3.00	3.00	3.00
Date Sampled				08/09/2020	08/09/2020	08/09/2020	07/09/2020
Time Taken				0900	0900	0900	0900
Analytical Parameter (Soil Analysis)				Units	Limit of detection	Accreditation Status	

Stone Content	%	0.1	NONE	< 0.1	< 0.1	< 0.1	< 0.1
Moisture Content	%	N/A	NONE	17	13	18	21
Total mass of sample received	kg	0.001	NONE	2	2	2	1

Asbestos in Soil Screen / Identification Name	Type	N/A	ISO 17025	-	-	-	-
Asbestos in Soil	Type	N/A	ISO 17025	Not-detected	Not-detected	Not-detected	Not-detected
Asbestos Quantification (Stage 2)	%	0.001	ISO 17025	-	-	-	-
Asbestos Quantification Total	%	0.001	ISO 17025	-	-	-	-

General Inorganics

Water Soluble SO4 (2:1 Leach. Equiv.) 1hr extraction	g/l	0.00125	MCERTS	0.22	0.089	0.37	0.74
Water Soluble SO4 (2:1 Leach. Equiv.) 1hr extraction	mg/kg	2.5	MCERTS	430	180	750	1500
Water Soluble SO4 (2:1 Leach. Equiv.) 1hr extraction	mg/l	1.25	MCERTS	217	88.6	375	739
Ammonium as NH4	mg/kg	0.5	MCERTS	11	38	4.7	29

U/S = Unsuitable Sample I/S = Insufficient Sample



Analytical Report Number: 20-28790
 Project / Site name: Clarendon Road
 Your Order No: S-RE6075/00005

Lab Sample Number				1614226	1614227	1614228	1614229
Sample Reference				VS-Q9	VS-P9	VS-P10	VS-S8
Sample Number				None Supplied	None Supplied	None Supplied	None Supplied
Depth (m)				None Supplied	None Supplied	None Supplied	None Supplied
Date Sampled				08/09/2020	08/09/2020	08/09/2020	08/09/2020
Time Taken				1200	1200	1200	None Supplied
Analytical Parameter (Soil Analysis)				Units	Limit of detection	Accreditation Status	

Stone Content	%	0.1	NONE	< 0.1	< 0.1	< 0.1	< 0.1
Moisture Content	%	N/A	NONE	20	23	23	20
Total mass of sample received	kg	0.001	NONE	1.7	1.8	1.5	2

Asbestos in Soil Screen / Identification Name	Type	N/A	ISO 17025	-	-	Chrysotile	Chrysotile
Asbestos in Soil	Type	N/A	ISO 17025	Not-detected	Not-detected	Detected	Detected
Asbestos Quantification (Stage 2)	%	0.001	ISO 17025	-	-	< 0.001	< 0.001
Asbestos Quantification Total	%	0.001	ISO 17025	-	-	< 0.001	< 0.001

General Inorganics

Water Soluble SO4 (2:1 Leach. Equiv.) 1hr extraction	g/l	0.00125	MCERTS	1.7	1.8	1.9	1.7
Water Soluble SO4 (2:1 Leach. Equiv.) 1hr extraction	mg/kg	2.5	MCERTS	3500	3600	3800	3300
Water Soluble SO4 (2:1 Leach. Equiv.) 1hr extraction	mg/l	1.25	MCERTS	1730	1800	1900	1670
Ammonium as NH4	mg/kg	0.5	MCERTS	2.6	2.2	3.9	1.7

U/S = Unsuitable Sample I/S = Insufficient Sample



Analytical Report Number: 20-28790

Project / Site name: Clarendon Road

Your Order No: S-RE6075/00005

Lab Sample Number				1614230
Sample Reference				VS-S8E
Sample Number				None Supplied
Depth (m)				None Supplied
Date Sampled				08/09/2020
Time Taken				None Supplied
Analytical Parameter (Soil Analysis)	Units	Limit of detection	Accreditation Status	

Stone Content	%	0.1	NONE	< 0.1
Moisture Content	%	N/A	NONE	15
Total mass of sample received	kg	0.001	NONE	2

Asbestos in Soil Screen / Identification Name	Type	N/A	ISO 17025	Chrysotile
Asbestos in Soil	Type	N/A	ISO 17025	Detected
Asbestos Quantification (Stage 2)	%	0.001	ISO 17025	< 0.001
Asbestos Quantification Total	%	0.001	ISO 17025	< 0.001

General Inorganics

Water Soluble SO4 (2:1 Leach. Equiv.) 1hr extraction	g/l	0.00125	MCERTS	1.7
Water Soluble SO4 (2:1 Leach. Equiv.) 1hr extraction	mg/kg	2.5	MCERTS	3300
Water Soluble SO4 (2:1 Leach. Equiv.) 1hr extraction	mg/l	1.25	MCERTS	1650
Ammonium as NH4	mg/kg	0.5	MCERTS	2.3

U/S = Unsuitable Sample I/S = Insufficient Sample



Analytical Report Number: 20-28790
Project / Site name: Clarendon Road
Your Order No: S-RE6075/00005

Certificate of Analysis - Asbestos Quantification

Methods:

Qualitative Analysis

The samples were analysed qualitatively for asbestos by polarising light and dispersion staining as described by the Health and Safety Executive in HSG 248.

Quantitative Analysis

The analysis was carried out using our documented in-house method A006-PL based on HSE Contract Research Report No: 83/1996: Development and Validation of an analytical method to determine the amount of asbestos in soils and loose aggregates (Davies et al, 1996) and HSG 248. Our method includes initial examination of the entire representative sample, then fractionation and detailed analysis of each fraction, with quantification by hand picking and weighing.

The limit of detection (reporting limit) of this method is 0.001 %.

The method has been validated using samples of at least 100 g, results for samples smaller than this should be interpreted with caution.

Both Qualitative and Quantitative Analyses are UKAS accredited.

Sample Number	Sample ID	Sample Depth (m)	Sample Weight (g)	Asbestos Containing Material Types Detected (ACM)	PLM Results	Asbestos by hand picking/weighing (%)	Total % Asbestos in Sample
1614228	VS-P10		138	Loose Fibres	Chrysotile	< 0.001	< 0.001
1614229	VS-S8		137	Loose Fibres	Chrysotile	< 0.001	< 0.001
1614230	VS-S8E		181	Loose Fibres	Chrysotile	< 0.001	< 0.001

Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.



Analytical Report Number: 20-28790

Project / Site name: Clarendon Road

Your Order No: S-RE6075/00005

Lab Sample Number				1614231	1614232	1614233	1614234
Sample Reference				VS-K5	VS-L5	VS-L6	VS-I6
Sample Number				None Supplied	None Supplied	None Supplied	None Supplied
Depth (m)				3.00	3.00	3.00	3.00
Date Sampled				08/09/2020	08/09/2020	08/09/2020	08/09/2020
Time Taken				0900	0900	0900	0900
Analytical Parameter (Leachate Analysis)				Units	Limit of detection	Accreditation Status	

General Inorganics

Sulphate as SO ₄	mg/l	0.1	ISO 17025	29.8	10.6	52.3	99.6
Ammonium as NH ₄	µg/l	15	NONE	760	2800	360	2100

U/S = Unsuitable Sample I/S = Insufficient Sample



Analytical Report Number: 20-28790
Project / Site name: Clarendon Road

Your Order No: S-RE6075/00005

Lab Sample Number				1614235	1614236	1614237	1614238
Sample Reference				VS-Q9	VS-P9	VS-P10	VS-S8
Sample Number				None Supplied	None Supplied	None Supplied	None Supplied
Depth (m)				None Supplied	None Supplied	None Supplied	None Supplied
Date Sampled				08/09/2020	08/09/2020	08/09/2020	08/09/2020
Time Taken				1200	1200	1200	None Supplied
Analytical Parameter (Leachate Analysis)				Units	Limit of detection	Accreditation Status	

General Inorganics

Sulphate as SO ₄	mg/l	0.1	ISO 17025	207	472	481	73.4
Ammonium as NH ₄	µg/l	15	NONE	130	130	290	230

U/S = Unsuitable Sample I/S = Insufficient Sample



Analytical Report Number: 20-28790
Project / Site name: Clarendon Road

Your Order No: S-RE6075/00005

Lab Sample Number				1614239
Sample Reference				VS-S8E
Sample Number				None Supplied
Depth (m)				None Supplied
Date Sampled				08/09/2020
Time Taken				None Supplied
Analytical Parameter (Leachate Analysis)		Units	Limit of detection	Accreditation Status

General Inorganics

Sulphate as SO ₄	mg/l	0.1	ISO 17025	168
Ammonium as NH ₄	µg/l	15	NONE	86

U/S = Unsuitable Sample I/S = Insufficient Sample



Analytical Report Number : 20-28790

Project / Site name: Clarendon Road

* These descriptions are only intended to act as a cross check if sample identities are questioned. The major constituent of the sample is intended to act with respect to MCERTS validation. The laboratory is accredited for sand, clay and loam (MCERTS) soil types. Data for unaccredited types of solid should be interpreted with care.

Stone content of a sample is calculated as the % weight of the stones not passing a 10 mm sieve. Results are not corrected for stone content.

Lab Sample Number	Sample Reference	Sample Number	Depth (m)	Sample Description *
1614222	VS-K5	None Supplied	3	Light brown clay and sand with gravel.
1614223	VS-L5	None Supplied	3	Light brown clay and sand with gravel.
1614224	VS-L6	None Supplied	3	Light brown clay and sand with gravel.
1614225	VS-I6	None Supplied	3	Light brown clay and sand with gravel.
1614226	VS-Q9	None Supplied	None Supplied	Light brown clay and sand with gravel.
1614227	VS-P9	None Supplied	None Supplied	Light brown clay and sand with gravel.
1614228	VS-P10	None Supplied	None Supplied	Light brown clay and sand with gravel.
1614229	VS-S8	None Supplied	None Supplied	Light brown clay and sand with gravel.
1614230	VS-S8E	None Supplied	None Supplied	Light brown clay and sand with gravel.



Analytical Report Number : 20-28790
Project / Site name: Clarendon Road

Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW)

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
Sulphate, water soluble, in soil (16hr extraction)	Determination of water soluble sulphate by ICP-OES. Results reported directly (leachate equivalent) and corrected for extraction ratio (soil equivalent).	In house method.	L038-PL	D	MCERTS
NRA Leachate Prep	10:1 extract with de-ionised water shaken for 24 hours then filtered.	In-house method based on National Rivers Authority	L020-PL	W	NONE
Asbestos identification in soil	Asbestos Identification with the use of polarised light microscopy in conjunction with disperion staining techniques.	In house method based on HSG 248	A001-PL	D	ISO 17025
Moisture Content	Moisture content, determined gravimetrically. (30 oC)	In house method.	L019-UK/PL	W	NONE
Stones content of soil	Standard preparation for all samples unless otherwise detailed. Gravimetric determination of stone > 10 mm as % dry weight.	In-house method based on British Standard Methods and MCERTS requirements.	L019-UK/PL	D	NONE
Ammonium as NH4 in leachate	Determination of Ammonium/Ammonia/ Ammoniacal Nitrogen by the colorimetric salicylate/nitroprusside method.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	NONE
Ammonium as NH4 in soil	Determination of Ammonium/Ammonia/ Ammoniacal Nitrogen by the colorimetric salicylate/nitroprusside method, 10:1 water extraction.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	MCERTS
Asbestos Quantification - Gravimetric	Asbestos quantification by gravimetric method - in house method based on references.	HSE Report No: 83/1996, HSG 248, HSG 264 & SCA Blue Book (draft).	A006-PL	D	ISO 17025
Sulphate in leachates	Determination of sulphate in leachate by acidification followed by ICP-OES.	In-house method based on MEWAM 1986 Methods for the Determination of Metals in Soil"	L039-PL	W	ISO 17025
D.O. for Gravimetric Quant if Screen/ID positive	Dependent option for Gravimetric Quant if Screen/ID positive scheduled.	In house asbestos methods A001 & A006.	A006-PL	D	NONE
Sulphate, water soluble, in soil (1hr extraction)	Sulphate, water soluble, in soil (1hr extraction)	In-house method	L038-PL	D	MCERTS

For method numbers ending in 'UK' analysis have been carried out in our laboratory in the United Kingdom.

For method numbers ending in 'PL' analysis have been carried out in our laboratory in Poland.

Soil analytical results are expressed on a dry weight basis. Where analysis is carried out on as-received the results obtained are multiplied by a moisture correction factor that is determined gravimetrically using the moisture content which is carried out at a maximum of 30oC.