

**Alix Hamilton**

Keltbray Remediation Ltd
St Andrew's House
Portsmouth Road
Esher
KT10 9TA

t: 02076431000

e: alix.hamilton@keltbray.com

i2 Analytical Ltd.
7 Woodshots Meadow,
Croxley Green
Business Park,
Watford,
Herts,
WD18 8YS

t: 01923 225404

f: 01923 237404

e: reception@i2analytical.com

Analytical Report Number : 20-23325

Replaces Analytical Report Number : 20-23325, issue no. 1

Additional analysis undertaken.

Project / Site name:	Clarendon Road	Samples received on:	06/08/2020
Your job number:	6075	Sample instructed/ Analysis started on:	06/08/2020
Your order number:	S-RE6075-00005	Analysis completed by:	13/08/2020
Report Issue Number:	2	Report issued on:	18/08/2020
Samples Analysed:	2 leachate samples - 2 soil samples - 1 water sample		

Signed:

Zina Abdul Razzak
Senior Quality Specialist

For & on behalf of i2 Analytical Ltd.

Standard Geotechnical, Asbestos and Chemical Testing Laboratory located at: ul. Pionierów 39, 41 -711 Ruda Śląska, Poland.

Accredited tests are defined within the report, opinions and interpretations expressed herein are outside the scope of accreditation.

Standard sample disposal times, unless otherwise agreed with the laboratory, are :	soils	- 4 weeks from reporting
	leachates	- 2 weeks from reporting
	waters	- 2 weeks from reporting
	asbestos	- 6 months from reporting

Excel copies of reports are only valid when accompanied by this PDF certificate.

Any assessments of compliance with specifications are based on actual analytical results with no contribution from uncertainty of measurement. Application of uncertainty of measurement would provide a range within which the true result lies. An estimate of measurement uncertainty can be provided on request.

Iss No 20-23325-2 Clarendon Road 6075

This certificate should not be reproduced, except in full, without the express permission of the laboratory.

The results included within the report relate only to the sample(s) submitted for testing.

Page 1 of 11



4041



Environmental Science

Analytical Report Number: 20-23325

Project / Site name: Clarendon Road

Your Order No: S-RE6075-00005

Lab Sample Number				1584702	1584703			
Sample Reference				SP-027	SP-028			
Sample Number				None Supplied	None Supplied			
Depth (m)				None Supplied	None Supplied			
Date Sampled				06/08/2020	06/08/2020			
Time Taken				1200	1200			
Analytical Parameter (Soil Analysis)	Units	Limit of detection	Accreditation Status					
Stone Content	%	0.1	NONE	< 0.1	< 0.1			
Moisture Content	%	N/A	NONE	2.6	9.6			
Total mass of sample received	kg	0.001	NONE	1.6	1.4			

Asbestos in Soil Screen / Identification Name	Type	N/A	ISO 17025	Chrysotile & Crocidolite	Amosite			
Asbestos in Soil	Type	N/A	ISO 17025	Detected	Detected			
Asbestos Quantification (Stage 2)	%	0.001	ISO 17025	0.067	< 0.001			
Asbestos Quantification Total	%	0.001	ISO 17025	0.067	< 0.001			

General Inorganics

Water Soluble Sulphate as SO ₄ 16hr extraction (2:1)	mg/kg	2.5	MCERTS	5000	1000			
Water Soluble SO ₄ 16hr extraction (2:1 Leachate Equivalent)	g/l	0.00125	MCERTS	2.5	0.51			
Water Soluble SO ₄ 16hr extraction (2:1 Leachate Equivalent)	mg/l	1.25	MCERTS	2520	507			
Ammonium as NH ₄	mg/kg	0.5	MCERTS	57	2.0			

Speciated PAHs

Naphthalene	mg/kg	0.05	MCERTS	1.5	< 0.05			
Acenaphthene	mg/kg	0.05	MCERTS	0.50	0.20			
Fluorene	mg/kg	0.05	MCERTS	2.0	0.80			
Anthracene	mg/kg	0.05	MCERTS	2.1	2.0			
Fluoranthene	mg/kg	0.05	MCERTS	9.4	12			
Pyrene	mg/kg	0.05	MCERTS	9.5	10			
Benzo(a)pyrene	mg/kg	0.05	MCERTS	3.9	4.5			

Monoaromatics & Oxygenates

Benzene	µg/kg	1	MCERTS	< 1.0	< 1.0			
Toluene	µg/kg	1	MCERTS	< 1.0	< 1.0			
Ethylbenzene	µg/kg	1	MCERTS	< 1.0	< 1.0			
p & m-xylene	µg/kg	1	MCERTS	< 1.0	< 1.0			
o-xylene	µg/kg	1	MCERTS	< 1.0	< 1.0			
MTBE (Methyl Tertiary Butyl Ether)	µg/kg	1	MCERTS	< 1.0	< 1.0			

Petroleum Hydrocarbons

TPH-CWG - Aliphatic >EC5 - EC6	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aliphatic >EC6 - EC8	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aliphatic >EC8 - EC10	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aliphatic >EC10 - EC12	mg/kg	1	MCERTS	2.7	< 1.0			
TPH-CWG - Aliphatic >EC12 - EC16	mg/kg	2	MCERTS	24	< 2.0			
TPH-CWG - Aliphatic >EC16 - EC21	mg/kg	8	MCERTS	53	< 8.0			
TPH-CWG - Aliphatic >EC21 - EC35	mg/kg	8	MCERTS	53	< 8.0			
TPH-CWG - Aliphatic (EC5 - EC35)	mg/kg	10	MCERTS	130	< 10			

TPH-CWG - Aromatic >EC5 - EC7	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aromatic >EC7 - EC8	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aromatic >EC8 - EC10	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aromatic >EC10 - EC12	mg/kg	1	MCERTS	15	< 1.0			
TPH-CWG - Aromatic >EC12 - EC16	mg/kg	2	MCERTS	53	9.1			
TPH-CWG - Aromatic >EC16 - EC21	mg/kg	10	MCERTS	130	32			
TPH-CWG - Aromatic >EC21 - EC35	mg/kg	10	MCERTS	150	67			
TPH-CWG - Aromatic (EC5 - EC35)	mg/kg	10	MCERTS	350	110			

Analytical Report Number: 20-23325

Project / Site name: Clarendon Road

Your Order No: S-RE6075-00005

Lab Sample Number				1584702	1584703			
Sample Reference				SP-027	SP-028			
Sample Number				None Supplied	None Supplied			
Depth (m)				None Supplied	None Supplied			
Date Sampled				06/08/2020	06/08/2020			
Time Taken				1200	1200			
Analytical Parameter (Soil Analysis)				Units	Limit of detection	Accreditation Status		

VOCs

Vinyl Chloride	µg/kg	1	NONE	< 1.0	< 1.0			
Cis-1,2-dichloroethene	µg/kg	1	MCERTS	< 1.0	< 1.0			
1,1-Dichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
1,1,1-Trichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
1,2-Dichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
Trans-1,2-dichloroethene	µg/kg	1	NONE	< 1.0	< 1.0			
Tetrachloromethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
Trichloroethene	µg/kg	1	MCERTS	< 1.0	< 1.0			
1,1,2-Trichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
Tetrachloroethene	µg/kg	1	NONE	< 1.0	< 1.0			
1,1,1,2-Tetrachloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
1,1,2,2-Tetrachloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			

SVOCs

Phenol	mg/kg	0.2	ISO 17025	< 0.2	< 0.2			
--------	-------	-----	-----------	-------	-------	--	--	--



Analytical Report Number: 20-23325
Project / Site name: Clarendon Road
Your Order No: S-RE6075-00005

Certificate of Analysis - Asbestos Quantification

Methods:

Qualitative Analysis

The samples were analysed qualitatively for asbestos by polarising light and dispersion staining as described by the Health and Safety Executive in HSG 248.

Quantitative Analysis

The analysis was carried out using our documented in-house method A006-PL based on HSE Contract Research Report No: 83/1996: Development and Validation of an analytical method to determine the amount of asbestos in soils and loose aggregates (Davies et al, 1996) and HSG 248. Our method includes initial examination of the entire representative sample, then fractionation and detailed analysis of each fraction, with quantification by hand picking and weighing.

The limit of detection (reporting limit) of this method is 0.001 %.

The method has been validated using samples of at least 100 g, results for samples smaller than this should be interpreted with caution.

Both Qualitative and Quantitative Analyses are UKAS accredited.

Sample Number	Sample ID	Sample Depth (m)	Sample Weight (g)	Asbestos Containing Material Types Detected (ACM)	PLM Results	Asbestos by hand picking/weighing (%)	Total % Asbestos in Sample
1584702	SP-027		168	Loose Fibres & Hard/Cement Type Material	Chrysotile & Crocidolite	0.067	0.067
1584703	SP-028		168	Loose Fibres	Amosite	< 0.001	< 0.001

Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.



Analytical Report Number: 20-23325

Project / Site name: Clarendon Road

Your Order No: S-RE6075-00005

Lab Sample Number				1584706				
Sample Reference				I10/11 GW				
Sample Number				None Supplied				
Depth (m)				None Supplied				
Date Sampled				06/08/2020				
Time Taken				1200				
Analytical Parameter (Water Analysis)	Units	Limit of detection	Accreditation Status					

General Inorganics

pH	pH Units	N/A	ISO 17025	7.4				
Total Cyanide	µg/l	10	ISO 17025	110				
Ammoniacal Nitrogen as N	µg/l	15	ISO 17025	120000				
Ammonia as NH ₃	µg/l	15	ISO 17025	150000				
Ammonium as NH ₄	µg/l	15	ISO 17025	160000				
Settleable Solids - Total (1 hour)	mg/l	2	NONE	1970				

Speciated PAHs

Naphthalene	µg/l	0.01	ISO 17025	488				
Acenaphthylene	µg/l	0.01	ISO 17025	4.59				
Acenaphthene	µg/l	0.01	ISO 17025	8.40				
Fluorene	µg/l	0.01	ISO 17025	17.8				
Phenanthrene	µg/l	0.01	ISO 17025	15.5				
Anthracene	µg/l	0.01	ISO 17025	2.61				
Fluoranthene	µg/l	0.01	ISO 17025	4.93				
Pyrene	µg/l	0.01	ISO 17025	3.85				
Benzo(a)anthracene	µg/l	0.01	ISO 17025	0.89				
Chrysene	µg/l	0.01	ISO 17025	0.74				
Benzo(b)fluoranthene	µg/l	0.01	ISO 17025	0.56				
Benzo(k)fluoranthene	µg/l	0.01	ISO 17025	0.27				
Benzo(a)pyrene	µg/l	0.01	ISO 17025	0.35				
Indeno(1,2,3-cd)pyrene	µg/l	0.01	ISO 17025	< 0.01				
Dibenz(a,h)anthracene	µg/l	0.01	ISO 17025	< 0.01				
Benzo(ghi)perylene	µg/l	0.01	ISO 17025	< 0.01				

Total PAH

Total EPA-16 PAHs	µg/l	0.16	ISO 17025	548				
-------------------	------	------	-----------	-----	--	--	--	--

Petroleum Hydrocarbons

TPH1 (C10 - C40)	µg/l	10	NONE	5100				
------------------	------	----	------	------	--	--	--	--



Analytical Report Number: 20-23325

Project / Site name: Clarendon Road

Your Order No: S-RE6075-00005

Lab Sample Number				1584706				
Sample Reference				I10/11 GW				
Sample Number				None Supplied				
Depth (m)				None Supplied				
Date Sampled				06/08/2020				
Time Taken				1200				
Analytical Parameter (Water Analysis)	Units	Limit of detection	Accreditation Status					

VOCs

Chloromethane	µg/l	1	ISO 17025	< 1.0				
Chloroethane	µg/l	1	ISO 17025	< 1.0				
Bromomethane	µg/l	1	ISO 17025	< 1.0				
Vinyl Chloride	µg/l	1	NONE	< 1.0				
Trichlorofluoromethane	µg/l	1	NONE	< 1.0				
1,1-Dichloroethene	µg/l	1	ISO 17025	< 1.0				
1,1,2-Trichloro-1,2,2-trifluoroethane	µg/l	1	ISO 17025	< 1.0				
Cis-1,2-dichloroethene	µg/l	1	ISO 17025	< 1.0				
MTBE (Methyl Tertiary Butyl Ether)	µg/l	1	ISO 17025	< 1.0				
1,1-Dichloroethane	µg/l	1	ISO 17025	< 1.0				
2,2-Dichloropropane	µg/l	1	ISO 17025	< 1.0				
Trichloromethane	µg/l	1	ISO 17025	< 1.0				
1,1,1-Trichloroethane	µg/l	1	ISO 17025	< 1.0				
1,2-Dichloroethane	µg/l	1	ISO 17025	< 1.0				
1,1-Dichloropropene	µg/l	1	ISO 17025	< 1.0				
Trans-1,2-dichloroethene	µg/l	1	ISO 17025	< 1.0				
Benzene	µg/l	1	ISO 17025	4270				
Tetrachloromethane	µg/l	1	ISO 17025	< 1.0				
1,2-Dichloropropane	µg/l	1	ISO 17025	< 1.0				
Trichloroethene	µg/l	1	ISO 17025	< 1.0				
Dibromomethane	µg/l	1	ISO 17025	< 1.0				
Bromodichloromethane	µg/l	1	ISO 17025	< 1.0				
Cis-1,3-dichloropropene	µg/l	1	ISO 17025	< 1.0				
Trans-1,3-dichloropropene	µg/l	1	ISO 17025	< 1.0				
Toluene	µg/l	1	ISO 17025	37.2				
1,1,2-Trichloroethane	µg/l	1	ISO 17025	< 1.0				
1,3-Dichloropropane	µg/l	1	ISO 17025	< 1.0				
Dibromochloromethane	µg/l	1	ISO 17025	< 1.0				
Tetrachloroethene	µg/l	1	ISO 17025	< 1.0				
1,2-Dibromoethane	µg/l	1	ISO 17025	< 1.0				
Chlorobenzene	µg/l	1	ISO 17025	< 1.0				
1,1,1,2-Tetrachloroethane	µg/l	1	ISO 17025	< 1.0				
Ethylbenzene	µg/l	1	ISO 17025	116				
p & m-Xylene	µg/l	1	ISO 17025	317				
Styrene	µg/l	1	ISO 17025	< 1.0				
Tribromomethane	µg/l	1	ISO 17025	< 1.0				
o-Xylene	µg/l	1	ISO 17025	119				
1,1,2,2-Tetrachloroethane	µg/l	1	ISO 17025	< 1.0				
Isopropylbenzene	µg/l	1	ISO 17025	8.7				
Bromobenzene	µg/l	1	ISO 17025	< 1.0				
n-Propylbenzene	µg/l	1	ISO 17025	9.2				
2-Chlorotoluene	µg/l	1	ISO 17025	< 1.0				
4-Chlorotoluene	µg/l	1	ISO 17025	< 1.0				
1,3,5-Trimethylbenzene	µg/l	1	ISO 17025	35.6				
tert-Butylbenzene	µg/l	1	ISO 17025	< 1.0				
1,2,4-Trimethylbenzene	µg/l	1	ISO 17025	131				
sec-Butylbenzene	µg/l	1	ISO 17025	< 1.0				
1,3-Dichlorobenzene	µg/l	1	ISO 17025	< 1.0				
p-Isopropyltoluene	µg/l	1	ISO 17025	< 1.0				
1,2-Dichlorobenzene	µg/l	1	ISO 17025	< 1.0				
1,4-Dichlorobenzene	µg/l	1	ISO 17025	< 1.0				
Butylbenzene	µg/l	1	ISO 17025	< 1.0				
1,2-Dibromo-3-chloropropane	µg/l	1	ISO 17025	< 1.0				
1,2,4-Trichlorobenzene	µg/l	1	ISO 17025	< 1.0				
Hexachlorobutadiene	µg/l	1	ISO 17025	< 1.0				
1,2,3-Trichlorobenzene	µg/l	1	ISO 17025	< 1.0				

U/S = Unsuitable Sample I/S = Insufficient Sample

Iss No 20-23325-2 Clarendon Road 6075

This certificate should not be reproduced, except in full, without the express permission of the laboratory.

The results included within the report relate only to the sample(s) submitted for testing.

Page 6 of 11



Analytical Report Number: 20-23325

Project / Site name: Clarendon Road

Your Order No: S-RE6075-00005

Lab Sample Number				1584704	1584705			
Sample Reference				SP-027	SP-028			
Sample Number				None Supplied	None Supplied			
Depth (m)				None Supplied	None Supplied			
Date Sampled				06/08/2020	06/08/2020			
Time Taken				1200	1200			
Analytical Parameter (Leachate Analysis)				Units	Limit of detection	Accreditation Status		

General Inorganics

Sulphate as SO ₄	mg/l	0.1	ISO 17025	856	49.1			
Ammonium as NH ₄	µg/l	15	NONE	7700	220			



Analytical Report Number : 20-23325

Project / Site name: Clarendon Road

* These descriptions are only intended to act as a cross check if sample identities are questioned. The major constituent of the sample is intended to act with respect to MCERTS validation. The laboratory is accredited for sand, clay and loam (MCERTS) soil types. Data for unaccredited types of solid should be interpreted with care.

Stone content of a sample is calculated as the % weight of the stones not passing a 10 mm sieve. Results are not corrected for stone content.

Lab Sample Number	Sample Reference	Sample Number	Depth (m)	Sample Description *
1584702	SP-027	None Supplied	None Supplied	Brown loam and clay with gravel and vegetation.
1584703	SP-028	None Supplied	None Supplied	Brown clay and sand with gravel and vegetation.

Analytical Report Number : 20-23325

Project / Site name: Clarendon Road

Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW) Process Water (PrW)

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
Ammonia as NH ₃ in water	Determination of Ammonium/Ammonia/Ammoniacal Nitrogen by the colorimetric salicylate/nitroprusside method. Accredited matrices SW, GW, PW.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	ISO 17025
Ammoniacal Nitrogen as N in water	Determination of Ammonium/Ammonia/Ammoniacal Nitrogen by the discrete analyser (colorimetric) salicylate/nitroprusside method. Accredited matrices SW, GW, PW.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	ISO 17025
Ammonium as NH ₄ in leachate	Determination of Ammonium/Ammonia/Ammoniacal Nitrogen by the colorimetric salicylate/nitroprusside method.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	NONE
Ammonium as NH ₄ in soil	Determination of Ammonium/Ammonia/Ammoniacal Nitrogen by the colorimetric salicylate/nitroprusside method, 10:1 water extraction.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	MCERTS
Ammonium as NH ₄ in water	Determination of Ammonium/Ammonia/Ammoniacal Nitrogen by the colorimetric salicylate/nitroprusside method. Accredited matrices SW, GW, PW.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	ISO 17025
Asbestos identification in soil	Asbestos Identification with the use of polarised light microscopy in conjunction with disperion staining techniques.	In house method based on HSG 248	A001-PL	D	ISO 17025
Asbestos Quantification - Gravimetric	Asbestos quantification by gravimetric method - in house method based on references.	HSE Report No: 83/1996, HSG 248, HSG 264 & SCA Blue Book (draft).	A006-PL	D	ISO 17025
BTEX and MTBE in soil (Monoaromatics)	Determination of BTEX in soil by headspace GC-MS.	In-house method based on USEPA8260	L073B-PL	W	MCERTS
D.O. for Gravimetric Quant if Screen/ID positive	Dependent option for Gravimetric Quant if Screen/ID positive scheduled.	In house asbestos methods A001 & A006.	A006-PL	D	NONE
Moisture Content	Moisture content, determined gravimetrically. (30 oC)	In house method.	L019-UK/PL	W	NONE
NRA Leachate Prep	10:1 extract with de-ionised water shaken for 24 hours then filtered.	In-house method based on National Rivers Authority	L020-PL	W	NONE
pH at 20oC in water	Determination of pH in water by electrometric measurement. Accredited matrices: SW PW GW	In house method.	L005-PL	W	ISO 17025
Semi-volatile organic compounds in soil	Determination of semi-volatile organic compounds in soil by extraction in dichloromethane and hexane followed by GC-MS.	In-house method based on USEPA 8270	L064-PL	D	ISO 17025
Speciated EPA-16 PAHs in soil	Determination of PAH compounds in soil by extraction in dichloromethane and hexane followed by GC-MS with the use of surrogate and internal standards.	In-house method based on USEPA 8270	L064-PL	D	MCERTS
Speciated EPA-16 PAHs in water	Determination of PAH compounds in water by extraction in dichloromethane followed by GC-MS with the use of surrogate and internal standards. Accredited matrices: SW PW GW	In-house method based on USEPA 8270	L102B-PL	W	ISO 17025
Stones content of soil	Standard preparation for all samples unless otherwise detailed. Gravimetric determination of stone > 10 mm as % dry weight.	In-house method based on British Standard Methods and MCERTS requirements.	L019-UK/PL	D	NONE
Sulphate in leachates	Determination of sulphate in leachate by acidification followed by ICP-OES.	In-house method based on MEWAM 1986 Methods for the Determination of Metals in Soil""	L039-PL	W	ISO 17025

Iss No 20-23325-2 Clarendon Road 6075

This certificate should not be reproduced, except in full, without the express permission of the laboratory.

The results included within the report relate only to the sample(s) submitted for testing.

Page 9 of 11

Analytical Report Number : 20-23325

Project / Site name: Clarendon Road

Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW) Process Water (PrW)

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
Sulphate, water soluble, in soil (16hr extraction)	Determination of water soluble sulphate by ICP-OES. Results reported directly (leachate equivalent) and corrected for extraction ratio (soil equivalent).	In house method.	L038-PL	D	MCERTS
Total cyanide in water	Determination of total cyanide by distillation followed by colorimetry. Accredited matrices: SW PW GW	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton (Skalar)	L080-PL	W	ISO 17025
Total Settleable Solids in water	Determined gravimetrically with GFC filtration papers.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L004-PL	W	NONE
TPH1 (Waters)	Determination of dichloromethane extractable hydrocarbons in water by GC-MS.	In-house method	L070-PL	W	NONE
TPHCWG (Soil)	Determination of hexane extractable hydrocarbons in soil by GC-MS/GC-FID.	In-house method with silica gel split/clean up.	L088/76-PL	W	MCERTS
Volatile organic compounds in soil	Determination of volatile organic compounds in soil by headspace GC-MS.	In-house method based on USEPA8260	L073B-PL	W	MCERTS
Volatile organic compounds in water	Determination of volatile organic compounds in water by headspace GC-MS. Accredited matrices: SW PW GW	In-house method based on USEPA8260	L073B-PL	W	ISO 17025

For method numbers ending in 'UK' analysis have been carried out in our laboratory in the United Kingdom.

For method numbers ending in 'PL' analysis have been carried out in our laboratory in Poland.

Soil analytical results are expressed on a dry weight basis. Where analysis is carried out on as-received the results obtained are multiplied by a moisture correction factor that is determined gravimetrically using the moisture content which is carried out at a maximum of 30oC.

Sample Deviation Report



Sample ID	Other_ID	Sample Type	Job	Sample Number	Sample Deviation Code	test_name	test_ref	Test Deviation code
SP-027		S	20-23325	1584702	b	BTEX and MTBE in soil (Monoaromatics)	L073B-PL	b
SP-027		S	20-23325	1584702	b	Semi-volatile organic compounds in soil	L064-PL	b
SP-027		S	20-23325	1584702	b	Speciated EPA-16 PAHs in soil	L064-PL	b
SP-027		S	20-23325	1584702	b	TPHCWG (Soil)	L088/76-PL	b
SP-027		S	20-23325	1584702	b	Volatile organic compounds in soil	L073B-PL	b
SP-028		S	20-23325	1584703	b	BTEX and MTBE in soil (Monoaromatics)	L073B-PL	b
SP-028		S	20-23325	1584703	b	Semi-volatile organic compounds in soil	L064-PL	b
SP-028		S	20-23325	1584703	b	Speciated EPA-16 PAHs in soil	L064-PL	b
SP-028		S	20-23325	1584703	b	TPHCWG (Soil)	L088/76-PL	b
SP-028		S	20-23325	1584703	b	Volatile organic compounds in soil	L073B-PL	b