

**Alix Hamilton**

Keltbray Remediation Ltd
St Andrew's House
Portsmouth Road
Esher
KT10 9TA

t: 02076431000

e: alix.hamilton@keltbray.com

i2 Analytical Ltd.
7 Woodshots Meadow,
Croxley Green
Business Park,
Watford,
Herts,
WD18 8YS

t: 01923 225404

f: 01923 237404

e: reception@i2analytical.com

Analytical Report Number : 20-24386

Project / Site name:	KT10 9TA	Samples received on:	12/08/2020
Your job number:	S-RE6075	Sample instructed/ Analysis started on:	12/08/2020
Your order number:	S-RE6075-00005	Analysis completed by:	17/08/2020
Report Issue Number:	1	Report issued on:	17/08/2020
Samples Analysed:	7 leachate samples - 7 soil samples		

Signed:

Rachel Bradley

Deputy Quality Manager
For & on behalf of i2 Analytical Ltd.

Standard Geotechnical, Asbestos and Chemical Testing Laboratory located at: ul. Pionierów 39, 41 -711 Ruda Śląska, Poland.

Accredited tests are defined within the report, opinions and interpretations expressed herein are outside the scope of accreditation.

Standard sample disposal times, unless otherwise agreed with the laboratory, are :	soils	- 4 weeks from reporting
	leachates	- 2 weeks from reporting
	waters	- 2 weeks from reporting
	asbestos	- 6 months from reporting

Excel copies of reports are only valid when accompanied by this PDF certificate.

Any assessments of compliance with specifications are based on actual analytical results with no contribution from uncertainty of measurement. Application of uncertainty of measurement would provide a range within which the true result lies. An estimate of measurement uncertainty can be provided on request.

Iss No 20-24386-1 KT10 9TA S-RE6075

This certificate should not be reproduced, except in full, without the express permission of the laboratory.

The results included within the report relate only to the sample(s) submitted for testing.

Page 1 of 12

Analytical Report Number: 20-24386

Project / Site name: KT10 9TA

Your Order No: S-RE6075-00005

Lab Sample Number				1590953	1590954	1590955	1590956	1590957
Sample Reference				SP028	SP028	VS-K11	VS-K10	VS-K12
Sample Number				(2)	(3)	None Supplied	None Supplied	None Supplied
Depth (m)				None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Date Sampled				12/08/2020	12/08/2020	12/08/2020	12/08/2020	12/08/2020
Time Taken				None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Analytical Parameter (Soil Analysis)	Units	Limit of detection	Accreditation Status					
Stone Content	%	0.1	NONE	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Moisture Content	%	N/A	NONE	3.0	22	13	12	9.8
Total mass of sample received	kg	0.001	NONE	1.9	1.9	1.9	1.6	1.7

Asbestos in Soil Screen / Identification Name	Type	N/A	ISO 17025	-	-	-	Amosite	Chrysotile
Asbestos in Soil	Type	N/A	ISO 17025	Not-detected	Not-detected	Not-detected	Detected	Detected
Asbestos Quantification (Stage 2)	%	0.001	ISO 17025	-	-	-	< 0.001	< 0.001
Asbestos Quantification Total	%	0.001	ISO 17025	-	-	-	< 0.001	< 0.001

General Inorganics

Water Soluble SO ₄ (2:1 Leach. Equiv.) 1hr extraction	g/l	0.00125	MCERTS	0.47	1.3	2.4	2.5	2.4
Water Soluble SO ₄ (2:1 Leach. Equiv.) 1hr extraction	mg/kg	2.5	MCERTS	950	2500	4900	5000	4900
Water Soluble SO ₄ (2:1 Leach. Equiv.) 1hr extraction	mg/l	1.25	MCERTS	474	1270	2450	2510	2450
Ammonium as NH ₄	mg/kg	0.5	MCERTS	1.5	< 0.5	49	100	47

Speciated PAHs

Naphthalene	mg/kg	0.05	MCERTS	4.8	3.5	-	-	-
Acenaphthene	mg/kg	0.05	MCERTS	0.20	0.70	-	-	-
Fluorene	mg/kg	0.05	MCERTS	0.36	0.84	-	-	-
Anthracene	mg/kg	0.05	MCERTS	0.99	1.1	-	-	-
Fluoranthene	mg/kg	0.05	MCERTS	4.1	2.8	-	-	-
Pyrene	mg/kg	0.05	MCERTS	5.3	4.0	-	-	-
Benzo(a)pyrene	mg/kg	0.05	MCERTS	2.3	3.5	-	-	-

Analytical Report Number: 20-24386

Project / Site name: KT10 9TA

Your Order No: S-RE6075-00005

Lab Sample Number	1590953	1590954	1590955	1590956	1590957
Sample Reference	SP028	SP028	VS-K11	VS-K10	VS-K12
Sample Number	(2)	(3)	None Supplied	None Supplied	None Supplied
Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Date Sampled	12/08/2020	12/08/2020	12/08/2020	12/08/2020	12/08/2020
Time Taken	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Analytical Parameter (Soil Analysis)	Units	Limit of detection	Accreditation Status		

Monoaromatics & Oxygenates

Benzene	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
Toluene	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
Ethylbenzene	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
p & m-xylene	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
o-xylene	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
MTBE (Methyl Tertiary Butyl Ether)	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-

Petroleum Hydrocarbons

TPH-CWG - Aliphatic >EC5 - EC6	mg/kg	0.001	MCERTS	< 0.001	< 0.001	-	-	-
TPH-CWG - Aliphatic >EC6 - EC8	mg/kg	0.001	MCERTS	< 0.001	< 0.001	-	-	-
TPH-CWG - Aliphatic >EC8 - EC10	mg/kg	0.001	MCERTS	< 0.001	< 0.001	-	-	-
TPH-CWG - Aliphatic >EC10 - EC12	mg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
TPH-CWG - Aliphatic >EC12 - EC16	mg/kg	2	MCERTS	< 2.0	< 2.0	-	-	-
TPH-CWG - Aliphatic >EC16 - EC21	mg/kg	8	MCERTS	< 8.0	< 8.0	-	-	-
TPH-CWG - Aliphatic >EC21 - EC35	mg/kg	8	MCERTS	< 8.0	< 8.0	-	-	-
TPH-CWG - Aliphatic (EC5 - EC35)	mg/kg	10	MCERTS	< 10	< 10	-	-	-

TPH-CWG - Aromatic >EC5 - EC7	mg/kg	0.001	MCERTS	< 0.001	< 0.001	-	-	-
TPH-CWG - Aromatic >EC7 - EC8	mg/kg	0.001	MCERTS	< 0.001	< 0.001	-	-	-
TPH-CWG - Aromatic >EC8 - EC10	mg/kg	0.001	MCERTS	< 0.001	< 0.001	-	-	-
TPH-CWG - Aromatic >EC10 - EC12	mg/kg	1	MCERTS	50	7.8	-	-	-
TPH-CWG - Aromatic >EC12 - EC16	mg/kg	2	MCERTS	11	9.0	-	-	-
TPH-CWG - Aromatic >EC16 - EC21	mg/kg	10	MCERTS	30	19	-	-	-
TPH-CWG - Aromatic >EC21 - EC35	mg/kg	10	MCERTS	52	49	-	-	-
TPH-CWG - Aromatic (EC5 - EC35)	mg/kg	10	MCERTS	140	85	-	-	-

Analytical Report Number: 20-24386

Project / Site name: KT10 9TA

Your Order No: S-RE6075-00005

Lab Sample Number	1590953	1590954	1590955	1590956	1590957
Sample Reference	SP028	SP028	VS-K11	VS-K10	VS-K12
Sample Number	(2)	(3)	None Supplied	None Supplied	None Supplied
Depth (m)	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Date Sampled	12/08/2020	12/08/2020	12/08/2020	12/08/2020	12/08/2020
Time Taken	None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Analytical Parameter (Soil Analysis)	Units	Limit of detection	Accreditation Status		

VOCs

Vinyl Chloride	µg/kg	1	NONE	< 1.0	< 1.0	-	-	-
Cis-1,2-dichloroethene	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
1,1-Dichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
1,1,1-Trichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
1,2-Dichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
Trans-1,2-dichloroethene	µg/kg	1	NONE	< 1.0	< 1.0	-	-	-
Tetrachloromethane	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
Trichloroethene	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
1,1,2-Trichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
Tetrachloroethene	µg/kg	1	NONE	< 1.0	< 1.0	-	-	-
1,1,1,2-Tetrachloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-
1,1,2,2-Tetrachloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0	-	-	-

SVOCs

Phenol	mg/kg	0.2	ISO 17025	< 0.2	< 0.2	-	-	-
--------	-------	-----	-----------	-------	-------	---	---	---

Analytical Report Number: 20-24386

Project / Site name: KT10 9TA

Your Order No: S-RE6075-00005

Lab Sample Number				1590958	1590959			
Sample Reference				VS-K11	SP022			
Sample Number				1	2			
Depth (m)				None Supplied	None Supplied			
Date Sampled				12/08/2020	12/08/2020			
Time Taken				None Supplied	None Supplied			
Analytical Parameter (Soil Analysis)				Units	Limit of detection	Accreditation Status		
Stone Content	%	0.1	NONE	< 0.1	< 0.1			
Moisture Content	%	N/A	NONE	0.14	0.03			
Total mass of sample received	kg	0.001	NONE	1.9	1.9			

Asbestos in Soil Screen / Identification Name	Type	N/A	ISO 17025	-	Amosite & Chrysotile			
Asbestos in Soil	Type	N/A	ISO 17025	Not-detected	Detected			
Asbestos Quantification (Stage 2)	%	0.001	ISO 17025	-	0.303			
Asbestos Quantification Total	%	0.001	ISO 17025	-	0.303			

General Inorganics

Water Soluble SO ₄ (2:1 Leach. Equiv.) 1hr extraction	g/l	0.00125	MCERTS	1.1	0.27			
Water Soluble SO ₄ (2:1 Leach. Equiv.) 1hr extraction	mg/kg	2.5	MCERTS	2200	550			
Water Soluble SO ₄ (2:1 Leach. Equiv.) 1hr extraction	mg/l	1.25	MCERTS	1100	274			
Ammonium as NH ₄	mg/kg	0.5	MCERTS	16	5.9			

Speciated PAHs

Naphthalene	mg/kg	0.05	MCERTS	0.93	1.5			
Acenaphthene	mg/kg	0.05	MCERTS	< 0.05	< 0.05			
Fluorene	mg/kg	0.05	MCERTS	< 0.05	< 0.05			
Anthracene	mg/kg	0.05	MCERTS	< 0.05	< 0.05			
Fluoranthene	mg/kg	0.05	MCERTS	< 0.05	0.48			
Pyrene	mg/kg	0.05	MCERTS	< 0.05	0.40			
Benzo(a)pyrene	mg/kg	0.05	MCERTS	< 0.05	< 0.05			

Analytical Report Number: 20-24386

Project / Site name: KT10 9TA

Your Order No: S-RE6075-00005

Lab Sample Number				1590958	1590959			
Sample Reference				VS-K11	SP022			
Sample Number				1	2			
Depth (m)				None Supplied	None Supplied			
Date Sampled				12/08/2020	12/08/2020			
Time Taken				None Supplied	None Supplied			
Analytical Parameter (Soil Analysis)				Units	Limit of detection	Accreditation Status		
Monoaromatics & Oxygenates								
Benzene				µg/kg	1	MCERTS	< 1.0	< 1.0
Toluene				µg/kg	1	MCERTS	< 1.0	< 1.0
Ethylbenzene				µg/kg	1	MCERTS	< 1.0	< 1.0
p & m-xylene				µg/kg	1	MCERTS	< 1.0	< 1.0
o-xylene				µg/kg	1	MCERTS	< 1.0	< 1.0
MTBE (Methyl Tertiary Butyl Ether)				µg/kg	1	MCERTS	< 1.0	< 1.0

Petroleum Hydrocarbons

TPH-CWG - Aliphatic >EC5 - EC6	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aliphatic >EC6 - EC8	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aliphatic >EC8 - EC10	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aliphatic >EC10 - EC12	mg/kg	1	MCERTS	< 1.0	< 1.0			
TPH-CWG - Aliphatic >EC12 - EC16	mg/kg	2	MCERTS	< 2.0	< 2.0			
TPH-CWG - Aliphatic >EC16 - EC21	mg/kg	8	MCERTS	< 8.0	< 8.0			
TPH-CWG - Aliphatic >EC21 - EC35	mg/kg	8	MCERTS	< 8.0	< 8.0			
TPH-CWG - Aliphatic (EC5 - EC35)	mg/kg	10	MCERTS	< 10	< 10			

TPH-CWG - Aromatic >EC5 - EC7	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aromatic >EC7 - EC8	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aromatic >EC8 - EC10	mg/kg	0.001	MCERTS	< 0.001	< 0.001			
TPH-CWG - Aromatic >EC10 - EC12	mg/kg	1	MCERTS	4.0	2.9			
TPH-CWG - Aromatic >EC12 - EC16	mg/kg	2	MCERTS	< 2.0	< 2.0			
TPH-CWG - Aromatic >EC16 - EC21	mg/kg	10	MCERTS	< 10	< 10			
TPH-CWG - Aromatic >EC21 - EC35	mg/kg	10	MCERTS	< 10	< 10			
TPH-CWG - Aromatic (EC5 - EC35)	mg/kg	10	MCERTS	< 10	< 10			

Analytical Report Number: 20-24386

Project / Site name: KT10 9TA

Your Order No: S-RE6075-00005

Lab Sample Number				1590958	1590959			
Sample Reference				VS-K11	SP022			
Sample Number				1	2			
Depth (m)				None Supplied	None Supplied			
Date Sampled				12/08/2020	12/08/2020			
Time Taken				None Supplied	None Supplied			
Analytical Parameter (Soil Analysis)	Units	Limit of detection	Accreditation Status					
VOCs								
Vinyl Chloride	µg/kg	1	NONE	< 1.0	< 1.0			
Cis-1,2-dichloroethene	µg/kg	1	MCERTS	< 1.0	< 1.0			
1,1-Dichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
1,1,1-Trichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
1,2-Dichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
Trans-1,2-dichloroethene	µg/kg	1	NONE	< 1.0	< 1.0			
Tetrachloromethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
Trichloroethene	µg/kg	1	MCERTS	< 1.0	< 1.0			
1,1,2-Trichloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
Tetrachloroethene	µg/kg	1	NONE	< 1.0	< 1.0			
1,1,1,2-Tetrachloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
1,1,2,2-Tetrachloroethane	µg/kg	1	MCERTS	< 1.0	< 1.0			
SVOCs								
Phenol	mg/kg	0.2	ISO 17025	< 0.2	< 0.2			



Analytical Report Number: 20-24386

Project / Site name: KT10 9TA

Your Order No: S-RE6075-00005

Lab Sample Number				1590960	1590961	1590962	1590963	1590964
Sample Reference				SP028	SP028	VS-K11	VS-K10	VS-K12
Sample Number				(2)	(3)	None Supplied	None Supplied	None Supplied
Depth (m)				None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Date Sampled				12/08/2020	12/08/2020	12/08/2020	12/08/2020	12/08/2020
Time Taken				None Supplied	None Supplied	None Supplied	None Supplied	None Supplied
Analytical Parameter (Leachate Analysis)				Units	Limit of detection	Accreditation Status		

General Inorganics

Sulphate as SO ₄	mg/l	0.1	ISO 17025	153	81.6	687	643	1070
Ammonium as NH ₄	µg/l	15	NONE	800	47	7100	11000	7600



Analytical Report Number: 20-24386

Project / Site name: KT10 9TA

Your Order No: S-RE6075-00005

Lab Sample Number				1590965	1590966			
Sample Reference				SP022	SP022			
Sample Number				1	2			
Depth (m)				None Supplied	None Supplied			
Date Sampled				12/08/2020	12/08/2020			
Time Taken				None Supplied	None Supplied			
Analytical Parameter (Leachate Analysis)				Units	Limit of detection	Accreditation Status		

General Inorganics

Sulphate as SO ₄	mg/l	0.1	ISO 17025	75.6	69.7			
Ammonium as NH ₄	µg/l	15	NONE	640	600			



Analytical Report Number : 20-24386

Project / Site name: KT10 9TA

* These descriptions are only intended to act as a cross check if sample identities are questioned. The major constituent of the sample is intended to act with respect to MCERTS validation. The laboratory is accredited for sand, clay and loam (MCERTS) soil types. Data for unaccredited types of solid should be interpreted with care.

Stone content of a sample is calculated as the % weight of the stones not passing a 10 mm sieve. Results are not corrected for stone content.

Lab Sample Number	Sample Reference	Sample Number	Depth (m)	Sample Description *
1590953	SP028	(2)	None Supplied	Light brown sandy clay.
1590954	SP028	(3)	None Supplied	Brown clay and sand.
1590955	VS-K11	None Supplied	None Supplied	Brown loam and clay with gravel.
1590956	VS-K10	None Supplied	None Supplied	Brown loam and clay with gravel.
1590957	VS-K12	None Supplied	None Supplied	Brown sandy clay with gravel.
1590958	VS-K11	1	None Supplied	Light brown gravel.**
1590959	SP022	2	None Supplied	Light brown sandy gravel.**

**Non MCERTS matrix.

Analytical Report Number : 20-24386

Project / Site name: KT10 9TA

Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW) Process Water (PrW)

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
Ammonium as NH ₄ in leachate	Determination of Ammonium/Ammonia/Ammoniacal Nitrogen by the colorimetric salicylate/nitroprusside method.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	NONE
Ammonium as NH ₄ in soil	Determination of Ammonium/Ammonia/Ammoniacal Nitrogen by the colorimetric salicylate/nitroprusside method, 10:1 water extraction.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	MCERTS
Asbestos identification in soil	Asbestos Identification with the use of polarised light microscopy in conjunction with disperion staining techniques.	In house method based on HSG 248	A001-PL	D	ISO 17025
Asbestos Quantification - Gravimetric	Asbestos quantification by gravimetric method - in house method based on references.	HSE Report No: 83/1996, HSG 248, HSG 264 & SCA Blue Book (draft).	A006-PL	D	ISO 17025
BTEX and MTBE in soil (Monoaromatics)	Determination of BTEX in soil by headspace GC-MS.	In-house method based on USEPA8260	L073B-PL	W	MCERTS
D.O. for Gravimetric Quant if Screen/ID positive	Dependent option for Gravimetric Quant if Screen/ID positive scheduled.	In house asbestos methods A001 & A006.	A006-PL	D	NONE
Moisture Content	Moisture content, determined gravimetrically. (30 oC)	In house method.	L019-UK/PL	W	NONE
NRA Leachate Prep	10:1 extract with de-ionised water shaken for 24 hours then filtered.	In-house method based on National Rivers Authority	L020-PL	W	NONE
Semi-volatile organic compounds in soil	Determination of semi-volatile organic compounds in soil by extraction in dichloromethane and hexane followed by GC-MS.	In-house method based on USEPA 8270	L064-PL	D	ISO 17025
Speciated EPA-16 PAHs in soil	Determination of PAH compounds in soil by extraction in dichloromethane and hexane followed by GC-MS with the use of surrogate and internal standards.	In-house method based on USEPA 8270	L064-PL	D	MCERTS
Stones content of soil	Standard preparation for all samples unless otherwise detailed. Gravimetric determination of stone > 10 mm as % dry weight.	In-house method based on British Standard Methods and MCERTS requirements.	L019-UK/PL	D	NONE
Sulphate in leachates	Determination of sulphate in leachate by acidification followed by ICP-OES.	In-house method based on MEWAM 1986 Methods for the Determination of Metals in Soil"	L039-PL	W	ISO 17025
Sulphate, water soluble, in soil (16hr extraction)	Determination of water soluble sulphate by ICP-OES. Results reported directly (leachate equivalent) and corrected for extraction ratio (soil equivalent).	In house method.	L038-PL	D	MCERTS
Sulphate, water soluble, in soil (1hr extraction)	Sulphate, water soluble, in soil (1hr extraction)	In-house method	L038-PL	D	MCERTS
TPHCWG (Soil)	Determination of hexane extractable hydrocarbons in soil by GC-MS/GC-FID.	In-house method with silica gel split/clean up.	L088/76-PL	W	MCERTS
Volatile organic compounds in soil	Determination of volatile organic compounds in soil by headspace GC-MS.	In-house method based on USEPA8260	L073B-PL	W	MCERTS

For method numbers ending in 'UK' analysis have been carried out in our laboratory in the United Kingdom.

For method numbers ending in 'PL' analysis have been carried out in our laboratory in Poland.

Soil analytical results are expressed on a dry weight basis. Where analysis is carried out on as-received the results obtained are multiplied by a moisture correction factor that is determined gravimetrically using the moisture content which is carried out at a maximum of 30oC.

Iss No 20-24386-1 KT10 9TA S-RE6075

This certificate should not be reproduced, except in full, without the express permission of the laboratory.

The results included within the report relate only to the sample(s) submitted for testing.

Page 11 of 12

Sample ID	Other_ID	Sample Type	Job	Sample Number	Sample Deviation Code	test_name	test_ref	Test Deviation code
SP022	2	S	20-24386	1590959	b	BTEX and MTBE in soil (Monoaromatics)	L073B-PL	b
SP022	2	S	20-24386	1590959	b	Semi-volatile organic compounds in soil	L064-PL	b
SP022	2	S	20-24386	1590959	b	Speciated EPA-16 PAHs in soil	L064-PL	b
SP022	2	S	20-24386	1590959	b	TPHCWG (Soil)	L088/76-PL	b
SP022	2	S	20-24386	1590959	b	Volatile organic compounds in soil	L073B-PL	b
SP028	-2	S	20-24386	1590953	b	BTEX and MTBE in soil (Monoaromatics)	L073B-PL	b
SP028	-2	S	20-24386	1590953	b	Semi-volatile organic compounds in soil	L064-PL	b
SP028	-2	S	20-24386	1590953	b	Speciated EPA-16 PAHs in soil	L064-PL	b
SP028	-2	S	20-24386	1590953	b	TPHCWG (Soil)	L088/76-PL	b
SP028	-2	S	20-24386	1590953	b	Volatile organic compounds in soil	L073B-PL	b
SP028	-3	S	20-24386	1590954	b	BTEX and MTBE in soil (Monoaromatics)	L073B-PL	b
SP028	-3	S	20-24386	1590954	b	Semi-volatile organic compounds in soil	L064-PL	b
SP028	-3	S	20-24386	1590954	b	Speciated EPA-16 PAHs in soil	L064-PL	b
SP028	-3	S	20-24386	1590954	b	TPHCWG (Soil)	L088/76-PL	b
SP028	-3	S	20-24386	1590954	b	Volatile organic compounds in soil	L073B-PL	b
VS-K11	1	S	20-24386	1590958	b	BTEX and MTBE in soil (Monoaromatics)	L073B-PL	b
VS-K11	1	S	20-24386	1590958	b	Semi-volatile organic compounds in soil	L064-PL	b
VS-K11	1	S	20-24386	1590958	b	Speciated EPA-16 PAHs in soil	L064-PL	b
VS-K11	1	S	20-24386	1590958	b	TPHCWG (Soil)	L088/76-PL	b
VS-K11	1	S	20-24386	1590958	b	Volatile organic compounds in soil	L073B-PL	b