



Alix Hamilton
Keltbray Remediation Ltd
St Andrew's House
Portsmouth Road
Esher
KT10 9TA

t: 02076431000

e: alix.hamilton@keltbray.com

i2 Analytical Ltd.
7 Woodshots Meadow,
Croxley Green
Business Park,
Watford,
Herts,
WD18 8YS

t: 01923 225404

f: 01923 237404

e: reception@i2analytical.com

Analytical Report Number : 20-34684

Project / Site name:	Clarendon Road	Samples received on:	09/10/2020
Your job number:	6075	Samples instructed on/ Analysis started on:	09/10/2020
Your order number:	S-RE6075/00005	Analysis completed by:	16/10/2020
Report Issue Number:	1	Report issued on:	16/10/2020
Samples Analysed:	1 water sample		

Signed: *Karolina Marek*

Karolina Marek
PL Head of Reporting Team
For & on behalf of i2 Analytical Ltd.

Standard Geotechnical, Asbestos and Chemical Testing Laboratory located at: ul. Pionierów 39, 41 -711 Ruda Śląska, Poland.

Accredited tests are defined within the report, opinions and interpretations expressed herein are outside the scope of accreditation.

Standard sample disposal times, unless otherwise agreed with the laboratory, are :

soils	- 4 weeks from reporting
leachates	- 2 weeks from reporting
waters	- 2 weeks from reporting
asbestos	- 6 months from reporting

Excel copies of reports are only valid when accompanied by this PDF certificate.

Any assessments of compliance with specifications are based on actual analytical results with no contribution from uncertainty of measurement.
Application of uncertainty of measurement would provide a range within which the true result lies.
An estimate of measurement uncertainty can be provided on request.



Analytical Report Number: 20-34684
Project / Site name: Clarendon Road

Your Order No: S-RE6075/00005

Lab Sample Number	1645538
Sample Reference	Discharge SW
Sample Number	None Supplied
Depth (m)	None Supplied
Date Sampled	08/10/2020
Time Taken	None Supplied
Analytical Parameter (Water Analysis)	Units on Limit of detect Status Accred- tation

General Inorganics

Total Cyanide	µg/l	10	ISO 17025	2900
Sulphate as SO4	mg/l	0.045	ISO 17025	948
Sulphide	µg/l	5	NONE	< 5.0
Chloride	mg/l	0.15	ISO 17025	130
Ammoniacal Nitrogen as N	µg/l	15	ISO 17025	13000
Chemical Oxygen Demand (Total)	mg/l	2	ISO 17025	240
Total Suspended Solids	mg/l	2	ISO 17025	14
Settleable Solids (Rapidly Settleable)	mg/l	2	NONE	< 2.0
Settleable Solids - Total (1 hour)	mg/l	2	NONE	4

Total Phenols

Total Phenols (monohydric)	µg/l	10	ISO 17025	< 10
----------------------------	------	----	-----------	------

Speciated PAHs

Naphthalene	µg/l	0.01	ISO 17025	< 0.01
Acenaphthylene	µg/l	0.01	ISO 17025	< 0.01
Acenaphthene	µg/l	0.01	ISO 17025	< 0.01
Fluorene	µg/l	0.01	ISO 17025	< 0.01
Phenanthrene	µg/l	0.01	ISO 17025	< 0.01
Anthracene	µg/l	0.01	ISO 17025	< 0.01
Fluoranthene	µg/l	0.01	ISO 17025	< 0.01
Pyrene	µg/l	0.01	ISO 17025	< 0.01
Benzo(a)anthracene	µg/l	0.01	ISO 17025	< 0.01
Chrysene	µg/l	0.01	ISO 17025	< 0.01
Benzo(b)fluoranthene	µg/l	0.01	ISO 17025	< 0.01
Benzo(k)fluoranthene	µg/l	0.01	ISO 17025	< 0.01
Benzo(a)pyrene	µg/l	0.01	ISO 17025	< 0.01
Indeno(1,2,3-cd)pyrene	µg/l	0.01	ISO 17025	< 0.01
Dibenz(a,h)anthracene	µg/l	0.01	ISO 17025	< 0.01
Benzo(ghi)perylene	µg/l	0.01	ISO 17025	< 0.01

Total PAH

Total EPA-16 PAHs	µg/l	0.16	ISO 17025	< 0.16
-------------------	------	------	-----------	--------

Heavy Metals / Metalloids

Iron (dissolved)	mg/l	0.004	ISO 17025	1.6
Arsenic (dissolved)	µg/l	0.15	ISO 17025	6.99
Chromium (dissolved)	µg/l	0.2	ISO 17025	6.9
Copper (dissolved)	µg/l	0.5	ISO 17025	260
Lead (dissolved)	µg/l	0.2	ISO 17025	< 0.2
Nickel (dissolved)	µg/l	0.5	ISO 17025	47
Zinc (dissolved)	µg/l	0.5	ISO 17025	3.8

Petroleum Hydrocarbons

TPH1 (C10 - C40)	µg/l	10	NONE	< 10
------------------	------	----	------	------

Miscellaneous Organics

Petroleum Ether Extractable Matter	mg/l	4	NONE	< 4.0
------------------------------------	------	---	------	-------



Analytical Report Number: 20-34684
Project / Site name: Clarendon Road

Your Order No: S-RE6075/00005

Lab Sample Number					1645538	
Sample Reference					Discharge SW	
Sample Number					None Supplied	
Depth (m)					None Supplied	
Date Sampled					08/10/2020	
Time Taken					None Supplied	
Analytical Parameter (Water Analysis)				Units	Limit of detect on	Accredi- tation Status
Gases						
Methane				mg/L	0.1	NONE
						< 0.1

U/S = Unsuitable Sample I/S = Insufficient Sample



Analytical Report Number : 20-34684
Project / Site name: Clarendon Road

Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW)

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
Metals in water by ICP-MS (dissolved)	Determination of metals in water by acidification followed by ICP-MS. Accredited Matrices: SW, GW, PW except B=SW,GW, Hg=SW,PW, Al=SW,PW.	In-house method based on USEPA Method 6020 & 200.8 *for the determination of trace elements in water by ICP-MS.	L012-PL	W	ISO 17025
Metals in water by ICP-OES (dissolved)	Determination of metals in water by acidification followed by ICP-OES. Accredited Matrices SW, GW, PW, PrW.(Al, Cu,Fe,Zn).	In-house method based on MEWAM 2006 Methods for the Determination of Metals in Soil.	L039-PL	W	ISO 17025
Monohydric phenols in water	Determination of phenols in water by continuous flow analyser. Accredited matrices: SW PW GW	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton (skalar)	L080-PL	W	ISO 17025
Speciated EPA-16 PAHs in water	Determination of PAH compounds in water by extraction in dichloromethane followed by GC-MS with the use of surrogate and internal standards. Accredited matrices: SW PW GW	In-house method based on USEPA 8270	L102B-PL	W	ISO 17025
Settleable Solids (Rapidly Settleable) in water	Determined gravimetrically with GFC filtration papers.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L004-PL	W	NONE
Sulphide in water	Determination of sulphide in water by ion selective electrode.	In-house method	L029-PL	W	NONE
Total Settleable Solids in water	Determined gravimetrically with GFC filtration papers.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L004-PL	W	NONE
Sulphate in water	Determination of sulphate in water by acidification followed by ICP-OES. Accredited matrices: SW PW GW, PrW.	In-house method based on MEWAM 2006 Methods for the Determination of Metals in Soil.	L039-PL	W	ISO 17025
Suspended solids in water	Determined gravimetrically with GFC filtration papers.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L004-PL	W	ISO 17025
TPH1 (Waters)	Determination of dichloromethane extractable hydrocarbons in water by GC-MS.	In-house method	L070-PL	W	NONE
Total cyanide in water	Determination of total cyanide by distillation followed by colorimetry. Accredited matrices: SW PW GW	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton (Skalar)	L080-PL	W	ISO 17025
Ammoniacal Nitrogen as N in water	Determination of Ammonium/Ammonia/ Ammoniacal Nitrogen by the discrete analyser (colorimetric) salicylate/nitroprusside method. Accredited matrices SW, GW, PW.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	ISO 17025
Gases C1-C4	Determination of volatile hydrocarbons by Refinery Gas Analyzer	In-house methods		W	NONE
Chemical Oxygen Demand in Water (Total)	Determination of total COD in water by reflux oxidation with acidified K ₂ Cr ₂ O ₇ followed by colorimetry. Accredited matrices: SW, PW, GW.	HACH DR/890 Colorimeter Procedures Manual (48470-22) (Ref 0170.2)	L065-PL	W	ISO 17025
Petroleum Ether Extractable Matter in water	Gravimetrically determined through extraction with petroleum ether.	In-house method	L060-PL	W	NONE
Chloride in water	Determination of Chloride colorimetrically by discrete analyser.	In house based on MEWAM Method ISBN 0117516260. Accredited matrices: SW, PW, GW.	L082-PL	W	ISO 17025



Analytical Report Number : 20-34684
Project / Site name: Clarendon Road

Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW)

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
----------------------	-------------------------------	-----------------------------	---------------	--------------------	----------------------

For method numbers ending in 'UK' analysis have been carried out in our laboratory in the United Kingdom.

For method numbers ending in 'PL' analysis have been carried out in our laboratory in Poland.

Soil analytical results are expressed on a dry weight basis. Where analysis is carried out on as-received the results obtained are multiplied by a moisture correction factor that is determined gravimetrically using the moisture content which is carried out at a maximum of 30oC.

Sample Deviation Report



Analytical Report Number : 20-34684
Project / Site name: Clarendon Road

Sample ID	Other ID	Sample Type	Lab Sample Number	Sample Deviation	Test Name	Test Ref	Test Deviation
Discharge SW	None Supplied	W	1645538	c	Ammoniacal Nitrogen as N in water	L082-PL	c

**Alix Hamilton**

Keltbray Remediation Ltd
St Andrew's House
Portsmouth Road
Esher
KT10 9TA

t: 02076431000

e: alix.hamilton@keltbray.com



Environmental Science

i2 Analytical Ltd.
7 Woodshots Meadow,
Croxley Green
Business Park,
Watford,
Herts,
WD18 8YS

t: 01923 225404

f: 01923 237404

e: reception@i2analytical.com

Analytical Report Number : 20-16777

Project / Site name:	Clarendon Road	Samples received on:	30/06/2020
Your job number:	6075	Sample instructed/ Analysis started on:	30/06/2020
Your order number:	SRE6075-00005	Analysis completed by:	17/07/2020
Report Issue Number:	1	Report issued on:	17/07/2020
Samples Analysed:	1 water sample		

Signed:

Joanna Wawrzeczko
Technical Reviewer (Reporting Team)

For & on behalf of i2 Analytical Ltd.

Standard Geotechnical, Asbestos and Chemical Testing Laboratory located at: ul. Pionierów 39, 41 -711 Ruda Śląska, Poland.

Accredited tests are defined within the report, opinions and interpretations expressed herein are outside the scope of accreditation.

Standard sample disposal times, unless otherwise agreed with the laboratory, are :

soils	- 4 weeks from reporting
leachates	- 2 weeks from reporting
waters	- 2 weeks from reporting
asbestos	- 6 months from reporting

Excel copies of reports are only valid when accompanied by this PDF certificate.

Any assessments of compliance with specifications are based on actual analytical results with no contribution from uncertainty of measurement. Application of uncertainty of measurement would provide a range within which the true result lies. An estimate of measurement uncertainty can be provided on request.

Iss No 20-16777-1 Clarendon Road 6075

This certificate should not be reproduced, except in full, without the express permission of the laboratory.

The results included within the report relate only to the sample(s) submitted for testing.

Page 1 of 3



Analytical Report Number: 20-16777

Project / Site name: Clarendon Road

Your Order No: SRE6075-00005

Lab Sample Number				1547863				
Sample Reference				Water Discharge				
Sample Number				None Supplied				
Depth (m)				None Supplied				
Date Sampled				29/06/2020				
Time Taken				None Supplied				
Analytical Parameter (Water Analysis)	Units	Limit of detection	Accreditation Status					

General Inorganics

Total Cyanide	µg/l	10	ISO 17025	26				
Sulphate as SO ₄	mg/l	0.045	ISO 17025	821				
Sulphide	µg/l	5	NONE	< 5.0				
Chloride	mg/l	0.15	ISO 17025	70				
Ammoniacal Nitrogen as N	µg/l	15	ISO 17025	3300				
Chemical Oxygen Demand (Total)	mg/l	2	ISO 17025	72				
Total Suspended Solids	mg/l	2	ISO 17025	6.0				
Settleable Solids (Rapidly Settleable)	mg/l	2	NONE	2.0				
Settleable Solids - Total (1 hour)	mg/l	2	NONE	4.0				

Total Phenols

Total Phenols (monohydric)	µg/l	10	ISO 17025	< 10				
----------------------------	------	----	-----------	------	--	--	--	--

Speciated PAHs

Naphthalene	µg/l	0.01	ISO 17025	< 0.01				
Acenaphthylene	µg/l	0.01	ISO 17025	< 0.01				
Acenaphthene	µg/l	0.01	ISO 17025	< 0.01				
Fluorene	µg/l	0.01	ISO 17025	< 0.01				
Phenanthrene	µg/l	0.01	ISO 17025	< 0.01				
Anthracene	µg/l	0.01	ISO 17025	< 0.01				
Fluoranthene	µg/l	0.01	ISO 17025	< 0.01				
Pyrene	µg/l	0.01	ISO 17025	< 0.01				
Benzo(a)anthracene	µg/l	0.01	ISO 17025	< 0.01				
Chrysene	µg/l	0.01	ISO 17025	< 0.01				
Benzo(b)fluoranthene	µg/l	0.01	ISO 17025	< 0.01				
Benzo(k)fluoranthene	µg/l	0.01	ISO 17025	< 0.01				
Benzo(a)pyrene	µg/l	0.01	ISO 17025	< 0.01				
Indeno(1,2,3-cd)pyrene	µg/l	0.01	ISO 17025	< 0.01				
Dibenz(a,h)anthracene	µg/l	0.01	ISO 17025	< 0.01				
Benzo(ghi)perylene	µg/l	0.01	ISO 17025	< 0.01				

Total PAH

Total EPA-16 PAHs	µg/l	0.16	ISO 17025	< 0.16				
-------------------	------	------	-----------	--------	--	--	--	--

Heavy Metals / Metalloids

Arsenic (dissolved)	µg/l	0.15	ISO 17025	5.13				
Chromium (dissolved)	µg/l	0.2	ISO 17025	4.7				
Copper (dissolved)	µg/l	0.5	ISO 17025	18				
Iron (dissolved)	mg/l	0.004	ISO 17025	0.34				
Lead (dissolved)	µg/l	0.2	ISO 17025	20				
Nickel (dissolved)	µg/l	0.5	ISO 17025	5.8				
Zinc (dissolved)	µg/l	0.5	ISO 17025	28				

Petroleum Hydrocarbons

TPH1 (C10 - C40)	µg/l	10	NONE	< 10				
------------------	------	----	------	------	--	--	--	--

Miscellaneous Organics

Petroleum Ether Extractable Matter	mg/l	4	NONE	< 4.0				
------------------------------------	------	---	------	-------	--	--	--	--

Environmental Forensics

Gases

Methane	mg/L	0.1	NONE	< 0.1				
---------	------	-----	------	-------	--	--	--	--

U/S = Unsuitable Sample I/S = Insufficient Sample



Analytical Report Number : 20-16777

Project / Site name: Clarendon Road

Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW) Process Water (PrW)

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
Ammoniacal Nitrogen as N in water	Determination of Ammonium/Ammonia/ Ammoniacal Nitrogen by the discrete analyser (colorimetric) salicylate/nitroprusside method. Accredited matrices SW, GW, PW.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	ISO 17025
Chemical Oxygen Demand in Water (Total)	Determination of total COD in water by reflux oxidation with acidified K ₂ Cr ₂ O ₇ followed by colorimetry. Accredited matrices: SW, PW, GW.	HACH DR/890 Colorimeter Procedures Manual (48470-22) (Ref 0170.2)	L065-PL	W	ISO 17025
Chloride in water	Determination of Chloride colorimetrically by discrete analyser.	In house based on MEWAM Method ISBN 0117516260. Accredited matrices: SW, PW, GW.	L082-PL	W	ISO 17025
Gases C1-C4	Determination of volatile hydrocarbons by Refinery Gas Analyzer	In-house methods		W	NONE
Metals in water by ICP-MS (dissolved)	Determination of metals in water by acidification followed by ICP-MS. Accredited Matrices: SW, GW, PW except B=SW,GW, Hg=SW,PW, Al=SW,PW.	In-house method based on USEPA Method 6020 & 200.8 "for the determination of trace elements in water by ICP-MS.	L012-PL	W	ISO 17025
Metals in water by ICP-OES (dissolved)	Determination of metals in water by acidification followed by ICP-OES. Accredited Matrices SW, GW, PW, PrW.(Al, Cu,Fe,Zn).	In-house method based on MEWAM 2006 Methods for the Determination of Metals in Soil.	L039-PL	W	ISO 17025
Monohydric phenols in water	Determination of phenols in water by continuous flow analyser. Accredited matrices: SW PW GW	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton (skalar)	L080-PL	W	ISO 17025
Petroleum Ether Extractable Matter in water	Gravimetrically determined through extraction with petroleum ether.	In-house method	L060-PL	W	NONE
Settleable Solids (Rapidly Settleable) in water	Determined gravimetrically with GFC filtration papers.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L004-PL	W	NONE
Speciated EPA-16 PAHs in water	Determination of PAH compounds in water by extraction in dichloromethane followed by GC-MS with the use of surrogate and internal standards. Accredited matrices: SW PW GW	In-house method based on USEPA 8270	L102B-PL	W	ISO 17025
Sulphate in water	Determination of sulphate in water by acidification followed by ICP-OES. Accredited matrices: SW PW GW, PrW.	In-house method based on MEWAM 2006 Methods for the Determination of Metals in Soil.	L039-PL	W	ISO 17025
Sulphide in water	Determination of sulphide in water by ion selective electrode.	In-house method	L029-PL	W	NONE
Total cyanide in water	Determination of total cyanide by distillation followed by colorimetry. Accredited matrices: SW PW GW	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton (Skalar)	L080-PL	W	ISO 17025
TPH1 (Waters)	Determination of dichloromethane extractable hydrocarbons in water by GC-MS.	In-house method	L070-PL	W	NONE

For method numbers ending in 'UK' analysis have been carried out in our laboratory in the United Kingdom.

For method numbers ending in 'PL' analysis have been carried out in our laboratory in Poland.

Soil analytical results are expressed on a dry weight basis. Where analysis is carried out on as-received the results obtained are multiplied by a moisture correction factor that is determined gravimetrically using the moisture content which is carried out at a maximum of 30oC.

**Alix Hamilton**

Keltbray Remediation Ltd
St Andrew's House
Portsmouth Road
Esher
KT10 9TA

t: 02076431000

e: alix.hamilton@keltbray.com

i2 Analytical Ltd.
7 Woodshots Meadow,
Croxley Green
Business Park,
Watford,
Herts,
WD18 8YS

t: 01923 225404

f: 01923 237404

e: reception@i2analytical.com

Analytical Report Number : 20-96406

Project / Site name:	Clarendon Road	Samples received on:	14/04/2020
Your job number:		Samples instructed on:	14/04/2020
Your order number:	M-RE6057-0068	Analysis completed by:	22/04/2020
Report Issue Number:	1	Report issued on:	22/04/2020
Samples Analysed:	2 water samples		

Signed: Caroline Harel

Karolina Marek
PL Head of Reporting Team

For & on behalf of i2 Analytical Ltd.

Standard Geotechnical, Asbestos and Chemical Testing Laboratory located at: ul. Pionierów 39, 41 -711 Ruda Śląska, Poland.

Accredited tests are defined within the report, opinions and interpretations expressed herein are outside the scope of accreditation.

Standard sample disposal times, unless otherwise agreed with the laboratory, are :	soils	- 4 weeks from reporting
	leachates	- 2 weeks from reporting
	waters	- 2 weeks from reporting
	asbestos	- 6 months from reporting

Excel copies of reports are only valid when accompanied by this PDF certificate.

Any assessments of compliance with specifications are based on actual analytical results with no contribution from uncertainty of measurement. Application of uncertainty of measurement would provide a range within which the true result lies. An estimate of measurement uncertainty can be provided on request.

Iss No 20-96406-1 Clarendon Road

This certificate should not be reproduced, except in full, without the express permission of the laboratory.

The results included within the report are representative of the samples submitted for analysis.

Page 1 of 4



Analytical Report Number: 20-96406

Project / Site name: Clarendon Road

Your Order No: M-RE6057-0068

Lab Sample Number				1493670	1493671			
Sample Reference				GH1	GH3			
Sample Number				None Supplied	None Supplied			
Depth (m)				None Supplied	None Supplied			
Date Sampled				09/04/2020	09/04/2020			
Time Taken				None Supplied	None Supplied			
Analytical Parameter (Water Analysis)	Units	Limit of detection	Accreditation Status					

General Inorganics

Total Cyanide	µg/l	10	ISO 17025	< 10	< 10			
Sulphate as SO ₄	mg/l	0.045	ISO 17025	1180	201			
Chloride	mg/l	0.15	ISO 17025	42	42			
Ammoniacal Nitrogen as N	µg/l	15	ISO 17025	130	190			
Chemical Oxygen Demand (Total)	mg/l	2	ISO 17025	23	76			
Total Suspended Solids	mg/l	2	ISO 17025	27*	17*			

Heavy Metals / Metalloids

Arsenic (dissolved)	µg/l	0.15	ISO 17025	0.55	1.37			
Chromium (dissolved)	µg/l	0.2	ISO 17025	< 0.2	< 0.2			
Cobalt (dissolved)	µg/l	0.2	ISO 17025	1.4	0.7			
Copper (dissolved)	µg/l	0.5	ISO 17025	1.3	3.1			
Magnesium (dissolved)	mg/l	0.005	ISO 17025	74	2.3			
Molybdenum (dissolved)	µg/l	0.05	ISO 17025	1.6	6.1			
Nickel (dissolved)	µg/l	0.5	ISO 17025	< 0.5	1.2			
Selenium (dissolved)	µg/l	0.6	ISO 17025	3.1	1.4			
Vanadium (dissolved)	µg/l	0.2	ISO 17025	1.0	0.2			
Zinc (dissolved)	µg/l	0.5	ISO 17025	9.9	25			

Petroleum Hydrocarbons

TPH1 (C10 - C40)	µg/l	10	NONE	< 10	< 10			
------------------	------	----	------	------	------	--	--	--

U/S = Unsuitable Sample I/S = Insufficient Sample

* The raw results are below the optimum mass range for the method. There was insufficient sample available to carry out further testing. The data should be interpreted with caution.



Analytical Report Number : 20-96406

Project / Site name: Clarendon Road

Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW) Process Water (PrW)

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
Ammoniacal Nitrogen as N in water	Determination of Ammonium/Ammonia/ Ammoniacal Nitrogen by the discrete analyser (colorimetric) salicylate/nitroprusside method. Accredited matrices SW, GW, PW.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	ISO 17025
Chemical Oxygen Demand in Water (Total)	Determination of total COD in water by reflux oxidation with acidified K ₂ Cr ₂ O ₇ followed by colorimetry. Accredited matrices: SW, PW, GW.	HACH DR/890 Colorimeter Procedures Manual (48470-22) (Ref 0170.2)	L065-PL	W	ISO 17025
Chloride in water	Determination of Chloride colorimetrically by discrete analyser.	In house based on MEWAM Method ISBN 0117516260. Accredited matrices: SW, PW, GW.	L082-PL	W	ISO 17025
Metals in water by ICP-MS (dissolved)	Determination of metals in water by acidification followed by ICP-MS. Accredited Matrices: SW, GW, PW except B=SW,GW, Hg=SW,PW, Al=SW,PW.	In-house method based on USEPA Method 6020 & 200.8 "for the determination of trace elements in water by ICP-MS.	L012-PL	W	ISO 17025
Metals in water by ICP-OES (dissolved)	Determination of metals in water by acidification followed by ICP-OES. Accredited Matrices SW, GW, PW, PrW.(Al, Cu,Fe,Zn).	In-house method based on MEWAM 2006 Methods for the Determination of Metals in Soil.	L039-PL	W	ISO 17025
Sulphate in water	Determination of sulphate in water by acidification followed by ICP-OES. Accredited matrices: SW PW GW, PrW.	In-house method based on MEWAM 2006 Methods for the Determination of Metals in Soil.	L039-PL	W	ISO 17025
Suspended solids in water	Determined gravimetrically with GFC filtration papers.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L004-PL	W	ISO 17025
Total cyanide in water	Determination of total cyanide by distillation followed by colorimetry. Accredited matrices: SW PW GW	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton (Skalar)	L080-PL	W	ISO 17025
TPH1 (Waters)	Determination of dichloromethane extractable hydrocarbons in water by GC-MS.	In-house method	L070-PL	W	NONE

For method numbers ending in 'UK' analysis have been carried out in our laboratory in the United Kingdom.

For method numbers ending in 'PL' analysis have been carried out in our laboratory in Poland.

Soil analytical results are expressed on a dry weight basis. Where analysis is carried out on as-received the results obtained are multiplied by a moisture correction factor that is determined gravimetrically using the moisture content which is carried out at a maximum of 30oC.

Sample Deviation Report



Sample ID	Other ID	Sample Type	Job	Sample Number	Sample Deviation Code	test_name	test_ref	Test Deviation code
GH1		W	20-96406	1493670	c	Ammoniacal Nitrogen as N in water	L082-PL	c
GH1		W	20-96406	1493670	c	Settleable Solids in water	L004-PL	c
GH1		W	20-96406	1493670	c	Suspended solids in water	L004-PL	c
GH3		W	20-96406	1493671	c	Ammoniacal Nitrogen as N in water	L082-PL	c
GH3		W	20-96406	1493671	c	Settleable Solids in water	L004-PL	c
GH3		W	20-96406	1493671	c	Suspended solids in water	L004-PL	c