



Order Detail (ITEM SKETCHES ARE OUTSIDE VIEW)

ITEM	REF.	WxH.	QTY	DESCRIPTION	
1717	26 Bedford W01	945x1840mm	1	Product :	Richmond VS Spiral Balance
		Timber :	Engineered Redwood (FSC)		
		Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 6mm White Aluminium Spacer Bar 22mm Astragal Bar with B2B grilles (12)		
		Glazing :	4mm Clear Tough / 4mm Neutral Low E Tough Argon Gas 6mm White Aluminium Spacer Bar 22mm Astragal Bar with B2B grilles (11)		
		Paint / finish :	Frame : White (RAL 9016) Sash : White (RAL 9016)		
		Ironmongery :	Spiral Balances - Bottom Sash, Spiral Balances - Top Sash, Fitch Sash Lock (Locking) - Bright Chrome, Sash Eye - Chrome, Sash Hook Lifts - Chrome, Push Button Ventlock Restrictor (Chrome)		
		Ventilation :	N/A		
		Bars :	22mm Astragal Bar with B2B grilles		
		Packers :	N/A		
		Additional :	28mm Cill Extension		
		Approx Kg:	57Kg		
		Note:	No note		
1718	26 Bedford W02	1070x1840mm	2	Product :	Richmond VS Spiral Balance
		Timber :	Engineered Redwood (FSC)		
		Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 6mm White Aluminium Spacer Bar 22mm Astragal Bar with B2B grilles (12)		
		Glazing :	4mm Clear Tough / 4mm Neutral Low E Tough Argon Gas 6mm White Aluminium Spacer Bar 22mm Astragal Bar with B2B grilles (11)		
		Paint / finish :	Frame : White (RAL 9016) Sash : White (RAL 9016)		
		Ironmongery :	Spiral Balances - Bottom Sash, Spiral Balances - Top Sash, Fitch Sash Lock (Locking) - Bright Chrome, Sash Eye - Chrome, Sash Hook Lifts - Chrome, Push Button Ventlock Restrictor (Chrome)		
		Ventilation :	N/A		
		Bars :	22mm Astragal Bar with B2B grilles		
		Packers :	N/A		
		Additional :	28mm Cill Extension		
		Approx Kg:	62Kg		
		Note:	No note		

Order Detail (ITEM SKETCHES ARE OUTSIDE VIEW)

ITEM	REF.	WxH.	QTY	DESCRIPTION	
1719	26 Bedford W03	945x1545mm	1	Product :	Richmond VS Spiral Balance
	Timber :	Engineered Redwood (FSC)			
	Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 6mm White Aluminium Spacer Bar 22mm Astragal Bar with B2B grilles (12)			
	Glazing :	4mm Clear Tough / 4mm Neutral Low E Tough Argon Gas 6mm White Aluminium Spacer Bar 22mm Astragal Bar with B2B grilles (11)			
	Paint / finish :	Frame : White (RAL 9016)			
		Sash : White (RAL 9016)			
	Ironmongery :	Spiral Balances - Bottom Sash, Spiral Balances - Top Sash, Fitch Sash Lock (Locking) - Bright Chrome, Sash Eye - Chrome, Sash Hook Lifts - Chrome, Push Button Ventlock Restrictor (Chrome)			
	Ventilation :	TITON XS13 4400EA (With Vent Chamfer) – White			
	Bars :	22mm Astragal Bar with B2B grilles			
	Packers :	N/A			
	Additional :	28mm Cill Extension			
Approx Kg:	50Kg				
Note:	No note				
1720	26 Bedford W04	815x820mm	1	Product :	Cleveland Casement Window
	Timber :	Engineered Redwood (FSC)			
	Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 6mm White Aluminium Spacer Bar 22mm Astragal Bar with B2B grilles (11)			
	Paint / finish :	Frame : White (RAL 9016)			
		Sash : n/a			
	Ironmongery :	N/A			
	Ventilation :	TITON XS13 4400EA – White			
	Bars :	22mm Astragal Bar with B2B grilles			
	Packers :	N/A			
	Additional :	Head Drip Extension, 90mm Cill Extension			
	Approx Kg:	20Kg			
Note:	No note				

Order Detail (ITEM SKETCHES ARE OUTSIDE VIEW)

ITEM	REF.	WxH.	QTY	DESCRIPTION	
1721	26 Bedford W05	690x2160mm	2	Product :	Richmond VS Spiral Balance
				Timber :	Engineered Redwood (FSC)
				Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 6mm White Aluminium Spacer Bar (12)
				Glazing :	4mm Clear Tough / 4mm Neutral Low E Tough Argon Gas 6mm White Aluminium Spacer Bar (11)
				Paint / finish :	Frame : White (RAL 9016) Sash : White (RAL 9016)
				Ironmongery :	Spiral Balances - Bottom Sash, Spiral Balances - Top Sash, Fitch Sash Lock (Locking) - Bright Chrome, Sash Eye - Chrome, Sash Hook Lifts - Chrome, Push Button Ventlock Restrictor (Chrome)
				Ventilation :	N/A
				Bars :	N/A
				Packers :	N/A
				Additional :	28mm Cill Extension
				Approx Kg:	51Kg
				Note:	No note

2160

2060

100

690

R=645.1

Technical sketch of a double-hung window. The overall height is 2160mm, with a sash height of 2060mm and a frame height of 100mm. The width is 690mm. The top sash has a radius of R=645.1. The sketch shows the window with a top sash and a bottom sash, both with arrows indicating movement. The frame is labeled with 11 and 12.

1722	26 Bedford W06	920x2160mm	1	Product :	Richmond VS Spiral Balance
				Timber :	Engineered Redwood (FSC)
				Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 6mm White Aluminium Spacer Bar (12)
				Glazing :	4mm Clear Tough / 4mm Neutral Low E Tough Argon Gas 6mm White Aluminium Spacer Bar (11)
				Paint / finish :	Frame : White (RAL 9016) Sash : White (RAL 9016)
				Ironmongery :	Spiral Balances - Bottom Sash, Spiral Balances - Top Sash, Fitch Sash Lock (Locking) - Bright Chrome, Sash Eye - Chrome, Sash Hook Lifts - Chrome, Push Button Ventlock Restrictor (Chrome)
				Ventilation :	N/A
				Bars :	N/A
				Packers :	N/A
				Additional :	28mm Cill Extension
				Approx Kg:	63Kg
				Note:	No note

2160

2060




100

920




R=1108

Technical sketch of a double-hung window. The overall height is 2160mm, with a sash height of 2060mm and a frame height of 100mm. The width is 920mm. The top sash has a radius of R=1108. The sketch shows the window with a top sash and a bottom sash, both with arrows indicating movement. The frame is labeled with 11 and 12.



Order Detail (ITEM SKETCHES ARE OUTSIDE VIEW)

ITEM	REF.	WxH.	QTY	DESCRIPTION	
1723	26 Bedford W07	1240x1900mm	1	Product :	Richmond VS Spiral Balance
	Timber :		Engineered Redwood (FSC)		
	Glazing :		4mm Clear / 4mm Neutral Low E Argon Gas 20mm White Warm Edge Spacer Bar 22mm Astragal Bar with B2B grilles (12)		
	Glazing :		4mm Clear Tough / 4mm Neutral Low E Tough Argon Gas 20mm White Warm Edge Spacer Bar 22mm Astragal Bar with B2B grilles (11)		
	Paint / finish :		Frame : White (RAL 9016) Sash : White (RAL 9016)		
	Ironmongery :		Spiral Balances - Bottom Sash, Spiral Balances - Top Sash, Fitch Sash Lock (Locking) - Bright Chrome, Sash Eye - Chrome, Sash Hook Lifts - Chrome, Push Button Ventlock Restrictor (Chrome) x 2		
	Ventilation :		TITON XS13 4400EA (With Vent Chamfer) – White		
	Bars :		22mm Astragal Bar with B2B grilles		
	Packers :		N/A		
	Additional :		28mm Cill Extension		
	Approx Kg:		73Kg		
	Note:		No note		
1724	26 Bedford W08	3285x1230mm	1	Product :	Cleveland Casement Window
	Timber :		Engineered Redwood (FSC)		
	Glazing :		4mm Clear / 4mm Neutral Low E Argon Gas 20mm White Warm Edge Spacer Bar (11,21,31,41)		
	Paint / finish :		Frame : White (RAL 9016) Sash : White (RAL 9016)		
	Direction :		Open out sash		
	Ironmongery :		Side Hung Friction Hinge, Handle - Polished Chrome York Locking Handle, Multipoint Espag Window Lock		
	Ventilation :		TITON XS13 4400EA – White		
	Bars :		N/A		
	Packers :		N/A		
	Additional :		Head Drip Extension, 90mm Cill Extension		
	Approx Kg:		108Kg		
	Note:		No note		
1725	26 Bedford W09	680x895mm	1	Product :	Cleveland Casement Window
	Timber :		Engineered Redwood (FSC)		
	Glazing :		4mm Clear / 4mm Neutral Low E Argon Gas 20mm White Warm Edge Spacer Bar (11)		
	Paint / finish :		Frame : White (RAL 9016) Sash : n/a		
	Ironmongery :		N/A		
	Ventilation :		TITON XS13 4400EA – White		
	Bars :		N/A		
	Packers :		N/A		
	Additional :		Head Drip Extension, 90mm Cill Extension		
	Approx Kg:		17Kg		
	Note:		No note		

Order Detail (ITEM SKETCHES ARE OUTSIDE VIEW)

ITEM	REF.	WxH.	QTY	DESCRIPTION	
1726	26 Bedford W10	620x895mm	1	Product :	Cleveland Casement Window
		Timber :	Engineered Redwood (FSC)		
		Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 20mm White Warm Edge Spacer Bar (11,12)		
		Paint / finish :	Frame : White (RAL 9016) Sash : White (RAL 9016)		
		Direction :	Open out sash		
		Ironmongery :	Top Hung Friction Hinge, Handle - Polished Chrome York Locking Handle, Multipoint Espag Window Lock		
		Ventilation :	TITON XS13 4400EA – White		
		Bars :	N/A		
		Packers :	N/A		
		Additional :	Head Drip Extension, 90mm Cill Extension		
		Approx Kg:	18Kg		
		Note:	No note		
1727	26 Bedford W11	1225x2065mm	1	Product :	Cleveland Casement Window
		Timber :	Engineered Redwood (FSC)		
		Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 20mm White Warm Edge Spacer Bar (11,12)		
		Paint / finish :	Frame : White (RAL 9016) Sash : White (RAL 9016)		
		Direction :	Open out sash		
		Ironmongery :	Top Hung Friction Hinge, Handle - Polished Chrome York Locking Handle, Multipoint Espag Window Lock		
		Ventilation :	TITON XS13 4400EA – White		
		Bars :	N/A		
		Packers :	N/A		
		Additional :	Head Drip Extension, 90mm Cill Extension		
		Approx Kg:	64Kg		
		Note :	Top hung casement included at this stage in lieu of side hung due to size of window		
1728	26 Bedford W12	955x1015mm	1	Product :	Cleveland Casement Window
		Timber :	Engineered Redwood (FSC)		
		Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 20mm White Warm Edge Spacer Bar (11)		
		Paint / finish :	Frame : White (RAL 9016) Sash : n/a		
		Ironmongery :	N/A		
		Ventilation :	TITON XS13 4400EA – White		
		Bars :	N/A		
		Packers :	N/A		
		Additional :	Head Drip Extension, 90mm Cill Extension		
		Approx Kg:	25Kg		
		Note:	No note		

Order Detail (ITEM SKETCHES ARE OUTSIDE VIEW)

ITEM	REF.	WxH.	QTY	DESCRIPTION	
1729	26 Bedford W13	970x1830mm	1	Product :	Richmond VS Spiral Balance
	Timber :	Engineered Redwood (FSC)			
	Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 20mm White Warm Edge Spacer Bar 22mm Astragal Bar with B2B grilles (12)			
	Glazing :	4mm Clear Tough / 4mm Neutral Low E Tough Argon Gas 20mm White Warm Edge Spacer Bar 22mm Astragal Bar with B2B grilles (11)			
	Paint / finish :	Frame : White (RAL 9016) Sash : White (RAL 9016)			
	Ironmongery :	Spiral Balances - Bottom Sash, Spiral Balances - Top Sash, Fitch Sash Lock (Locking) - Bright Chrome, Sash Eye - Chrome, Sash Hook Lifts - Chrome, Push Button Ventlock Restrictor (Chrome)			
	Ventilation :	TITON XS13 4400EA (With Vent Chamfer) – White			
	Bars :	22mm Astragal Bar with B2B grilles			
	Packers :	N/A			
	Additional :	28mm Cill Extension			
	Approx Kg:	59Kg			
	Note:	No note			
1730	26 Bedford W14	1230x2075mm	1	Product :	Cleveland Casement Window
	Timber :	Engineered Redwood (FSC)			
	Glazing :	4mm Clear / 4mm Neutral Low E Argon Gas 20mm White Warm Edge Spacer Bar (12,13)			
	Glazing :	4mm Clear Tough / 4mm Neutral Low E Tough Argon Gas 20mm White Warm Edge Spacer Bar (11)			
	Paint / finish :	Frame : White (RAL 9016) Sash : White (RAL 9016)			
	Direction :	Open out sash			
	Ironmongery :	Top Hung Friction Hinge, Handle - Polished Chrome York Locking Handle, Multipoint Espag Window Lock			
	Ventilation :	TITON XS13 4400EA – White			
	Bars :	N/A			
	Packers :	N/A			
	Additional :	Head Drip Extension, 90mm Cill Extension			
	Approx Kg:	65Kg			
	Note:	No note			

Order Detail (ITEM SKETCHES ARE OUTSIDE VIEW)

ITEM	REF.	WxH.	QTY	DESCRIPTION	
1731	26 Bedford D01	965x2775mm	1	Product :	Grampian Open In Door
		Timber :	Engineered Redwood + Door softwood leaf (FSC)		
		Glazing :	6.8mm Laminated Clear / 4mm Neutral Low E Argon Gas 18mm White Warm Edge Spacer Bar (12)		
		Glazing :	6.8mm Laminated Clear / 4mm Neutral Low E Tough Argon Gas 18mm White Warm Edge Spacer Bar (11)		
		Panel :	50mm Raised & Fielded Insulated Birch Panel		
		Paint / finish :	Frame : White (RAL 9016)		
			Sash : White (RAL 9016)		
		Ironmongery :	4" Security Butt Hinge (Satin), Accent Lever/Lever Long Plate Handle (Polished Chrome), Multipoint Espag Door Lock C-TS, 3 Star Euro Profile Cylinder 40/40 (Nickel), Fab & Fix Letter Plate (Polished Chrome) - 40/80		
		Ventilation :	N/A		
		Bars :	194mm Door Mid Rail - Horizontal		
		Packers :	N/A		
		Additional :	Head Drip Extension, 90mm HW Cill Extension		
		Approx Kg:	83Kg		
		Note :	Numeral to fanlight not included		
1732	26 Bedford D02	755x1940mm	1	Product :	Grampian Open Out Door
		Timber :	Engineered Redwood + Door softwood leaf (FSC)		
		Panel :	32mm Vertical V-Groove Insulated Birch Panel		
		Paint / finish :	Frame : White (RAL 9016)		
			Sash : White (RAL 9016)		
		Ironmongery :	4" Security Butt Hinge (Satin), Accent Lever/Lever Long Plate Handle (Polished Chrome), Multipoint Espag Door Lock C-TS , 3 Star Euro Profile Cylinder 40/40 (Nickel), Cotswold Friction Arm		
		Ventilation :	N/A		
		Bars :	N/A		
		Packers :	N/A		
		Additional :	Head Drip Extension, 90mm HW Cill Extension		
		Approx Kg:	35Kg		
		Note:	No note		

Order Detail (ITEM SKETCHES ARE OUTSIDE VIEW)

ITEM	REF.	WxH.	QTY	DESCRIPTION
1733	26 Bedford D03	1240x2825mm	1	Product : Timber : Glazing : Glazing : Panel : Paint / finish : Ironmongery : Ventilation : Bars : Packers : Additional : Approx Kg: Note: Grampian Open Out Door Engineered Redwood + Door softwood leaf (FSC) 6.8mm Laminated Clear / 4mm Neutral Low E Argon Gas 20mm White Warm Edge Spacer Bar (12,22) 6.8mm Laminated Clear / 4mm Neutral Low E Tough Argon Gas 18mm White Warm Edge Spacer Bar (11,21) 32mm Plain Insulated Birch Panel Frame : White (RAL 9016) Sash : White (RAL 9016) 4" Security Butt Hinge (Satin), Accent Lever/Lever Long Plate Handle (Polished Chrome), Multipoint Master Leaf Espag Door Lock C-TS , 3 Star Euro Profile Cylinder 40/40 (Nickel), Cotswold Friction Arm, Slave Door Fingerbolts N/A 194mm Door Mid Rail - Horizontal N/A Head Drip Extension, 90mm HW Cill Extension 108Kg No note

1734	26 Bedford D04 (Doorset)	900x2090mm	1	Product : Timber : Glazing : Paint / finish : Ironmongery : Ventilation : Bars : Packers : Additional : Approx Kg: Note: Grampian Open Out Door Engineered Redwood + Door softwood leaf (FSC) 6.8mm Laminated Clear / 4mm Neutral Low E Tough Argon Gas 20mm White Warm Edge Spacer Bar (11) Frame : White (RAL 9016) Sash : White (RAL 9016) 4" Security Butt Hinge (Satin), Accent Lever/Lever Long Plate Handle (Polished Chrome), Multipoint Espag Door Lock C-TS, 3 Star Euro Profile Cylinder 40/40 (Nickel), Cotswold Friction Arm N/A 194mm Door Mid Rail - Horizontal N/A Head Drip Extension, 90mm HW Cill Extension 60Kg No note
------	--------------------------	------------	---	---

Order Detail (ITEM SKETCHES ARE OUTSIDE VIEW)

ITEM	REF.	WxH.	QTY	DESCRIPTION
1735	26 Bedford D04 (Sidelight)	1200x2090mm	1	Product : Sutton Casement Window Timber : Engineered Redwood (FSC) Glazing : 6.8mm Laminated Clear / 4mm Neutral Low E Tough Argon Gas 20mm White Warm Edge Spacer Bar (11,12,13) Paint / finish : Frame : White (RAL 9016) Sash : White (RAL 9016) Direction : Open out sash Ironmongery : Top Hung Friction Hinge, Handle - Polished Chrome York Locking Handle Ventilation : N/A Bars : N/A Packers : N/A Additional : Head Drip Extension, 90mm Cill Extension Approx Kg: 76Kg Note: No note