

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	HGY/2023/0398
Application type	Conservation Area Notification
Site Address:	Colab Court White Hart Lane Wood Green London N22 5RW
Proposal	T001 Tree Tag Number 0903 "Sycamore (Acer pseudoplatanus) Target # - building Target # - footpath and road. Height (m): 15, Crown Radius (m): 8, DBH (mm): 525, Life Stage: Mature. Reduce crown to previous reduction points and shape T003 Tree Tag Number 0109 "Ash (Fraxinus sp.) Target # - garden. Target # - fence. Height (m): 12, Crown Radius (m): 10, DBH (mm): 325, Life Stage: Semi Mature. Fell to ground level (Section fell) T010 Tree Tag Number 0907 "Wild Cherry (Prunus avium) Target # - garden. Target # - fence Height (m): 4, Crown Radius (m): 3, DBH (mm): 375, Life Stage: Early Mature. Fell to ground level (Section fell) Plus mapping and photos.

RECOMMENDATION:	No Objection	
Application date	09/02/2023	
Tree Inspector	DM	Date: 1 st March 2023

Site

The various trees T001, T003, and T010, as marked on the plan, are situated in the rear garden of the property. The Sycamore T001 is publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Woodside Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

T001 Tree Tag Number 0903 "Sycamore (*Acer pseudoplatanus*) Target # - building
Target # - footpath and road. Height (m): 15, Crown Radius (m): 8, DBH (mm): 525, Life Stage: Mature. Reduce crown to previous reduction points and shape

T003 Tree Tag Number 0109 "Ash (*Fraxinus* sp.) Target # - garden. Target # - fence.
Height (m): 12, Crown Radius (m): 10, DBH (mm): 325, Life Stage: Semi Mature. Fell to ground level (Section fell)

T010 Tree Tag Number 0907 "Wild Cherry (*Prunus avium*) Target # - garden. Target # - fence
Height (m): 4, Crown Radius (m): 3, DBH (mm): 375, Life Stage: Early Mature. Fell to ground level (Section fell)

Plus mapping and photos.

Issues

I hold no objections to the proposed reasonable works.

The felling of the Ash T003 is due to the Ash being a self set, multi stemmed and low grade.

It is evident that the Cherry tree T010 is dying and in a poor condition.

There is a condition to re plant dead, dying, and dangerous trees within a conservation Area.

Recommendation

No Objection

Condition: Re plant *Betula* spp. 10-12cm girth