

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
								Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)
										Structural Condition	Retention Category
T1	Semi-Mature Pyracantha Pyracantha sp.	3	1	11	2 2 3.5 2		Form: Twin-stemmed at ground level with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		Moderate Good Good	Low 10-20 C
		n/a	3								
T2	Semi-Mature Whitebeam Sorbus aria.	5	1.5	13	2 2 2 2		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		High Good Good	Moderate 20-40 C
		n/a	3								
T3	Early-Mature Horse Chestnut Aesculus hippocastanum.	9	5.5	54	3.5 2.5 4.5 4		Form: Multi-stemmed at 2m with a balanced crown. History: Reduced in distant past. Defects: No significant defects observed.	No action required.		Moderate Good Good	High 40+ B
		n/a	3								
T4	Early-Mature Horse Chestnut Aesculus hippocastanum.	10	3	65	4.5 5.5 5		Form: Twin-stemmed at 3m with a balanced crown. History: Reduced in distant past. Defects: No significant defects observed.	No action required.		Moderate Good Good	High 40+ B
		n/a	3								
T5	Semi-Mature Horse Chestnut Aesculus hippocastanum.	7.5	3	30	3 3 5 3		Form: Twin-stemmed at 2m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.		Moderate Good Good	Moderate 40+ B -
		n/a	3								
T6	Semi-Mature Horse Chestnut Aesculus hippocastanum.	5.5	2	18	4 0.5 2.5 3		Form: Single stemmed with a slight lean and an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.		High Good Good	Moderate 20-40 C
		n/a	3								
T7	Semi-Mature Ash Fraxinus excelsior.	7	4	39	2 4.5 3		Form: Twin-stemmed at ground level with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Ivy prevented detailed inspection, dimensions estimated. Stem diameter is equivalent to two stems at 30 and 25cm.	Remove ivy and inspect stem for defects.		High Good Fair	Low 20-40 C
		Moderate	1								

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m) 909	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
								Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)
										Structural Condition	Retention Category
T8	Semi-Mature Monterey Cypress Cupressus macrocarpa.	5	2	40	4.5 3	025 	Form: Multi-stemmed specimen. History: Topped at 4m. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.		High	Low
								n/a	3	Good	40+ C
T9	Mature Ash Fraxinus excelsior.	11	2.5	70	7 4.5 5	025 	Form: Multi-stemmed at 4m with a slightly unbalanced crown. History: Multiple pruning wounds due to crown reduction. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.		Moderate	Moderate
								n/a	3	Good	40+ B
T10	Semi-Mature Horse Chestnut Aesculus hippocastanum.	5	2	15	2 2 2	025 	Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.		High	Low
								n/a	3	Good	40+ C
T11	Early-Mature Horse Chestnut Aesculus hippocastanum.	11	5	84	7.5 4.5 5	025 	Form: Twin-stemmed at 2m. History: Topped at 5m in distant past. Defects: Major cavities developing to topping cuts. Other: Ivy prevented detailed inspection.	Remove ivy and inspect stem for defects. Climbed inspection to investigate cavities and historic topping.		Moderate	Moderate
								High	1.5	Good	20-40 B
T12	Early-Mature Ash Fraxinus excelsior.	8.5	4	40	7 4.5 6	025 	Form: Multi-stemmed at 3m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		High	Moderate
								n/a	3	Good	40+ B
T13	Semi-Mature Goat Willow Salix caprea.	4.5	2	21	5 2 4 3	025 	Form: Twin-stemmed at 0.5m with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Stem diameter is equivalent to two stems measured at 15cm each.	No action required.		Moderate	Low
								n/a	3	Good	10-20 C
T14	Semi-Mature Sycamore Acer pseudoplatanus.	5	3	9	2.5 1 3 2	025 	Form: Single stemmed and vertical with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		High	Low
								n/a	3	Good	40+ C

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m) 909	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
								Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)
										Structural Condition	Retention Category
T15	Semi-Mature Magnolia	4.5	2	20 @ Base	2.5 2.5 2.5 2.5	2500 	Position: Situated on third party land. Form: Multiple-stemmed specimen. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.	High	Low	
	n/a							3	Good Fair	20-40 C	