




Key Plan
1: 2000

A9 A10 M211

Callout 2 - DR104 - Proposed Annex Drainage

Proposed threshold drains as specified by Architect

Proposed threshold drains as specified by Architect

Setting out of manholes, RWP's and SVP's within Annex building TBC by Architect. Do not use this drawing for setting out.

As per AIA report methodology of routing of drainage through RPA to be agreed with Arboriculturalist. Surface water drain to be positioned as close as possible to existing building in order to minimise impact to tree roots.

Allow for replacement of existing pump chamber to fountain. Design TBC by others

Proposed yard gully to sit in planter paving.

- This drawing is to be read in conjunction with all relevant architects, engineers and specialists drawings and specifications.
- Do not scale from this drawing in either paper or digital form. Use written dimensions only. To check drawing has been printed to the intended scale the above bar should be 100mm.
- For full set of drainage notes refer to HTS drawing 1862/DR001.

Abbreviations:-	
CL	- Cover level
IL	- Invert level
FWP	- Foul Waste Pipe
RWP	- Rainwater Pipe
CD	- Channel Drain
SD	- Slot Drain
TD	- Threshold Drain
RE	- Rodding Eye
RA	- Above Ground Rodding Access
BD	- Backdrop
FW	- Foul Water
SW	- Surface Water
CW	- Combined Water
FG	- Floor Gully
SSL	- Structural Slab Level
FFL	- Finished Floor Level
Ø	- Diameter
TOC	- Top of Concrete
NTS	- Not to Scale
PC	- Pumping Chamber
PPIC	- Polypropylene Inspection Chamber

Drainage Key

	Proposed SW drain run
	Proposed FW drain run
	Proposed CW drain run
	Proposed Perforated SW drain run
	Existing SW drain run
	Existing FW drain run
	Existing CW drain run
	Public Sewer
	Proposed channel / slot Drain
	Proposed threshold Drain with Sump outlet to architect specification
	Redundant drain run
	Proposed / Existing Rain Water Pipe
	Proposed / Existing Foul Waste Point
	Proposed / Existing Cavity Drain Point
	Rain Water / Foul Water pipe with above ground rodding access
	Proposed / Existing Gully
	Proposed / Existing Rodding Eye
	Proposed SW Manhole
	Proposed FW Manhole
	Proposed CW Manhole
	Existing Manhole
	Pumping Chamber
	Geocellular storage tank
	Permeable paving
	Site Boundary
	Tree Root Protection

Rev	Date	By	Eng	Amendments
C6	08.07.21	CR	CR	Revised as clouded
C5	25.03.21	CR	CR	Annex Below Ground Drainage Added
C4	10.12.20	CR	CR	Revised Construction Issue
C3	16.11.20	CR	CR	Revised Construction Issue
C2	23.09.20	CR	CR	Revised Construction Issue
C1	22.05.20	CR	CR	Construction Issue
W1	23.03.20	CR	CR	Work in Progress

HEYNE TILLET STEEL STRUCTURAL ENGINEERS
hts.uk.com

Job Name
Hornsey Town Hall

Drawing Title
Proposed Below Ground Drainage Sheet 5

Purpose of Issue **Construction** Scale at A0 **1:100**

Drg No **1862/DR104** Rev **C6**

1862-HTS-DR104_C6