

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	HGY/2023/0504
Application type	Conservation Area Notification
Site Address:	72 Flat 1, Stapleton Hall Road, Hornsey, London, N4 4QA
Proposal	The tree is a single Damson tree. It is located in the very south east corner of the garden adjacent to the rear fence bordering the railway line. Please refer to enclosed plan where the tree is marked with an 'x'. There are no other trees in the garden. Specification of works: to fell the tree using a professional tree surgeon and remove from site. Stump will be poisoned. The Damson tree is partly dead. It has suffered badly from storm damage so that it has broken branches which have grown in an odd configuration. Existing tall branches seem vulnerable and sway violently in strong wind. I am concerned for safety of children playing in the garden.

RECOMMENDATION:	No Objection	
Application date	21/02/2023	
Tree Inspector	DM	Date: 28 th March 2023

Site

The Damson tree, as marked on the plan, is situated in the rear garden of the property. It is not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Stroud Green Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

The tree is a single Damson tree. It is located in the very south east corner of the garden adjacent to the rear fence bordering the railway line. Please refer to enclosed plan where the tree is marked with an 'x'. There are no other trees in the garden.

Specification of works: to fell the tree using a professional tree surgeon and remove from site. Stump will be poisoned.

The Damson tree is partly dead. It has suffered badly from storm damage so that it has broken branches which have grown in an odd configuration. Existing tall branches seem vulnerable and sway violently in strong wind. I am concerned for safety of children playing in the garden.

Issues

I hold no objection to the proposed removal. The Damson tree is low grade and not worthy of a tree preservation order when carrying out a methodology to rate it worthiness.

Recommendation

No Objection