

Monica Wells
Academy House
London Road
Camberley
United Kingdom
GU15 3HL

29 March 2023

**TOWN AND COUNTRY PLANNING ACT 1990
TOWN AND COUNTRY PLANNING (DEVELOPMENT MANAGEMENT PROCEDURE)
(ENGLAND) ORDER 2015
NOTICE OF PLANNING PERMISSION**

Case Reference	HGY/2023/0337
Location	Shop, 6 The Broadway, Wood Green, London, N22 6DS
Proposal	New steam extract and new fresh air intake duct to the rear.
Received	2 February 2023

In pursuance of their powers under the above Act, the London Borough of Haringey as Local Planning Authority hereby PERMIT the above development received on the above date.

Title	Description	Date
DB574-EX02 - Existing Elevations		2 February 2023
DB574-LP - Location Plan		2 February 2023
DB574-BP - Proposed Block Plan		2 February 2023
DB574-EX01 - Existing Floor Plans		2 February 2023
DB574-EL06 - Proposed Elevations		2 February 2023
DB574-GA05-Rev-A - Proposed Ground Floor Plan		2 February 2023

Robbie McNaugher

Robbie McNaugher
Head of Development Management and Planning Enforcement
Planning Service

Conditions: (4)

- 1 The development to which this permission relates must be begun no later than three years from the date of this decision notice, failing which the permission shall be of no effect.

Reason: This condition is imposed by virtue of Section 91 of the Town and Country Planning Act 1990 and to prevent the accumulation of unimplemented planning permissions.

- 2 The development hereby permitted shall be carried out in complete accordance with the approved plans and drawings listed in this decision notice, other than where those details are altered pursuant to the conditions of this planning permission.

Reason: For the avoidance of doubt and in the interests of proper planning.

- 3 Noise arising from the use of the extractor fan and any associated equipment shall not increase the existing background noise level (LA90,15mins) when measured (LAeq 15mins) 1 metre externally from the nearest residential or noise sensitive premises. To prevent the transmission of noise and vibration into neighbouring premises, the flue and associated ducting shall be isolated from the building structure in accordance with a scheme that shall be submitted and approved by the Local Planning Authority before the commencement of any works.

Reason: In order to protect residential amenity consistent with Policy DM1 of The Development Management DPD 2017.

- 4 The extract duct, filters and silencers as shown in the approved drawings shall be regularly maintained, cleaned and or replaced to minimise odour and nuisance. The ducting shall also include anti-vibration mountings to minimise vibration.

Reason: In order to ensure that the proposal does not prejudice the enjoyment of neighbouring occupiers of their properties.

Informatives:

INFORMATIVE: Land Ownership

The applicant is advised that this planning permission does not convey the right to enter onto or build on land not within his ownership.

INFORMATIVE: Party Wall Act

The applicant's attention is drawn to the Party Wall Act 1996 which sets out requirements for notice to be given to relevant adjoining owners of intended works on a shared wall, on a boundary or if excavations are to be carried out near a neighbouring building.

INFORMATIVE: Hours of Construction Work

The applicant is advised that under the Control of Pollution Act 1974, construction work which will be audible at the site boundary will be restricted to the following hours:-

8.00am - 6.00pm Monday to Friday

8.00am - 1.00pm Saturday

and not at all on Sundays and Bank Holidays.

- 1 You can find advice in regard to your rights of appeal at:
www.planningportal.gov.uk/planning/appeals/guidance/guidancecontent
- 2 This notice relates solely to a planning decision and does not purport to convey any approval or consent which may be required under the Building Regulations or any other statutory purpose.
If you intend to submit an appeal that you would like examined by inquiry then you must notify the Local Planning Authority and Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal.
- 3 For more information about making a Building Regulations application, please contact Haringey Council Building Control Team by email building.control@haringey.gov.uk, telephone 020 8489 5504, or see our website at www.haringey.gov.uk/buildingcontrol.