

Notes :

This drawing has been prepared in accordance with BS 5837:2012.

This drawing is intended to be printed and used in colour only, and for no purpose other than the consideration of trees in accordance with BS 5837.

BS5837:2012 Cascade chart for tree quality assessment			
Category & Definition	Criteria (including subcategories where appropriate)	Identification on plan	
Trees unsuitable for retention			
Category U			
Trees in such a condition that they are not worth retaining	Trees that have a serious, irreparable structural defect, such that their early loss is expected due to the risk of failure or the need for removal of the tree or its major parts. Trees that are dead or dying, or that are so severely damaged by disease, pests or other factors that they are unlikely to recover, or that are so severely damaged by other factors that they are unlikely to recover.	Red on plan	Ref. 127A.0
Trees to be considered for retention			
	I. Highly arboricultural qualities	II. Highly landscape qualities	III. Highly cultural values, including conservation
Category A			
Trees of high quality with an estimated remaining life expectancy of at least 40 years	Trees that are particularly good examples of their species, or that are of particular interest for their historical or cultural value, or that are of particular interest for their landscape value.	Trees that are of high quality, and that are of particular interest for their landscape value, or that are of particular interest for their historical or cultural value.	Light Green RGB 9,255,0
Category B			
Trees of moderate quality with an estimated remaining life expectancy of at least 20 years	Trees that are of moderate quality, and that are of particular interest for their landscape value, or that are of particular interest for their historical or cultural value.	Trees that are of moderate quality, and that are of particular interest for their landscape value, or that are of particular interest for their historical or cultural value.	Mid Blue RGB 0,0,255
Category C			
Trees of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a trunk diameter below 100mm	Trees that are of low quality, and that are of particular interest for their landscape value, or that are of particular interest for their historical or cultural value.	Trees that are of low quality, and that are of particular interest for their landscape value, or that are of particular interest for their historical or cultural value.	Grey RGB 128,128,128

KEY

- Root Protection Area (RPA)
- Tree Stem
- T1 Tree No.
- Tree Protection Fencing
- Storage Area
- Contractor Parking
- Ground Protection
- Arboricultural supervision

Rev	Details	Date	Checked By
-----	---------	------	------------

Drawing Number AEL-18617-TPP



Apex Environmental Ltd

3 Lawrence Way, Lichfield, WS13 6RD
TEL: 0121 249 1235 e-mail: info@ael-treeconsultants.co.uk web: www.ael-treeconsultants.co.uk

Client XP Property

Project 108-110 Colney Hatch Lane


Title Tree Protection Plan

Scale	Date	Drawn By	Checked By	Drawing Number	Revision
1:200	07/03/2023	RJH			B

THIS DRAWING IS CONFIDENTIAL AND MUST NOT BE REPRODUCED WITHOUT THE CONSENT OF APEX ENVIRONMENTAL LTD



Figure 3



b) Stabilizer strut mounted on block tray

