

Notes:

Do not scale this drawing.
All welds to be min. 6mm F/W
CONTINUOUS unless noted otherwise.
All burs and sharp edges to be removed, prior to finish.
Corrosion Classification & Risk of Steelwork to BS EN ISO 12944-2
C1 - Very Low
C2 - Low
C3 - Medium
C4 - High
C5-I - Very High (Industrial)
C5-M - Very High (Marine)
All Steel to be finished :
PPC RAL 7021

All steel to be: _____ to standards:
Open Sections to BSEN10025.
Hollow Sections (Hot) to BSEN10210
Hollow Sections (Cold) to BSEN10219
Plates to BSEN10025
Welding to be to BSEN15614-1.
Tolerances to BSEN1090-2 appex.D
Execution Class **EXC2** to BSEN1090-1 (UNO)
All steelwork parts to be stamped or tagged with part Nos.
All dimensions are in metric.
Drawings to checked and signed prior to Fabrication.

C5	Updated To Suit Other Privacy Screens On Site	TJ	06.04.2023
C4	Updated To Site Surveys	TJ	22.03.2023
C3	Updated To Reflect MAKE Comments	TJ	14.03.2023
C2	Updated To Reflect KDS Design Intent	TJ	20.12.2022
C1	Issued For Construction	TJ	13.12.2022

ISSUE	REVISION DESCRIPTION	DRAWN	DATE
STATUS			

FOR CONSTRUCTION

Ardmore
CONSTRUCTION LTD



Paddington
CONSTRUCTION LTD.

116 Millmarsh Lane - Brimsdown - Enfield Middlesex - EN3 7SW
Tel: 020 8443 9600 - Fax: 020 8564 7265
E-mail: paddington@ardmoregroup.co.uk

CLIENT
ARDMORE CONSTRUCTION LTD

CONTRACT TITLE
HORNSEY TOWN HALL

DRAWING TITLE
ANNEX TERRACE PRIVACY SCREEN

ARCHITECT

Scale @ A1	1:5, 1:6***	Contr. No.	200748
Drawn	TJ	Job. No.	JL00000696
Date		Rev. No.	C5
Drg. No.	HTH-PCL-PS-GA-1000		

