

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4, Alexandra House, Station Road, N22 7TY

Application number	HGY/2023/1222
Application type	Conservation Area Notification
Site Address:	Alexandra Palace Alexandra Palace Way Wood Green London N22 7AY
Proposal	T1 Ash adjacent farmers Market - remove limb with Inonotus back to fork. pollard remainder of tree at 10m T2 Ash Lower Road Eastern End - severe decay and hollow sounding at base. Fell to ground level T3 Purple plum near golf course entrance crown reduce remainder of tree by 50% (previously failed stem) Tag 5615 and Tag 5217 London plane trees near labspa entrance - remove Massaria infected branches 5 day notice due to condition and risk.

RECOMMENDATION:	No Objection	
Application date	05/05/2023	
Tree Inspector	DM	Date: 9 th May 2023

Site

The various trees T1-T2, as marked on the plan and shown within the photographs, are situated in the grounds of the estate.. They are publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Alexandra Park Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed:

T1 Ash adjacent farmers Market - remove limb with Inonotus back to fork. pollard remainder of tree at 10m

T2 Ash Lower Road Eastern End - severe decay and hollow sounding at base. Fell to ground level

T3 Purple plum near golf course entrance crown reduce remainder of tree by 50% (previously failed stem)

Tag 5615 and Tag 5217 London plane trees near labspa entrance - remove Massaria infected branches

5 day notice due to condition and risk.

Issues

I hold no objections to the proposed works under a five day notice.

It is clear from the photographs that the decay at the base of the Ash is advanced and serious.

Inonotus hispidus is known to rip through Ash.

Recommendation

No Objection