

PRODUCT SPECIFICATION

COM 1 MAILBOX

THE COM 1 MAILBOX IS A POPULAR VERTICAL MAIL STORAGE SOLUTION SUITABLE FOR USE IN BOTH INTERNAL AND EXTERNAL LOCATIONS THAT CONFORMS TO BOTH EN13724 AND THE SECURED BY DESIGN HOMES 2019 GUIDELINES.



The COM 1 mailbox is an in front / out front product ideal for wall recessing, wall mounting or freestanding installation. The mailbox is available in a variety of heights offering a solution for multiple mail storage requirements all of which accept A4 mail. Mailboxes can be arranged up to three high with an unlimited width arrangement.

A number of accessories are available for use with the COM 1 mailbox including colourful identification labels, engraving, vinyl lettering, freestanding posts and aperture restrictors.

MAILBOX FEATURES

A versatile and popular vertical mailbox available in a number of heights to suit; combining delicate features with materials offering immense strength.

- Dimensions (mm): 250H | 335H | 361H | 389H | 414H x 265W x 120D
- Aperture size (mm):
 - 414H model: 42H x 235W (will accept A4 mail)
 - 335H | 361H | 389H models: 28.5H x 235W (will accept A4 mail)
 - 250H model: 28.5H x 235W (will accept C5 mail only)
- Fitted with a security CAM lock specific to SLB products and supplied with 2 coded keys as standard
- Manufactured using aluminium extrusion and can be finished in any colour from our Standard RAL Colour Range, or any other RAL colour at an additional fee
- For both interior and exterior application
- Can be used as a single item or in a bank of mailboxes
- Can be engraved or fitted with vinyl lettering
- A variety of colour strips available
- Conforms to the Secured by Design Homes 2019 guidelines
- BS EN13724 Compliant

SIZE



MATERIALS / FINISH



APPLICATION




SECURITY



DIMENSIONS

APERTURE SIZE (MM): 250-414H X 265WX 120D



INSTALLATION OPTIONS

- ✓ FREESTANDING - SUPPORT LEGS)
- ✓ FREESTANDING - SUPPORT TABLE)
- ✓ RECESSED OR WALL MOUNTED
- THROUGH THE WALL
- ✓ WITH DOOR ENTRY SYSTEM
- ✓ BESPOKE ARRANGEMENT



THE SAFETY LETTERBOX COMPANY LTD

UNIT 1B MILLAND INDUSTRIAL ESTATE, MILLAND ROAD, NEATH, SA11 1NJ, UK

T: +44 (0) 1639 633525

F: +44 (0) 1639 646359

E: SALES@SAFETYLETTERBOX.COM


W: WWW.SAFETYLETTERBOX.COM



PRODUCT SPECIFICATION

SECURED BY DESIGN MAILBOX

A MAILBOX THAT CONFORMS TO THE SECURED BY DESIGN TS009:2019 STANDARDS DEVELOPED BY THE DOOR AND HARDWARE FEDERATION (DHF) IN CONJUNCTION WITH SECURED BY DESIGN.



Our TS009 mailbox is an example of a product developed to suit the very real requirements of our clients with compliance to the standard. The focus of the product was not to merely produce a mailbox that ticked the standard, but achieved all of the following:

- + Complies with TS 009:2019 standards
- + Lighter in weight
- + More attractive in aesthetic quality
- + More affordable
- + Maximum security through clever design and detail

Secured by Design



Official Police Security Initiative

MAILBOX FEATURES

A mailbox that conforms to the Secured by Design TS009:2019 specification developed to maximise security on projects requiring Secured by Design certification.

- Dimensions (mm): 447H x 288W x 123D
- Aperture Dimensions (mm): 230W x 34H
- Manufactured using .95mm zintec steel and finished with polyester powder coating to a choice of colours from the standard range of colours which meet the London Underground surface spread of flame specification BS476 Part 6 & 7.
- Fitted with a Union Key Prime Certified to EN1303:2015
- Suitable for both domestic and commercial use
- Suitable for both internal and external use
- Used as a standalone single item
- Suitable for wall mounting or freestanding
- Can be engraved or fitted with vinyl lettering
- BS EN13724 Compliant

SIZE



MATERIALS / FINISH



APPLICATION



SECURITY



DIMENSIONS

APERTURE SIZE (MM): 235W X 34H



INSTALLATION OPTIONS

- FREESTANDING - SUPPORT LEGS
- FREESTANDING - SUPPORT TABLE
- ✓ WALL MOUNTED
- THROUGH THE WALL
- WITH DOOR ENTRY SYSTEM
- BESPOKE ARRANGEMENT

THE SAFETY LETTERBOX COMPANY LTD

UNIT 1B MILLAND INDUSTRIAL ESTATE, MILLAND ROAD, NEATH. SA11 1NJ, UK

T: +44 (0) 1639 633525


F: +44 (0) 1639 646359

E: SALES@SAFETYLETTERBOX.COM

W: WWW.SAFETYLETTERBOX.COM

DO NOT SCALE


5 MAILBOX BANK: 1 high x 5 wide.



© copyright, drawings should not be reproduced
with out consent from The Safety Letterbox Co. Ltd.

LATERAL COLLECTION MAILBOX.
RANGE: COMPACT. MODEL: COM 1 (307).
FRONT ENTRY / FRONT RETRIEVAL.
MANUFACTURED FROM ALUMINIUM EXTRUSION & ZINTEC STEEL.
POLYESTER POWDER COATED TO A CHOICE OF RAL COLOURS
FROM OUR STANDARD RANGE.
SUITABLE FOR A4 SIZED FLEXIBLE MAIL ~ LATERAL ENTRY.

Safety Letterbox Unit B Milland Ind Est Milland Road Neath SA11 1NJ Tel. 01639 633525	SCALE	1:7.5/A3	DRAWN BY	RJB.
	DATE	18/02/08	REVISION	0.
	DWG No.	SLB COM 1 / 307 WM 1H 5W.		



SECURED BY DESIGN - HOMES 2019 COMPLIANCE

REF: THE SAFETY LETTERBOX COMPANY AND SECURED BY DESIGN GUIDELINES, CONTAINED WITHIN HOMES 2019.

Sites looking to comply with current Secured by Design guidelines are offered a range of products that conform to the specifications detailed within the Secured by Design - Homes 2019 document. They are not certified products, but all aspects of the guidelines are adhered to, which includes:

- Material strength and durability
- Locks
- Reduction of the aperture size through the use of aperture opening restrictors and an anti-vandal bridge

We also commit to the guidelines through the advice we provide from our experienced technical sales team to our customers; on the positioning of the mailboxes on site - their location, visibility, security and therefore the model selected is discussed throughout the process.

As a responsible British manufacturer and established market leaders, we take the issues of designing out crime extremely seriously and ensure our products satisfy the guidelines when asked for a product suitable for a Secured by Design site.

Alison Orrells
Managing Director
The Safety Letterbox Company Ltd.

MOST SUITABLE OPTIONS



COM 1 MAILBOX

- In Front / Out front
- Vertical



COM 2 MAILBOX

- In Front / Out front
- Horizontal



COM 3 MAILBOX

- In Front / Out Back
- Horizontal



FIRE RATED RANGE | 2 HOUR INTEGRITY

- Comply with British Standard Class 'O' part 6 & 7 under BS 476

For further information on these solutions, product datasheets are available.

THE SAFETY LETTERBOX COMPANY LTD

UNIT 1B MILLAND INDUSTRIAL ESTATE, MILLAND ROAD, NEATH, SA11 1NJ, UK

T: +44 (0) 1639 633525

F: +44 (0) 1639 646359

E: SALES@SAFETYLETTERBOX.COM

W: WWW.SAFETYLETTERBOX.COM