

Our Ref: AE/HMH/R00619

PP Ref: PP-12252320

Haringey Council London Borough
Planning, Regeneration & Economy,
Level 6, River Park House,
225 High Road,
Wood Green,
N22 8HQ

Submitted Electronically via Planning Portal

23rd June 2023

Dear Sir / Madam,

**45-47 GARMAN ROAD, LONDON N17 0UR
APPLICATION TO DISCHARGE DETAILS PURSUANT TO CONDITIONS 14 (ENERGY) AND 15
(BESEEN) IN RESPECT OF PLANNING PERMISSION HGY/2022/2293.**

On behalf of Shurgard UK Ltd ('the Applicant'), I hereby enclose an application seeking approval of details of Planning Conditions pursuant to Permission HGY/2022/2293: -

- 14 (Energy),
- 15 (BESEEN),

Planning permission HGY/2022/2293 granted consent for the following development:

"Redevelopment of the site to provide a self-storage facility (Use Class B8) with associated car and cycle parking, refuse storage, landscaping and other associated works ancillary to the development."

Approval of Details

Condition 14 – Energy

Condition 14 (Energy) attached to the Permission states the following:

"(a) Prior to above ground construction, a revised Energy Strategy shall be submitted to and approved by the Local Planning Authority. This must include:

- Confirmation of how this development will meet the zero-carbon policy requirement in line with the Energy Hierarchy, in line with Part L 2013;
- Confirmation of the necessary fabric efficiencies to achieve a minimum 15% reduction in emissions, including details to reduce thermal bridging;
- Location, specification and efficiency of the proposed ASHPs, their heating and cooling loads where relevant (Coefficient of Performance, Seasonal plans showing the ASHP pipework and noise and visual mitigation measures;
- Specification and efficiency of the proposed Mechanical Ventilation and Heat Recovery (MVHR), with plans showing the rigid MVHR ducting and location of the unit;
- Details of the PV, demonstrating that a minimum of 200 sqm of the roof has been utilised and located to avoid any overshadowing, delivering a minimum 30 kWp array roof area has been maximised, with the following details: a roof plan; the number, angle, orientation, type, and efficiency level of the PVs; how overheating of the panels will be minimised; their peak output (kWp);
- A metering strategy. The development shall be carried out strictly in accordance with the details so approved prior to first operation and shall be maintained and retained for the lifetime of the development. The solar PV array shall be installed with monitoring equipment prior to completion and shall be maintained at least annually thereafter.

(b) Within six months of first occupation, evidence that the solar PV and ASHPs installations have been installed correctly shall be submitted to and approved by the Local Planning Authority, including photographs of the solar array, a six-month energy generation statement, and a Microgeneration Certification Scheme certificate.”

In order to comply with the requirements of Condition 14, please find enclosed an electronic copy of the following:

- Energy Statement, prepared by Ensphere
- Roof Plan (drawing no. 22007GA-20-010), prepared by Threesixty Architecture

Condition 15 – BESEEN

Condition 15 (BESEEN) attached to the Permission states the following:

“(a) Prior to the completion of the superstructure a detailed scheme for energy monitoring has been submitted to and approved in writing by the Local Planning Authority. This shall include details of suitable automatic meter reading devices for the monitoring of energy use and renewable/low carbon energy generation. The monitoring mechanisms approved in the monitoring strategy shall be made available for use prior to the first occupation of each building.

(b) Prior to each Building being occupied, the Owner shall provide updated accurate and verified ‘as-built’ design estimates of the ‘Be Seen’ energy performance indicators for each Reportable Unit of the development, as per the methodology outlined in the ‘As-built stage’ chapter / section of the GLA ‘Be Seen’ energy monitoring guidance.

(c) Within one year of first occupation, evidence shall be submitted to and approved by the Local Planning Authority to demonstrate how the development has performed against the approved Energy Strategy and to demonstrate how occupants have been taken through training on how to use their homes and the technology correctly and in the most energy efficient way and that issues have been

dealt with. This should include energy use data for the first year and a brief statement of occupant involvement to evidence this training and engagement.

(d) Upon completion of the first year of Occupation or following the end of the Defects Liability Period (whichever is the later) and at least for the following four years after that date, the Owner is required to provide accurate and verified annual in-use energy performance data for all relevant indicators under each Reportable Unit of the development as per the methodology outlined in the 'In-use stage' chapter / section of the GLA 'Be Seen' energy monitoring guidance document (or any document that may replace it).

All data and supporting evidence should be submitted to the GLA using the 'Be Seen' reporting webform (<https://www.london.gov.uk/whatwedo/planning/implementing-london-plan/london-plan-guidance-andspgs/be-seenenergymonitoring-guidance>). If the 'In-use stage' evidence shows that the 'As-built stage' performance estimates have not been or are not being met, the Owner should investigate and identify the causes of underperformance and the potential mitigation measures and set these out in the relevant comment box of the 'Be Seen' in-use stage reporting webform. An action plan comprising measures shall be submitted to and approved in writing by the GLA, identifying measures which would be reasonably practicable to implement and a proposed timescale for implementation. The action plan and measures approved by the GLA should be implemented by the Owner as soon as reasonably practicable."

In order to comply with the requirements of Condition 15, please see uploaded version of spreadsheet to Be Seen Planning Stage webform (<https://www.london.gov.uk/whatwedo/planning/implementing-london-plan/london-plan-guidance-andspgs/be-seenenergymonitoring-guidance>):

- BE SEEN Energy Monitoring Report spreadsheet, Prepared by Ensphere

Submission Material

The following is also submitted with this Approval of Details application:

- Completed application form; and
- Requisite application fee.

We trust that the above and submitted information is self-explanatory and await validation of the application. If you should have any questions in the meantime, please do not hesitate to contact myself or Alun Evans (alun.evans@rokplanning.co.uk) at this office.

Yours faithfully,



Oscar Mansfield Jones
Assistant Planner

ROK Planning

T: 07513827607

E: oscar.mansfieldjones@rokplanning.co.uk