

Hard Landscaping & Furniture

Project	67 Lawrence Road
Date	Tue 18 Jul 2023
Drawing Number	SH_A_8000

NBS Spec Ref	Location	Material Sizes & Laying	Supplier & Reference	Image
Q10 - Steps, Trims & Kerbs				
a	Kerbs to match existing on Lawrence Road, up to building façade	Granite kerbs to match existing, bullnose with bespoke radii, laid with wide top on concrete races with haunch Stone kerbs to BS EN 1343:2012	CED	
b	Kerbs to car park	Exposed aggregate concrete kerbs BN 125x255x915mm, specials include 2m external radii, crossing stones, internal and external angles. Laid on concrete races with haunch Concrete kerbs to BS EN 1340:2003	Fusion Kerb by Tobermore	
c	Steel edging to pedestrian surfaces	Rigid L-shaped steel edging 2mm thick with 6mm rolled top edge, fixed into sub base with 5 pins per 2.5m section. Include 90° corner sections as appropriate. 100mm depth for 60 and 80mm deep paving, 75mm for 50mm paving	Halestem by Everedge	
d	Granite steps to Lawrence Road frontage	Granite aggregate step with constrasting nosing L350 x W150 x H1000	Tobermore Granite Step Unit	
Q22 - Macadam / Asphalt Paving				
a	Resin bound paving to courtyard	35mm resin bound aggregate laid on geogrid over filter geotextile on 30mm compacted 6-10mm limestone aggregate. 225mm type 3 sub base.	Terrabase RTerrabase Rustic by Addagrip, colour harvest	

Hard Landscaping & Furniture

Project	67 Lawrence Road
Date	Tue 18 Jul 2023
Drawing Number	SH_A_8000

NBS Spec Ref	Location	Material Sizes & Laying	Supplier & Reference	Image
Q24 Interlocking Block Paving				
a	Clay pavers to public areas	215x102.5x65mm Brindle clay pavers laid flexibly in running bond, on 30mm depth compacted sand with sand joints, 225mm type 1 sub base. Clay pavers to BS EN 1344:2013	Ketley Plain Staffordshire Clay Pavers in brown brindle	
c	Concrete block pavers to pedestrian routes	300x200x80mm Cream block pavers laid flexibly in running bond, on 50mm depth permeable bedding with permeable joints, sub base to Engineer's detail Concrete blocks to BS EN 1338:2003	Tobermore Braemar Ground - Arran Stone	
d	Concrete block pavers to vehicular routes	200x100x80mm Graphite grey block pavers, laid flexibly in herringbone bond on 50mm depth permeable bedding with permeable joints, sub base to Engineer's detail Concrete blocks to BS EN 1338:2003	Tobermore Hydropave Fusion - Silver	
Q26 Sport & Play Surfaces				
a	Bound rubber mulch to play area	Epoxy-bound rubber mulch, colour natural mix, CFH to suit play equipment, laid over non-woven geotextile on consolidated soil. Edges thickened and laid into grooves each side. Safety surfacing to BS 7188:1998	Fibrefall in harvest beige/earth brown blend by Online Playgrounds or similar	

Hard Landscaping & Furniture

Project	67 Lawrence Road
Date	Tue 18 Jul 2023
Drawing Number	SH_A_8000

NBS Spec Ref	Location	Material Sizes & Laying	Supplier & Reference	Image
Q50 Street Furniture				
a	Gabion seats to courtyard	Gabions 450mm wide x 450mm high, 75mm mesh 5.2mm wire, faces filled with squared black basalt gabion fill, minimum dimension 70mm. Centre fill may be any frostresistant stone. Timber and steel seats to be fixed to top of gabions. Set 150mm deep in concrete base.	Gabions by Gabion1, gabion fill by CED, seat ref 086.13 by Blueton, custom size	
b	Seat to play area	New FSC Azobe sleepers 250x150x2600mm stacked 2 high and fixed with Timberlok or similar screws in pre-drilled holes. Timber to be finished to prevent any splinters or sharp edges.	Contractor's choice	
c	Boulders to Play area	Naturally slip resistant rounded boulders set on concrete base below ground	Play boulders by CED	
Q52 Play & Sports Equipment				
a	Nursery Clamber Stack	Durable robinia timbers (FSC®) play frame comrpsied of balance beams with steel core 16mm ropes, Stainless steel fixtures and fittings, Steel core hammock nets, monkey bar rope, low level platform, stainless steel slide, with 1.5m fall zone.	Play Equip	 