

PROJECT

3670 - HORNSEY TOWN HALL (TOWN HALL)

WINDOW SCHEDULE

DATE JUNE 2020

LLA update -

26/09/2023

C

1. Where sill heights are below 1100mm from finished floor level, the lower section of window is to be securely locked or the opening is restricted to prevent falling

2. Fire rated glazing in whole or part of window. Windows require locks and openable only for cleaning.

3. New window dimensions to suit existing brick setting-out and brick bonding

4. Secondary glazing sizes to suit existing openings

Window Number		Location	Window Type	Spec Code	Width	Height	Existing / New	Frame Material	Fire Rating (using FR sec glazing)	U-Value (Using Sec Glazing)	G-Value (Using Sec Glazing)	Acoustic Rating	Ironmongery code	Secondary Glazing	Notes
W-LG-01	LG	LG.52 Men's Lavatory	WIN-01	ALT-803	1520	1230	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-02	LG	LG.52 Men's Lavatory	WIN-04	ALT-803	765	1259	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-03	LG	LG.50 Male Artists' Dressing Room	WIN-05	ALT-803	4561	1259	E	Steel	n/a	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-LG-04	LG	ST-11	WIN-01	ALT-803	484	1220	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-05	LG	LG.45c Cycle Parking	WIN-04	ALT-803	2365	1233	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-01	N	
W-LG-06	LG	LG.5a Security	WIN-01	ALT-803	1520	1225	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-07	LG	ST-06	WIN-01	ALT-803	1700 curved	1225	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-08	LG	LG.4 Store	WIN-01	ALT-803	1700 curved	1225	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-09	LG	LG.10 Hotel Room	WIN-01	ALT-803	1520	1225	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-10	LG	LG.10 Hotel Room	WIN-01	ALT-803	1520	1225	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-11	LG	LG.10 Hotel Room	WIN-01	ALT-803	1520	1225	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-12	LG	LG.10a Hotel Room	WIN-01	ALT-803	1520	1225	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-13	LG	LG.10a Hotel Room	WIN-01	ALT-803	1520	1225	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-14	LG	LG.14 Hotel Room	WIN-07	EWS-205	1520	2505	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	Fixed	N	See note 3
W-LG-15	LG	LG.17 Hotel Room	WIN-07	EWS-205	1520	2505	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	Fixed	N	See note 3
W-LG-16	LG	LG.15 Hotel Room	WIN-07	EWS-205	710	2505	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	Fixed	N	See note 3
W-LG-17	LG	LG.19 Hotel Room	WIN-07	EWS-205	725	2505	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	Fixed	N	See note 3
W-LG-18	LG	LG.20 Corridor	WIN-01	ALT-803	1520	1225	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-01	N	
W-LG-19	LG	LG.20 Corridor	WIN-01	ALT-803	1520	1225	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-20	LG	LG.20 Corridor	WIN-01	ALT-803	1520	1225	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-21	LG	LG.20 Corridor	WIN-01	ALT-803	1492	1225	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-01	N	
W-LG-22	LG	LG.22a Hotel Room	WIN-09	EWS-210	1520	2440	N	Timber	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	Fixed	N	See note 3
W-LG-23	LG	LG.22b Hotel Room	WIN-09	EWS-210	1520	2440	N	Timber	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	Fixed	N	See note 3
W-LG-24	LG	LG.34 Hotel Room	WIN-07	EWS-205	720	2590	N	Steel	60mFR sec G	1.60W/m2K **	0.45 - 0.50	28dB or better	Fixed	N	See note 3. location flipped with door D-L G-145 and fire rating
W-LG-25	LG	LG.37 Hotel Room	WIN-07	EWS-205	721	2590	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	Fixed	N	See note 3
W-LG-28	LG	LG.44a Corridor	WIN-01	ALT-803	460	633	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-29	LG	LG.42d Unisex Disabled Lavatory	WIN-01	ALT-803	460	633	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-30	LG	LG.42d Unisex Disabled Lavatory	WIN-01	ALT-803	460	633	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-LG-31	LG	LG.45e Hotel Room	WIN-07	EWS-205	1520	2440	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	Fixed	N	See note 3
W-LG-32	LG	LG.45e Hotel Room	WIN-07	EWS-205	1520	2440	N	Steel	60mFR sec G	1.60W/m2K **	0.45 - 0.50	28dB or better	Fixed	N	See note 3
W-LG-33	LG	LG.45d Hotel Security	WIN-08	EWS-205	1595	1233	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-G-01	G	G.50 Retail	WIN-02	ALT-804	1555	1533	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-G-02	G	G.50b Unisex Baby Change	WIN-02	ALT-804	1555	1533	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-G-03	G	G.54 Ladies Lavatory	WIN-08	EWS-205	806	1229	N	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-04	N	See note 3.
W-G-04	G	G.66 Servery/Pantry	WIN-04	ALT-803	2301	937	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-01	Y	

W-G-05	G	G.61a Disabled Lavatory & Shower	WIN-01	ALT-803	1522	1875	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-06	G	G.61a Disabled Lavatory & Shower	WIN-04	ALT-803	765	1875	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-07	G	G.61 Green Room	WIN-05	ALT-803	4561	1846	E	Steel	n/a	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-XX-08		ST-07	WIN-01	ALT-803	760	6513	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-09	G	ST-07	WIN-04	ALT-803	750	1833	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-01	IRM-W-01	
W-G-10	G	G.60a Landing	WIN-08	EWS-205	1760	572	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-G-11	G		WIN-01	ALT-803	484	2107*	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-12	G	G.13 Hotel Room	WIN-03	ALT-807	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-13	G	G.13 Hotel Room	WIN-03	ALT-807	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-14	G	G.14 Hotel Room	WIN-03	ALT-807	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-15	G	G.14 Hotel Room	WIN-03	ALT-807	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-16	G	G.15 Hotel Room	WIN-03	ALT-807	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-17	G	G.15 Hotel Room	WIN-06	ALT-807	1520	2107	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-XX-18		ST-06	WIN-01	ALT-803	2390 curved	9676	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-XX-19		ST-06	WIN-01	ALT-803	2390 curved	9676	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-20	G	G.19b Hotel Room	WIN-04	ALT-803	1520	2107	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-01	N	
W-G-21	G	G.19b Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-22	G	G.19a Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-23	G	G.19a Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-24	G	G.19 Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-25	G	G.19 Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-26	G	G.21a Hotel Room	WIN-01	ALT-803	1520	2150	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-27	G	G.21a Hotel Room	WIN-01	ALT-803	1520	2150	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-28	G	G.21 Hotel Room	WIN-01	ALT-803	1520	2150	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-29	G	G.21 Hotel Room	WIN-01	ALT-803	1520	2150	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-30	G	G.23 Hotel Room	WIN-01	ALT-803	710	1567	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-31	G	G.23 Hotel Room	WIN-01	ALT-803	710	1567	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-32	G	G.23 Hotel Room	WIN-01	ALT-803	720	1567	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-33	G	G.25 Hotel Room	WIN-01	ALT-803	720	1567	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-34	G	G.25 Hotel Room	WIN-01	ALT-803	720	1567	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-35	G	G.25 Hotel Room	WIN-01	ALT-803	725	1567	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-36	G	G.4 Corridor	WIN-04	ALT-803	1520	1845	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-01	N	
W-G-37	G	G.4 Corridor	WIN-01	ALT-803	1520	1845	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-38	G	G.4 Corridor	WIN-01	ALT-803	1520	1845	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-39	G	G.4 Corridor	WIN-01	ALT-803	1520	1845	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-40	G	G.4 Corridor	WIN-01	ALT-803	1520	1845	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-41	G	G.4 Corridor	WIN-01	ALT-803	1520	1845	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-01	N	
W-G-42	G	G.67c Store	WIN-01	ALT-803	760	1235	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-43	G	G.12 Hotel Room	WIN-03	ALT-807	1520	2161	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-44	G	G.12 Hotel Room	WIN-03	ALT-807	1520	2161	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-45	G	G.12a Hotel Room	WIN-03	ALT-807	1520	2161	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-46	G	G.12a Hotel Room	WIN-06	ALT-807	1530	2161	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-G-47	G	G.9 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-48	G	G.8 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	

W-G-49	G	G.8 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-50	G	G.6 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-51	G	G.6 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-52	G	G.3 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-53	G	G.41 Entrance Hall	WIN-01	ALT-803	4974	2205	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-54	G	G.41a Electrical Room	WIN-01	ALT-803	721	916	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-55	G	G.45 Men's Lavatory	WIN-01	ALT-803	3065	916	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-56	G	Stair ST-10	WIN-01	ALT-803	2749+1055	637	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-57	G	G.27 Co-working Space	WIN-01	ALT-803	1575	2479	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-58	G	G.27 Co-working Space	WIN-01	ALT-803	2360	2479	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-59	G	G.27 Co-working Space	WIN-01	ALT-803	2360	2479	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-60	G	G.27 Co-working Space	WIN-01	ALT-803	2360	2479	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-61	G	G.27 Co-working Space	WIN-01	ALT-803	1575	2479	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-62	G	G.27 Co-working Space	WIN-01	ALT-803	1575	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-63	G	G.27 Co-working Space	WIN-01	ALT-803	2360	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-64	G	G.27 Co-working Space	WIN-01	ALT-803	2360	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-65	G	G.27 Co-working Space	WIN-01	ALT-803	2360	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-66	G	G.27 Co-working Space	WIN-01	ALT-803	1575	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-67	G	G.38 F&B	WIN-01	ALT-803	1515	1844	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-68	G	G.38 F&B	WIN-01	ALT-803	1525	1844	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-69	G	G.38 F&B	WIN-01	ALT-803	1535	1981	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-70	G	G.38 F&B	WIN-01	ALT-803	720	1981	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-G-71	G	G.38 F&B	WIN-04	ALT-803	2975	1239	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-01	N	
W-G-72	G	G.38 F&B	WIN-02	ALT-804	1550	1836	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-G-73	G	G.38 F&B	WIN-02	ALT-804	1550	1836	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-G-74	G	G.38 F&B	WIN-02	ALT-804	1550	1836	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-G-75	G	G.38 F&B	WIN-02	ALT-804	1555	1839	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-G-76	G	G.38 F&B	WIN-02	ALT-804	1555	1839	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-G-77	G	G.43 Vestibule	WIN-01	ALT-803	2130	738	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-G-78	G	G.48 Café	WIN-02	ALT-804	1555	1533	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-G-79	G	G.48 Café	WIN-02	ALT-804	1555	1533	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-01	1	F.46 Committee Room	WIN-02	ALT-804	1068	4087	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-02	1	F.46 Committee Room	WIN-02	ALT-804	1068	4087	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-03	1	F.46 Committee Room	WIN-02	ALT-804	1068	4087	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-04	1	F.46 Committee Room	WIN-02	ALT-804	1068	4087	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-05	1	F.46 Committee Room	WIN-02	ALT-804	1068	4087	E	bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-06	1	F.46 Committee Room	WIN-02	ALT-804	1068	4087	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-07	1	F.46 Committee Room	WIN-02	ALT-804	1068	4087	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-08	1	Stair ST-03	WIN-02	ALT-804	1075	3391	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-09	1	Stair ST-09	WIN-01	ALT-803	2753 + 1035	1257	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-11	1	Assembly Hall (Upper Level)	WIN-03	ALT-807	910	4837	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-S-L1-11	1	Assembly Hall (Upper Level)	WIN-10	GL-301	910	4837	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-12	1	Assembly Hall (Upper Level)	WIN-03	ALT-807	910	4837	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-S-L1-12	1	Assembly Hall (Upper Level)	WIN-10	GL-301	910	4837	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4

W-L1-13	1	Assembly Hall (Upper Level)	WIN-03	ALT-807	910	4837	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-S-L1-13	1	Assembly Hall (Upper Level)	WIN-10	GL-301	910	4837	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-14	1	Assembly Hall (Upper Level)	WIN-03	ALT-807	910	4837	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-S-L1-14	1	Assembly Hall (Upper Level)	WIN-10	GL-301	910	4837	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-15	1	Assembly Hall (Upper Level)	WIN-03	ALT-807	910	4837	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-S-L1-15	1	Assembly Hall (Upper Level)	WIN-10	GL-301	910	4837	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-16	1	F.52 Lavatory	WIN-01	ALT-803	1522	1236	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-17	1	F.52 Lavatory	WIN-04	ALT-803	765	1241	E	Steel	NFR	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L1-18	1	F.51 Female Dressing Room	WIN-05	ALT-803	4561	1241	E	Steel	NFR	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L1-20	1	Stair ST-07	WIN-01	ALT-803	750	1219	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-21	1	F.51a Landing	WIN-08	EWS-205	1760	572	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L1-22	1	F.14 Hotel Room	WIN-03	ALT-807	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-23	1	F.14 Hotel Room	WIN-03	ALT-807	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-24	1	F.14a Hotel Room	WIN-03	ALT-807	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-25	1	F.14a Hotel Room	WIN-03	ALT-807	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-26	1	F.15 Hotel Room	WIN-03	ALT-807	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-27	1	F.15 Hotel Room	WIN-06	ALT-807	1520	2107	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L1-28	1	F.18 Hotel Room	WIN-04	ALT-803	1520	2107	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L1-29	1	F.18 Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-30	1	F.20 Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-31	1	F.20 Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-32	1	F.21 Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-33	1	F.21 Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-34	1	F.21a Hotel Room	WIN-01	ALT-803	1520	2107	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-35	1	F.21a Hotel Room	WIN-01	ALT-803	1520	2150	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-36	1	F.21b Hotel Room	WIN-01	ALT-803	1520	2150	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-37	1	F.21b Hotel Room	WIN-01	ALT-803	1520	2150	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-38	1	F.25 Hotel Room	WIN-01	ALT-803	710	1542	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-39	1	F.25 Hotel Room	WIN-01	ALT-803	710	1542	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-40	1	F.25 Hotel Room	WIN-01	ALT-803	720	1542	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-41	1	F.27 Hotel Room	WIN-01	ALT-803	720	1542	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-42	1	F.27 Hotel Room	WIN-01	ALT-803	720	1542	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-43	1	F.27 Hotel Room	WIN-01	ALT-803	725	1542	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-44	1	F.30 Corridor	WIN-04	ALT-803	1520	1842	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L1-45	1	F.30 Corridor	WIN-01	ALT-803	1520	1842	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-46	1	F.30 Corridor	WIN-01	ALT-803	1520	1842	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-47	1	F.30 Corridor	WIN-01	ALT-803	1520	1842	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-48	1	F.30 Corridor	WIN-01	ALT-803	1520	1842	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-49	1	F.30 Corridor	WIN-01	ALT-803	1520	1842	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-50	1	Assembly Hall (Upper Level)	WIN-03	ALT-807	910	4855	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-S-L1-50	1	Assembly Hall (Upper Level)	WIN-10	GL-301	910	4855	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-51	1	Assembly Hall (Upper Level)	WIN-03	ALT-807	910	4855	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-S-L1-51	1	Assembly Hall (Upper Level)	WIN-10	GL-301	910	4855	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-52	1	Assembly Hall (Upper Level)	WIN-03	ALT-807	910	4855	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	

W-S-L1-52	1	Assembly Hall (Upper Level)	WIN-10	GL-301	910	4855	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-53	1	Assembly Hall (Upper Level)	WIN-03	ALT-807	910	4855	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-S-L1-53	1	Assembly Hall (Upper Level)	WIN-10	GL-301	910	4855	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-54	1	Assembly Hall (Upper Level)	WIN-03	ALT-807	910	4855	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-S-L1-54	1	Assembly Hall (Upper Level)	WIN-10	GL-301	910	4855	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-55	1	F.13 Hotel Room	WIN-03	ALT-807	1520	2163	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-56	1	F.13 Hotel Room	WIN-03	ALT-807	1520	2163	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-57	1	F.13a Hotel Room	WIN-03	ALT-807	1520	2163	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-58	1	F.13a Hotel Room	WIN-03	ALT-807	1520	2163	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-01	N	
W-L1-59	1	F.9a Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-60	1	F.9 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-61	1	F.9 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-62	1	F.6 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-63	1	F.6 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-64	1	F.5 Hotel Room	WIN-01	ALT-803	1520	2162	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-65	1	F.3 Mayor's Parlour	WIN-04	ALT-803	760	3677	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L1-66	1	F.3 Mayor's Parlour	WIN-01	ALT-803	760	3677	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	See note 1
W-L1-67	1	F.3 Mayor's Parlour	WIN-01	ALT-803	760	3677	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	See note 1
W-L1-68	1	F.2 Mayor's Lavatory	WIN-01	ALT-803	686	1257	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-69	1	F.1 Ladies' Lavatory	WIN-01	ALT-803	2290	1257	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-70	1	F.31 Lobby	WIN-01	ALT-803	688	1249	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-71	1	F.33 Council Chamber	WIN-03	ALT-807	693	5206	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	See note 1
W-S-L1-71	1	F.33 Council Chamber	WIN-10	GL-301	693	5206	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-72	1	F.33 Council Chamber	WIN-03	ALT-807	698	5206	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	See note 1
W-S-L1-72	1	F.33 Council Chamber	WIN-10	GL-301	698	5206	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-73	1	F.33 Council Chamber	WIN-03	ALT-807	687	5206	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	See note 1
W-S-L1-73	1	F.33 Council Chamber	WIN-10	GL-301	687	5206	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-74	1	F.33 Council Chamber	WIN-03	ALT-807	687	5210	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	See note 1
W-S-L1-74	1	F.33 Council Chamber	WIN-10	GL-301	687	5210	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-75	1	F.33 Council Chamber	WIN-03	ALT-807	698	5210	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	See note 1
W-S-L1-75	1	F.33 Council Chamber	WIN-10	GL-301	698	5210	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-76	1	F.33 Council Chamber	WIN-03	ALT-807	693	5210	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	See note 1
W-S-L1-76	1	F.33 Council Chamber	WIN-10	GL-301	693	5210	N	Aluminium	n/a	1.60W/m2K **	0.45 - 0.50	48dB or better	IRM-W-05	Y	See note 4
W-L1-77	1	F.32 Lobby	WIN-01	ALT-803	688	1249	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-78	1	F.34 Corridor	WIN-01	ALT-803	1525	1844	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-79	1	F.34 Corridor	WIN-01	ALT-803	1525	1844	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-80	1	F.34 Corridor	WIN-01	ALT-803	1515	1844	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-81	1	F. 35 Ladies' Lavatory	WIN-01	ALT-803	696	1534	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-82	1	F. 35 Ladies' Lavatory	WIN-01	ALT-803	700	1534	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-83	1	F. 35 Ladies' Lavatory	WIN-01	ALT-803	700	1534	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-84	1	F. 35 Ladies' Lavatory	WIN-01	ALT-803	708	1586	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-85	1	Stair ST-05	WIN-01	ALT-803	710	1509	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-86	1	Stair ST-05	WIN-01	ALT-803	920	935	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-87	1	F.37 Member's Room	WIN-01	ALT-803	1070	2161	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	

W-L1-88	1	F.37 Member's Room	WIN-02	ALT-804	1071	2171	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-89	1	F.37 Member's Room	WIN-02	ALT-804	1062	2171	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-90	1	F.37 Member's Room	WIN-02	ALT-804	1068	2171	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-91	1	F.37 Member's Room	WIN-02	ALT-804	1070	2194	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-92	1	F.38 Co-working Space	WIN-02	ALT-804	1070	2194	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-93	1	F.38 Co-working Space	WIN-02	ALT-804	1070	2194	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-94	1	F.38 Co-working Space	WIN-02	ALT-804	1070	2194	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-95	1	F.38 Co-working Space	WIN-02	ALT-804	1070	2194	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-96	1	F.41 Mens' Lavatory	WIN-02	ALT-804	1070	2194	E	Bronze	n/a	n/a	n/a	n/a	IRM-W-02	N	
W-L1-97	1	Stair ST-09	WIN-01	ALT-803	555 (curved)	3058	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-98	1	Stair ST-09	WIN-01	ALT-803	555 (curved)	3058	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-99	1	Stair ST-09	WIN-01	ALT-803	555 (curved)	3058	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-100	1	Stair ST-02	WIN-04	ALT-803	1520	1775	E	Steel	n/a	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L1-101	1	F.50c Cinema Foyer	WIN-01	ALT-803	2290	830	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-102	1	F.50c Cinema Foyer	WIN-01	ALT-803	2290	830	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L1-103	1	Stair ST-01	WIN-04	ALT-803	1520	1775	E	Steel	n/a	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L2-01	2	S.17 Hotel Room	WIN-08	EWS-205	1520	1564	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-02	2	S.17 Hotel Room	WIN-08	EWS-205	1520	1564	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-03	2	S.16 Hotel Room	WIN-08	EWS-205	1520	1564	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-04	2	S.16 Hotel Room	WIN-08	EWS-205	1520	1564	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-05	2	S.10 Hotel Room	WIN-03	ALT-807	1520	1564	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-06	2	S.10 Hotel Room	WIN-06	ALT-807	1520	1564	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L2-07	2	S.12 Hotel Room	WIN-04	ALT-803	1520	1502	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L2-08	2	S.12 Hotel Room	WIN-01	ALT-803	1520	1502	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-09	2	S.23 Hotel Room	WIN-08	EWS-205	1520	1502	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-10	2	S.23 Hotel Room	WIN-08	EWS-205	1520	1502	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-11	2	S.22 Hotel Room	WIN-08	EWS-205	1520	1502	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-12	2	S.22 Hotel Room	WIN-08	EWS-205	1520	1502	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-13	2	S.21 Hotel Room	WIN-08	EWS-205	1520	1520	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-14	2	S.21 Hotel Room	WIN-08	EWS-205	1520	1520	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-15	2	S.20 Hotel Room	WIN-08	EWS-205	1520	1520	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-16	2	S.20 Hotel Room	WIN-08	EWS-205	1520	1520	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-17	2	S.13 Hotel Room	WIN-01	ALT-803	710	1230	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-18	2	S.13 Hotel Room	WIN-01	ALT-803	710	1230	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-19	2	S.13 Hotel Room	WIN-01	ALT-803	720	1230	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-20	2	S.15 Hotel Room	WIN-01	ALT-803	720	1230	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-21	2	S.15 Hotel Room	WIN-01	ALT-803	720	1230	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-22	2	S.15 Hotel Room	WIN-01	ALT-803	725	1525	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-23	2	S.12 Corridor	WIN-04	ALT-803	1520	1525	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-03	N	See note 2
W-L2-24	2	S.12 Corridor	WIN-01	ALT-803	1520	1525	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-25	2	S.12 Corridor	WIN-01	ALT-803	1520	1525	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-26	2	S.12 Corridor	WIN-01	ALT-803	1520	1525	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-27	2	S.12 Corridor	WIN-01	ALT-803	1520	1525	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	
W-L2-28	2	S.12 Corridor	WIN-01	ALT-803	1520	1525	E	Steel	n/a	n/a	n/a	n/a	IRM-W-01	N	

W-L2-29	2	S.18 Hotel Room	WIN-08	EWS-205	1520	1535	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-30	2	S.18 Hoel Room	WIN-08	EWS-205	1520	1535	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-31	2	S.19 Hotel Room	WIN-08	EWS-205	1520	1535	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-32	2	S.19 Hotel Room	WIN-08	EWS-205	1520	1535	N	Steel	n/a	1.60W/m2K **	0.45 - 0.50	28dB or better	IRM-W-04	N	See note 3
W-L2-33	2	S.19 Hotel Room	WIN-06	ALT-807	700	1535	E	Steel	60mFR sec G	n/a	n/a	n/a	IRM-W-03	N	See note 2