

Flood Risk Assessment and Drainage Strategy for Dyson's Road , Edmonton

for:

Graftongate Developments

Date	Prepared	Approved	Rev
17 August 2021	MAS	BMS	A
10 February 2022	SPT	HP	B (site layout minor update)
13 June 2022	MAS	HP	C (amended in line with GLA comments)
8 September 2022	MAS	HP	D
21 October 2022	MAS	HP	E

Reference: 63282-01

Prepared by:



Myles Sturgess
BSc
Senior Civil Engineer



Scott Thompson
BEng
Senior Civil Engineer

Approved by:



Barry Smith
B.Eng. C.Eng.
M.I.Struct.E. FGS
Director

CONTENTS

	Page
Executive Summary	3
1. Introduction	4
2. Site Location and Description	5
3. Development	6
4. Sequential and Exception Tests	7
5. Analysis of Risk	8
6. Foul Water Drainage System	12
7. Surface Water Drainage System	14
8. Maintenance of the Surface Water Drainage System	19
9. Conclusions	20

APPENDICES

Appendix I	Site Location Plan
Appendix II	Proposed Site Layout
Appendix III	Topographical Survey
Appendix IV	Sewer Records
Appendix V	Flood Risk Maps
Appendix VI	Groundsure Flood Risk Information
Appendix VII	Drainage Layout
Appendix VIII	Drainage Calculations
Appendix IX	Maintenance & Management Schedule
Appendix X	General Conditions

EXECUTIVE SUMMARY

This drainage strategy report has been written in support of a planning application to re-develop 0.933ha of brownfield land. The development is located in the Northumberland Park Ward within the London Borough of Haringey.

The flood risk elements have been given proper consideration and the site has been assessed and is identified as being within Flood Zone 2 therefore further consideration has been given to analysing and identifying the existing flood risk.

Foul effluent from the development will be discharged ultimately to a foul manhole located within the public highway to the east of the proposed development.

Surface water from the development will be discharged to the existing public surface water sewer within the public highway to the east of the proposed development. Manholes have been identified on the topographical survey identifying the existing surface water discharge points for the existing development. Run-off from the site will be designed for a 1 in 100 year storm event plus 40% allowance for climate change and limited for all events, with a factor of safety of 2 included in the calculations; this flow has been calculated with guidance from the London Borough of Haringey's SuDS Design Requirements for LLFA Technical Assessment Document Version 1.0 and will be approved by the regulatory bodies before the detailed design is finalised. The calculated maximum discharge rates will be set at the Greenfield run-off rate (QBar) of 3.5l/s.

Water quality will be improved through the use of a Petrol Interceptor. There is little opportunity to provide further public amenity or biodiversity to the site.

This report demonstrates that a suitable Sustainable Urban Drainage System (SuDS) can be implemented for this scheme which complies with the NPPF. Both water quantity and water quality issues have been addressed and demonstrate that the environmental issues will not be compromised as a result of this scheme.

1. INTRODUCTION

- 1.1 This flood risk assessment has been prepared on the instruction of Graftongate Developments to address the flooding risk for the proposed redevelopment at Dyson's Road, Edmonton.
- 1.2 The purpose of the report is to establish the level of risk that exists for a flooding event to affect the site. Any increased flood risks to the surrounding area following the construction of the proposed development will be identified. The report will also outline measures that can reasonably be put in place to reduce the effects, should flooding occur, to acceptable levels based on the identified risk.
- 1.3 This assessment generally follows the principles as laid down in National Planning Policy Framework and PPS25. Although PPS25 has been superseded by the National Planning Policy Framework (NPPF), it still contains measures that are recognised as needing to be followed.
- 1.4 The general conditions contained in Appendix X are applied to this report and it should be read and construed accordingly.
- 1.5 Appendices to the report are as follows:
- | | |
|---------------|-----------------------------------|
| Appendix I | Site Location Plan |
| Appendix II | Proposed Site Layout |
| Appendix III | Topographical Survey |
| Appendix IV | Sewer Records |
| Appendix V | Flood Risk Maps |
| Appendix VI | Groundsure Flood Risk information |
| Appendix VII | Drainage Layout |
| Appendix VIII | Drainage Calculations |
| Appendix IX | Maintenance & Management Schedule |
| Appendix X | General Conditions |

2. **SITE DESCRIPTION AND LOCATION**

2.1 The site is located to the South of the A406 on the corner of Dyson's Road and Brantwood Road within the Northumberland Park Ward of the London borough of Haringey. Grid reference easting: 534762, northing: 191754 denotes the approximate centre of the site. At the time of writing the flood risk assessment the site is currently occupied by a vehicle recycling centre. A site location plan is appended to this report (Appendix I).

2.2 The site is approximately square in shape and occupies an area of approximately 0.933ha. The surrounding area is made up of predominantly Industrial land. The site is relatively flat with approximately 0.4m fall from north-west to south-east. To the north levels were approximately 11m AOD whereas to the south, levels were approximately 10.6m AOD.

2.3 Summary details of the site boundaries and adjacent land use are:

Boundary	Boundary Construction	Adjacent Land Use	Proximal Land Use
North	Brick Wall	Public footpath	Residential
East	Fence/Building	Public highway – Willoughby Road	Industrial
South	Fence	Public highway - Brantwood Road	Industrial
West	Fence	Vehicle Recycling Centre	Industrial

2.4 A topographical survey is included in Appendix III.

3. DEVELOPMENT

- 3.1 It is proposed to construct 2 buildings consisting of 7 commercial units and associated parking yard with access road. A proposed site plan is included within appendix II.
- 3.2 As the purpose of the redevelopment is for Commercial industrial use, the development will be classified as a 'less vulnerable' development by the Flood Risk Vulnerability Classification (Table 2) in the National Planning Policy Framework (NPPF).
- 3.3 The proposed site layout is shown in Appendix II.

4. **SEQUENTIAL AND EXCEPTION TESTS**

- 4.1 The whole of the site lies in the flood zone 2 area as shown on the appended Environment Agency (EA) flood map (Appendix V). The site lies wholly within the Low Risk (Zone 2) from River and Sea flooding, with a risk of flooding between the 100Yr and 1000Yr storm events.
- 4.2 Within the Flood Map Data obtained through Landmark, the JBA flood maps detail the flooding extents for the fluvial (river & sea) and pluvial (surface water runoff) flooding (Appendix V).
 - 4.2.1. The 100yr flood maps show no fluvial or pluvial flooding occurring on site.
 - 4.2.2. The 200yr flood maps show small areas of the proposed site having pluvial flood risk up to a depth of 0.3m.
 - 4.2.3. The 1000yr flood maps show fluvial flooding between the depths of 0.1 – 0.3m in small areas of the site with most of the site being the lower depth of up to 0.1m. Pluvial flooding as shown on the Environment Agency maps show flood depths of up to 0.3m within small pockets of the site.
 - 4.2.4. The site is also located in the maximum extent of flooding (reservoirs), with the closest reservoir being 1.05km away.
- 4.3 Due to the nature of the development being located within pre-developed land (brownfield) with the purpose of increasing employment. The sequential test will not be required.
- 4.4 The exception test will not be considered as the site is classified as Less Vulnerable as per Table 3 Flood Risk Vulnerability and Flood Zone 'Compatibility'. The building will be constructed out of flood resilient materials such as concrete/steel to mitigate flood water damage.

5. **ANALYSIS OF RISK**

5.1 Introduction

- 5.1.1 The source pathway receptor model will be used to analyse the likely risk of flooding affecting the site and the development.
- 5.1.2 The sources will be investigated and their risk of affecting the development assessed. Those that have a low or negligible risk of affecting the site will not need to be considered further.
- 5.1.3 Those sources with a medium or high risk of affecting the site will be considered further in terms of their pathway to the site. Where possible the pathway risk to the receptors will be reduced from medium or high risk to low or negligible risk.
- 5.1.4 The residual medium or high risks to the receptors will be managed to ensure that the users of the development and their possessions and property are not at a greater than a low risk of being affected.

5.2 Sources of Flooding

- 5.2.1 The possible sources of flooding within mainland England are generally taken to be:
 - Fluvial (rivers)
 - Tidal (sea or estuary)
 - Groundwater
 - Sewers
 - Infrastructure failure
 - Pluvial (surface water flooding)
 - Overland flooding

5.3 Fluvial Flooding

- 5.3.1 Fluvial flooding from the Pymmes Brook needs to be considered. The Pymmes Brook is located approximately 525m to the north-east of the site. Additionally, the River Lea and River Lea Navigation run southernly approximately 860m from the development. With reference to the appended Environment Agency fluvial flood map (appendix V), the site is located within Flood Zone 2 at risk of flooding from Rivers or Sea. In view of this, even allowing for climate change, the risk of fluvial flooding affecting the site is low with the probability of flooding being between the 100 year and 1000 year. Further flood maps provided by Landmark show detailed flood modelled levels. In the event of a major storm, and the River Lea and Pymmes Brook breaching their banks, the site can be safely evacuated with the proposed levels design of the buildings and access yard/road therefore providing a safe dry egress route prior to the flood levels rising.
- 5.3.2 The 1000yr flood maps show fluvial flooding between the depths of 0.1 – 0.3m across smaller areas of the site with the majority of the site being the lower depth of up to 0.1m.
- 5.3.3 The Finished Floor Levels have been lifted 150mm above existing ground levels, the proposed external levels fall away from the buildings. Drawing 63282 – 105 P1 appended to this report demonstrates 500m³ of storage above the channel (low point) within the yard area is provided, in addition to the 500m³ approx. attenuation volume onsite. This plan depicts the dry area in which the site users can safely egress the site.

5.4 Tidal Flooding

- 5.4.1 The site is approximately 11 kilometres from the tidal river Thames, with the site level being approximately 10m above sea level. The risk of tidal flooding affecting the site is therefore negligible.

5.5 Groundwater Flooding

- 5.5.1 The Environmental Agency map has no results for groundwater flooding. Landmark information provided BGS information on groundwater flood data shows the site as having negligible risk of groundwater flooding in the area and any groundwater flooding incidence has less than 1 in 100 probability of

occurrence.

5.6 Surface Water Run off (Pluvial Flooding)

5.6.1 With reference to the Environment Agency surface water flood map (appendix V), the risk of surface water flooding is classified as low.

5.6.2 Areas deemed to be at low risk of pluvial flooding have a chance of flooding of less than 1% but greater than 0.1%. However, flooding from surface water is difficult to predict as forecasting rainfall location and volume is difficult.

5.6.3 The 1000yr flood maps show pluvial flood depths of up to 0.3m within small pockets of the site.

5.6.4 The design of the Surface Water Drainage system mitigates the risk of surface water flooding generated within the site. With the use of a 500m³ attenuation tank below the channel of the yard(low point). With modelled flood volumes of 8.2m³ within the 100Yr 40%CC event which will be safely accommodated within the Yard/Drain channel.

5.6.5 The Finished Floor Levels have been lifted 150mm above existing ground levels, the proposed external levels fall away from the buildings. Drawing 63282 – 105 P1 appended to this report demonstrates 500m³ of storage above the channel (low point) within the yard area. This plan also shows the dry area in which the site users can safely egress the site.

5.7 Overland Flooding

5.7.1 Site levels to the north of the site are approximately 0.4m above site levels to the south.

5.7.2 Site levels are design to fall away from the buildings towards the centre of the access road between the buildings. With FFLs approximately 50mm above external levels adjacent to any doorways. All site levels will be designed to fall away to ensure any overland flows do not enter the building.

5.8 Infrastructure

5.8.1 Burst water mains are unlikely to affect the site as the water will be channelled away from the site via curb lines located within Dyson's Road. Given the topography of the site and the surrounding area, it is likely that the land to the south of the site will flood before the site is affected. With reference to the map for reservoir flooding (appendix IV), the site is located within the maximum extent of flooding from reservoirs should a catastrophic failure occur. The risk of instantaneous failure of the reservoir dams is considered low and forewarning could be given to allow for safe evacuation should the need arise. Therefore, the risk from reservoir flooding is low.

5.9 Pathways

5.9.1 From analysing the above sources pluvial, Fluvial and Infrastructure failure flooding have been identified as being the most probable cause of flooding however this is still considered low or very low risk. The possible pathways for flooding affecting the site, such as Fluvial Pluvial and Infrastructure failure are therefore considered further.

5.10 Receptors

5.10.1 The receptors will include the users of the site and the surrounding properties. Given that it has been demonstrated that the risk of flooding from all sources is low to very low it is unlikely that the redevelopment will affect the risk of flooding to any of these receptors, as the site is already developed and no additional external developments are taking place.

5.11 Outcome of Risk Analysis

Source	Risk	Population at Risk	Mitigation Measures	Residual Risk
Fluvial	Low	Site users	Levels design to direct water away from buildings to provide safe dry egress route	Very low
Tidal	Negligible	N/A	None required	Negligible
Groundwater	Very low	Site users	None required	Very low
Surface water run off (pluvial flooding)	low	Site users	Levels & Proposed Drainage design to direct water away from buildings to provide safe dry egress route	Very low
Infrastructure	low	Site users	Levels design to direct water away from buildings to provide safe dry egress route	Very low
Overland flooding	Medium	Site users	Raise ground floor levels above site levels and provide suitable land drainage systems	Very low

5.12 To reduce the risk from over land flooding it is recommended that the ground floor level to the proposed building level is raised a minimum of 150mm above the surrounding site levels.

6. **FOUL WATER DRAINAGE SYSTEM**

6.1 Foul water – Existing Conditions

6.1.1 PRP have submitted a request for the Pre-Planning Assessment Report to Thames Water Developer Services. Thames Water are yet to provide information relating to Foul capacity/possible connection points for the Drainage. There has been a topographical survey undertaken which identified drainage services within the development. Adjacent to the site a few drainage covers were identified within the public footpath as part of the public Highway.

6.2 Foul Water Drainage Proposals

6.2.1 There are generally three methods for dealing with foul effluent that is produced from a commercial development: -

A) Public sewers – The use of public sewers is always the preferred option since they are relatively maintenance free and require no additional area to discharge the foul water.

B) Septic tank – This is quite simply a tank, usually buried below ground, which collects the foul effluent and is periodically emptied, occasionally it also has a herringbone drainage system fitted for removing the 'clean' water that collects in the upper layers of the tank, these are seldom used in a commercial context, as they require high levels of maintenance and can produce foul odours if not maintained correctly. A septic tank would be unsuitable for a development of this type for a multiple number of reasons including lack of available space within a densely occupied area. The Environment Agency are also preventing the installation of new septic tanks and encouraging the installation of small treatment stations where other proposals are not suitable or not available.

C) A small treatment works – These are generally used where there is no public sewer within the vicinity, but only if the General Binding Rules for Small Sewage Discharges are met, or if a permit is obtained from the Environment Agency. Small treatment works discharge either to the ground or to surface water. Treatment works are seldom used where foul sewers are available for connections.

- 6.2.2 As stated above, the preferred option is to discharge into a public foul sewer. Thames Water has provided sewer records showing the foul sewer position, if possible, a connection via the existing onsite Foul connection will be utilised. (Appendix IV)
- 6.2.3 A Section 106 application will be required for the direct or indirect connection into the public sewer with the appropriate application fee but this should not be a significant issue to obtain during the design stage.

7. **SURFACE WATER DRAINAGE SYSTEM**

7.1 Existing Conditions

7.1.1. Presently, there are no significant waterbodies/courses in the vicinity of the site, the Pymmes Brook is located approximately 500m to the north-east of the site.

7.1.2. No surface water sewer outfalls from the site has been located. See Map information Appendix VII.

7.2 Surface Water Drainage Proposals

7.2.1 Government directives in the form of the Building Regulations Part H3 indicate that the following hierarchy should be adopted as a means of disposing of the surface water run-off: -

- Soakaways
- Discharge into a watercourse at an appropriate rate.
- Discharge into a surface water sewer at an agreed rate.

7.2.2 In accordance with The SuDS Manual, the design of the surface water system should consider water quantity, water quality, amenity and biodiversity and this report considers each of these four categories.

7.2.3 Water Quantity – the land in question is within the London Clay Formation bedrock area that has low percolation properties. The site topography is set higher in level in comparison with the immediate highway and land to the east and south. The general topography of the catchment area falls towards the South and East towards the Pymmes Brook and further onto the River Lea and Lea Navigation.

7.2.4 Reference to the BGS geotechnical information available for the area, the underlying geology Superficial deposits consist of the Enfield Silt member, a clay and silt superficial deposit. The bedrock material is London Clay Formation which is a sedimentary bedrock featuring Clay, Silt and Sand. The London Clay formation has low permeability therefore the use of infiltration and further BRE 365 infiltration tests would result in soakaways not being viable.

- 7.2.5 The overall design strategy includes attenuation methods that can be utilised, and the storm water attenuated and discharged at a restricted rate. This is subject to site tests for percolation being undertaken to the BRE Digest 365 standard and that a suitable rate of percolation is confirmed in the results.
- 7.2.6 Results from the Soil Investigation trial pits and boreholes carried out by GB Card & Partners confirm there was 0.5 – 1.5m of made ground present across the site. Within the made found inclusions of ash and clinker were noted, with localised pockets displaying visual and olfactory evidence of hydrocarbons. In a single location, blue staining was noted in the made ground soils in some root traces. The blue staining could be indicative of iron cyanide waste from the nearby gas works imported to make up site levels.
- 7.2.7 Any contamination identified in the GI desktop phase 2 report will be considered as part of the detailed drainage design.
- 7.2.8 The Micro-Drainage calculations indicate that the proposed discharge rate from the development is to be limited to the greenfield QBar discharge rate of 3.5l/s for all modelled rain fall events from the 1 in 1-year to the 1 in 100-year return period storm event plus 40% for climate change. The possible point of discharge is on the Eastern boundary where there is an existing manhole, which discharges to an existing surface water sewer within Dyson's Road. The flow will be restricted by means of the pump flow rates.
- 7.2.9 There will be approximately 8000m² of hard surfacing on the developed site. The drainage layout will be designed based on the critical event for a 1 in 100-year return period with a 40% allowance for climate change, attenuation will be provided by the means of a single attenuation tank. The tank is approximately 650m² x 1.2m, a factor of safety of 2 will also been included which also accounts for an exceptional rainfall event with a return period of over 100 years. The supporting Micro Drainage calculations demonstrating discharge and storage are appended to the back of this report Appendix VIII.
- 7.2.10 It is expected that the on-site drainage will not be adopted under a Section 104 agreement after the redevelopment has been completed but it will be necessary to apply for consent to discharge from Thames Water under a Section 106 for any drainage connected to the existing public drainage prior to the commencement of the works.

- 7.2.11 Given that the runoff from the development will be restricted to the calculated QBar greenfield run off generated by the site, water quantity issues have been addressed.
- 7.2.12 Water Quality - with reference to The SuDS Manual, CIRIA C753, consideration is also given to water quality. The opportunities to provide an improvement to the water quality are limited as the site will be developed in keeping with the current surroundings but nevertheless some SuDS techniques are discussed below. With reference to the architects site layout drawings and table 4.3 of the SuDS Manual the pollution hazard level is low for most of the site however, the service areas around the buildings are considered to be a medium pollution hazard potential. – therefore a Petrol Interceptor treating the run-off from all external areas is provided. Updated Drainage design plans reflecting the use of petrol interceptor are appended to this report.
- 7.2.13 Green Roofs - both extensive and intensive green roofs have been considered; given the infrastructure that will be present on the roof and the increase in structural support and maintenance required it would be unlikely that a green roof would be cost effective for this type of development. On this basis, green roofs are not considered appropriate. – Due to the provision of PV across the roof areas, it is seen that attenuating Water in the area of Electricity generation through use of solar panels is non-viable.
- 7.2.14 Blue Roofs – Blue roofs are flat roofs used to hold water and release it over a period. A Blue roof is not in keeping with the local architecture. As per Green roofs – Due to the provision of PV across the roof areas, it is seen that attenuating Water in the area of Electricity generation through use of solar panels is non-viable.
- 7.2.15 Infiltration Systems – These include infiltration blankets, soakaways, trenches and infiltration basins. Filter drains improve water quality by reducing pollutant levels in runoff by filtering out fine sediments, metals, hydrocarbons and other pollutants. They also encourage adsorption and biodegradation processes. The use of filter drains on this site would not be acceptable due to the limited space available. There are insufficient areas to accommodate a pond or detention basin on this site.

7.2.16 Pervious Pavements - Unfortunately, it is not possible to use permeable paving due to the risk of HGV overrun damaging the surface. Therefore, it is proposed to use a petrol interceptor to improve water quality.

7.2.17 Rainwater Harvesting – Due to the limited Water demand expected on site, Rainwater Harvesting has not been considered as viable for this project. To incorporate rainwater re-use within the project, modelling would assume this system would be full at all times, therefore providing no benefit to water quantities in the event of a 100Yr +40% climate change storm event.

7.2.18 Amenity - defined as "a useful or pleasant facility or service" in The SuDS Manual. The development has limited opportunities to increase amenity due to the nature of commercial developments and limited space on the proposed development.

7.2.19 Biodiversity – The limited soft landscaped areas will also offer potential for biodiversity.

7.2.20 An outline drainage strategy plan for the development is in Appendix VII.

7.3 Design Consideration of Exceedance

7.3.1 Whilst a factor of safety of 2 has been included in the calculations, and a minor amount of flooding is expected to occur for a 1 in 100 year event plus 40% for climate change, it is also possible that exceedance of the surface water drainage system could occur during an exceptional rainfall event, that is with a return period of over 100 years, or in the event of a system failure. Should this occur, the water would pond back up into the permeable sub-base and the spare capacity within the attenuation.

7.3.2 Modelled design flood extents for the 1 in 100Yr 40% CC storm event have been appended to this report appendix VII.

- 7.3.3 No allowance will be made for the storage in the permeable paving sub-base in the normal case. Should the sub-base become completely saturated, water would pond above ground in these areas. The retaining wall structure proposed on the site will ensure run-off is retained on site, preventing flows onto neighbouring land, as the water level drops within the system, excess water will drain into the proposed drainage system.
- 7.3.4 In the exceedance event any drainage blockages occurring at the flow control device (if required) the water will back up into the provided sewers and the porous paved storage.
- 7.3.5 The external levels will generally be set 150mm lower than the ground floor slab although level thresholds will be provided, this will further reduce the propensity for any run-off to enter into the buildings in the event of exceedance occurring.
- 7.3.6 The measures described above will be sufficient to provide time for employees and guests to exit the building in the event of an abnormal flood occurring.

8. MAINTENANCE OF THE SURFACE WATER DRAINAGE SYSTEM

- 8.1 It is recognised that the surface water drainage system has been designed with future maintenance in mind. Catchpits will trap the vast majority of silt to prevent entry into the attenuation tank.
- 8.2 A maintenance and management plan has been proposed and is appended to this report.
- 8.3 The measures are suggestions and the frequency of maintenance should be adjusted if necessary, to suit levels of silt build up and defects in the system. The schedule appended to this report in Appendix IX will be included in the Operation and Maintenance manual for future reference.

9. **CONCLUSIONS**

- 9.1 The site is situated in the Environment Agency's flood zone 2. The site is therefore likely to be subjected to fluvial flooding above the 1:100 year and 1:1000 year plus climate change flood event. The risk of flooding from all sources has been determined to be very low.
- 9.2 A sequential and exception test have been considered, however the redevelopment of existing brownfield land with a similar classified less vulnerable development outweighs the needs to carry out the sequential and exception test.
- 9.3 To reduce the risk from Fluvial flooding it is recommended that a combination of careful consideration of levels in the detailed design is fully explored.
- 9.4 The proposed development utilises a sustainable drainage (SuDS) design in accordance with the NPPF. The use of a Petrol Interceptor to treat flows generated by external hardstanding areas to improve water quality with the use of an attenuation tank and 1no pumps restricted to the greenfield run off rate (QBar) of 15.5l/s.
- 9.5 Provided the above are fully taken into account in the detailed design, the development should be allowed to proceed.

APPENDIX I

SITE LOCATION PLAN



NOTES:

SUBJECT TO STATUTORY CONSENTS


BASED ON SURVEY BY HOLLIS REF: 92550-10100 A7

BASED ON OS MAP REPRODUCED BY PERMISSION OF
CONTROLLER OF HM STATIONARY OFFICE (c) CROWN
COPYRIGHT

COPYRIGHT RESERVED

DO NOT USE ELECTRONIC VERSIONS OF THIS DRAWING TO
DETERMINE DIMENSIONS UNLESS SPECIFICALLY
AUTHORISED BY MICHAEL SPARKS ASSOCIATES

IF USING AN ELECTRONIC VERSION OF THIS DRAWING
FIGURED DIMENSIONS TAKE PRECEDENCE AND NOTIFY
MICHAEL SPARKS ASSOCIATES OF ANY DISCREPANCIES



-	-	-	-	-
REV	DATE	NOTE	DRAW	CHK



CHARTERED ARCHITECTS

11 PLATO PLACE
DYSONS ROAD
LONDON SW6 4TU

TELEPHONE 020 7736 6162
www.msa-architects.co.uk

GRAFTONGATE

TITLE

DYSONS ROAD, EDMONTON

DRAWING

LOCATION PLAN

CLIENT

GRAFTONGATE DEVELOPMENTS

DATE	SCALE	DRAWN
SEPTEMBER 2020	1:250@A1	SD
STATUS		CHECKED
PLANNING		GZ/MS

DRAWING NUMBER


31380-PL-200

APPENDIX II

PROPOSED SITE LAYOUT



NOTES:
SUBJECT TO STATUTORY CONSENTS
BASED ON SURVEY BY HOLLIS REF: 92550-10100 A7
BASED ON OS MAP REPRODUCED BY PERMISSION OF CONTROLLER OF HM STATIONARY OFFICE (c) CROWN COPYRIGHT
COPYRIGHT RESERVED
DO NOT USE ELECTRONIC VERSIONS OF THIS DRAWING TO DETERMINE DIMENSIONS UNLESS SPECIFICALLY AUTHORISED BY MICHAEL SPARKS ASSOCIATES
IF USING AN ELECTRONIC VERSION OF THIS DRAWING FIGURED DIMENSIONS TAKE PRECEDENCE AND NOTIFY MICHAEL SPARKS ASSOCIATES OF ANY DISCREPANCIES



B	08.02.22	Rooflights shown.	sd	-
A	14.09.21	Roof hips removed.	sd	-
-	10.09.21	First issue	sd	-
REV	DATE	NOTE	DRAW	CHK



GRAFTONGATE

CHARTERED ARCHITECTS
11 PLATO PLACE
ST. DIONIS ROAD
LONDON SW6 4TU
TELEPHONE 020 7736 6162
www.msa-architects.co.uk



TITLE
DYSON'S ROAD, EDMONTON
DRAWING
SITE LAYOUT PLAN

CLIENT
GRAFTONGATE DEVELOPMENTS

DATE JULY 2021	SCALE 1:250@A1	DRAWN SD
	STATUS PLANNING	CHECKED MS
DRAWING NUMBER 31380-PL-201B		

APPENDIX III

TOPOGRAPHICAL SURVEY



Station Information:

Station	Easting (m)	Northing (m)	Level (m)
GH1	534809.761	191798.873	10.495
GH2	534811.411	191746.383	10.705
GH3	534812.852	191695.337	10.657

OS Note:

Some services may have been omitted due to parked vehicles.
The Ordnance Survey tile is to be used as a guide only.

OS Buildings Surveyed Buildings

This survey has been orientated to the Ordnance Survey (O.S.) National Grid OSGB36(15) via Global Navigation Satellite Systems (GNSS) and the O.S. Active Network (OS Net). A true OSGB36 coordinate has been established near to the site centre via a transformation using the OSTN15GB & OSGM15GB transformation models.

The survey has been correlated to this point and a further one or more OSG336 (15) points established to create a true O.S. bearing for angle orientation.

No scale factor has been applied to the survey therefore the coordinates shown are arbitrary & not true O.S. Coordinates which have a scale factor applied.

Please refer to Survey Station Table to enable establishment of the on-site grid and datum.

Legend:

	Buildings	IC	Investment	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest
	Canals	IC	Inventory	IC	Interest

Rev	Date	Description	Drawn	Q. Re
-----	------	-------------	-------	-------



- Topographical Surveys
- Site Engineering
- Utility / CCTV Surveys
- Measured Building Survey
- 3D Laser Scanning
- Revit & BIM Models

Rowan House
Duffield Road
Little Eaton
Derby
DE21 5DR

Tel (01332) 830044 Fax (01332) 830055
admin@greenhatch-group.co.uk
www.greenhatch-group.co.uk

St Albans Unit B, The Courtyard Alban Park St Albans Hertfordshire AL4 6LA t. (01727) 854481	Newcastle 24 Riverside Studios Amethyst Road Newcastle Bus, Park Newcastle-U-Tyne NE4 7YL t. (01912) 736391	London 27, Cornhill Terrace Me Regents Park London NW1 5LL t. (02072) 241806
--	---	---

CLIENT

Paloma Capital

PROJECT

**Dyson's Road
Edmonton
North London, N17 0SQ**

TITLE **Topographi
Survey**

SCALE
A0@ 1:200

DRAWN

JM

Level datum

Grid orientation

Job number

Drawing No.

3993

[illegible]

This plan should only purpose. Greenhatch for this plan if supplied

for this plan it supplied the original client.

All dimensions should be used to design and construct.

Drainage information visually inspected from should be treated as a

Notes:

© Copyright Greenbush Group, 06

	☐ Agree ☐ Disagree ☐ Don't know
--	--

APPENDIX IV

SEWER RECORDS

PRP Architects
Catherine House Brixworth, Catherine House

NORTHAMPTON
NN6 9BX

Search address supplied Dyson's Road, Edmonton
175
Willoughby Road
Dyson's Road
Edmonton
London
Greater London
N17 0SQ

Your reference E12945

Our reference ALS/ALS Standard/2021_4414435

Search date 29 April 2021

Knowledge of features below the surface is essential for every development

The benefits of this knowledge not only include ensuring due diligence and avoiding risk, but also being able to ascertain the feasibility of any development.

Did you know that Thames Water Property Searches can also provide a variety of utility searches including a more comprehensive view of utility providers' assets (across up to 35-45 different providers), as well as more focused searches relating to specific major utility companies such as National Grid (gas and electric).

Contact us to find out more.



Thames Water Utilities Ltd
Property Searches, PO Box 3189, Slough SL1 4WW
DX 151280 Slough 13



searches@thameswater.co.uk
www.thameswater-propertysearches.co.uk



0800 009 4540

Search address supplied: Dyson's Road, Edmonton, 175, Willoughby Road, Dyson's Road, Edmonton, London, Greater London, N17 0SQ

Dear Sir / Madam

An Asset Location Search is recommended when undertaking a site development. It is essential to obtain information on the size and location of clean water and sewerage assets to safeguard against expensive damage and allow cost-effective service design.

The following records were searched in compiling this report: - the map of public sewers & the map of waterworks. Thames Water Utilities Ltd (TWUL) holds all of these.

This search provides maps showing the position, size of Thames Water assets close to the proposed development and also manhole cover and invert levels, where available.

Please note that none of the charges made for this report relate to the provision of Ordnance Survey mapping information. The replies contained in this letter are given following inspection of the public service records available to this company. No responsibility can be accepted for any error or omission in the replies.

You should be aware that the information contained on these plans is current only on the day that the plans are issued. The plans should only be used for the duration of the work that is being carried out at the present time. Under no circumstances should this data be copied or transmitted to parties other than those for whom the current work is being carried out.

Thames Water do update these service plans on a regular basis and failure to observe the above conditions could lead to damage arising to new or diverted services at a later date.

Contact Us

If you have any further queries regarding this enquiry please feel free to contact a member of the team on 0800 009 4540, or use the address below:

Thames Water Utilities Ltd
Property Searches
PO Box 3189
Slough
SL1 4WW

Email: searches@thameswater.co.uk

Web: www.thameswater-propertysearches.co.uk

Waste Water Services

Please provide a copy extract from the public sewer map.

Enclosed is a map showing the approximate lines of our sewers. Our plans do not show sewer connections from individual properties or any sewers not owned by Thames Water unless specifically annotated otherwise. Records such as "private" pipework are in some cases available from the Building Control Department of the relevant Local Authority.

Where the Local Authority does not hold such plans it might be advisable to consult the property deeds for the site or contact neighbouring landowners.

This report relates only to sewerage apparatus of Thames Water Utilities Ltd, it does not disclose details of cables and or communications equipment that may be running through or around such apparatus.

The sewer level information contained in this response represents all of the level data available in our existing records. Should you require any further Information, please refer to the relevant section within the 'Further Contacts' page found later in this document.

For your guidance:

- The Company is not generally responsible for rivers, watercourses, ponds, culverts or highway drains. If any of these are shown on the copy extract they are shown for information only.
- Any private sewers or lateral drains which are indicated on the extract of the public sewer map as being subject to an agreement under Section 104 of the Water Industry Act 1991 are not an 'as constructed' record. It is recommended these details be checked with the developer.

Clean Water Services

Please provide a copy extract from the public water main map.

Enclosed is a map showing the approximate positions of our water mains and associated apparatus. Please note that records are not kept of the positions of individual domestic supplies.

For your information, there will be a pressure of at least 10m head at the outside stop valve. If you would like to know the static pressure, please contact our Customer Centre on 0800 316 9800. The Customer Centre can also arrange for a full flow and

pressure test to be carried out for a fee.

For your guidance:

- Assets other than vested water mains may be shown on the plan, for information only.
- If an extract of the public water main record is enclosed, this will show known public water mains in the vicinity of the property. It should be possible to estimate the likely length and route of any private water supply pipe connecting the property to the public water network.

Payment for this Search

A charge will be added to your suppliers account.

Further contacts:

Waste Water queries

Should you require verification of the invert levels of public sewers, by site measurement, you will need to approach the relevant Thames Water Area Network Office for permission to lift the appropriate covers. This permission will usually involve you completing a TWOSA form. For further information please contact our Customer Centre on Tel: 0845 920 0800. Alternatively, a survey can be arranged, for a fee, through our Customer Centre on the above number.

If you have any questions regarding sewer connections, budget estimates, diversions, building over issues or any other questions regarding operational issues please direct them to our service desk. Which can be contacted by writing to:

Developer Services (Waste Water)
Thames Water
Clearwater Court
Vastern Road
Reading
RG1 8DB

Tel: 0800 009 3921
Email: developer.services@thameswater.co.uk

Clean Water queries

Should you require any advice concerning clean water operational issues or clean water connections, please contact:

Developer Services (Clean Water)
Thames Water
Clearwater Court
Vastern Road
Reading
RG1 8DB

Tel: 0800 009 3921
Email: developer.services@thameswater.co.uk

[illegible]

The position of the apparatus shown on this plan is given without obligation and warranty, and the accuracy cannot be guaranteed. Service pipes are not shown but their presence should be anticipated. No liability of any kind whatsoever is accepted by Thames Water for any error or omission. The actual position of mains and services must be verified and established on site before any works are undertaken.

Based on the Ordnance Survey Map with the Sanction of the controller of H.M. Stationery Office, License no. 100019345 Crown Copyright Reserved.

NB. Levels quoted in metres Ordnance Newlyn Datum. The value -9999.00 indicates that no survey information is available

Manhole Reference	Manhole Cover Level	Manhole Invert Level
68DC	n/a	n/a
68CE	n/a	n/a
68CG	n/a	n/a
6803	10.92	9.71
68DD	n/a	n/a
68CH	n/a	n/a
68CI	n/a	n/a
68CF	n/a	n/a
68CJ	n/a	n/a
68DE	n/a	n/a
78BG	n/a	n/a
7801	10.84	9.54
78CB	n/a	n/a
78CJ	n/a	n/a
78CC	n/a	n/a
78CD	n/a	n/a
78BH	n/a	n/a
78CE	n/a	n/a
78DA	n/a	n/a
7804	10.76	9.39
78CF	n/a	n/a
78DB	n/a	n/a
78CG	n/a	n/a
78BI	n/a	n/a
78CH	n/a	n/a
78DC	n/a	n/a
78BJ	n/a	n/a
78CI	n/a	n/a
7805	10.69	9.37
78BB	n/a	n/a
78EH	n/a	n/a
78EG	n/a	n/a
78EF	n/a	n/a
781B	n/a	n/a
7806	10.62	9.32
8802	10.52	9.39
8803	10.57	9.47
8704	10.45	8.97
8804	10.57	9.16
8726	n/a	n/a
8812	n/a	n/a
8811	n/a	n/a
8815	n/a	n/a
8813	n/a	n/a
8810	n/a	n/a
8816	n/a	n/a
8708	10.51	8.94
8805	10.54	9.11
8806	10.46	9.11
661A	n/a	n/a
661B	n/a	n/a
6703A	10.73	n/a
7601	10.44	9.45
7602	10.41	8.04
86XZ	n/a	n/a
8701	10.42	n/a
8703	10.55	9.2
8702	10.57	9.51
8705A	n/a	n/a
8602	10.47	8.91
8601	10.48	9.22
8605	10.5	-2.04
8616	10.53	5.93
8604	10.56	7.05
8603	10.79	7.76
6605	10.48	9.36
The position of the apparatus shown on this plan is given without obligation and warranty, and the accuracy cannot be guaranteed. Service pipes are not shown but their presence should be anticipated. No liability of any kind whatsoever is accepted by Thames Water for any error or omission. The actual position of mains and services must be verified and established on site before any works are undertaken.		



ALS Sewer Map Key

Public Sewer Types (Operated & Maintained by Thames Water)

	Foul: A sewer designed to convey waste water from domestic and industrial sources to a treatment works.
	Surface Water: A sewer designed to convey surface water (e.g. rain water from roofs, yards and car parks) to rivers or watercourses.
	Combined: A sewer designed to convey both waste water and surface water from domestic and industrial sources to a treatment works.
	Trunk Surface Water
	Trunk Foul
	Storm Relief
	Trunk Combined
	Vent Pipe
	Bio-solids (Sludge)
	Proposed Thames Surface Water Sewer
	Proposed Thames Water Foul Sewer
	Gallery
	Foul Rising Main
	Surface Water Rising Main
	Combined Rising Main
	Sludge Rising Main
	Proposed Thames Water Rising Main
	Vacuum

Notes:

- 1) All levels associated with the plans are to Ordnance Datum Newlyn.
- 2) All measurements on the plans are metric.
- 3) Arrows (on gravity fed sewers) or flecks (on rising mains) indicate direction of flow.
- 4) Most private pipes are not shown on our plans, as in the past, this information has not been recorded.
- 5) 'na' or 'D' on a manhole level indicates that data is unavailable.

Sewer Fittings

A feature in a sewer that does not affect the flow in the pipe. Example: a vent is a fitting as the function of a vent is to release excess gas.

	Air Valve
	Dam Chase
	Fitting
	Meter
	Vent Column

Operational Controls

A feature in a sewer that changes or diverts the flow in the sewer. Example: A hydrobrake limits the flow passing downstream.

	Control Valve
	Drop Pipe
	Ancillary
	Weir

End Items

End symbols appear at the start or end of a sewer pipe. Examples: an Undefined End at the start of a sewer indicates that Thames Water has no knowledge of the position of the sewer upstream of that symbol, Outfall on a surface water sewer indicates that the pipe discharges into a stream or river.

	Outfall
	Undefined End
	Inlet

Other Symbols

Symbols used on maps which do not fall under other general categories

	Public/Private Pumping Station
	Change of characteristic indicator (C.O.C.I.)
	Invert Level
	Summit

Areas


Lines denoting areas of underground surveys, etc.

	Agreement
	Operational Site
	Chamber
	Tunnel
	Conduit Bridge

Other Sewer Types (Not Operated or Maintained by Thames Water)

	Foul Sewer		Surface Water Sewer
	Combined Sewer		Gully
	Culverted Watercourse		Proposed
			Abandoned Sewer

- 6) The text appearing alongside a sewer line indicates the internal diameter of the pipe in millimetres. Text next to a manhole indicates the manhole reference number and should not be taken as a measurement. If you are unsure about any text or symbology present on the plan, please contact a member of Property Searches on 0800 009 4540.



The width of the displayed area is 200 m and the centre of the map is located at OS coordinates 534766, 191746.
The position of the apparatus shown on this plan is given without obligation and warranty, and the accuracy cannot be guaranteed. Service pipes are not shown but their presence should be anticipated. No liability of any kind whatsoever is accepted by Thames Water for any error or omission. The actual position of mains and services must be verified and established on site before any works are undertaken.

Based on the Ordnance Survey Map with the Sanction of the controller of H.M. Stationery Office, License no. 100019345 Crown Copyright Reserved.



ALS Water Map Key

Water Pipes (Operated & Maintained by Thames Water)

4"	Distribution Main: The most common pipe shown on water maps. With few exceptions, domestic connections are only made to distribution mains.
16"	Trunk Main: A main carrying water from a source of supply to a treatment plant or reservoir, or from one treatment plant or reservoir to another. Also a main transferring water in bulk to smaller water mains used for supplying individual customers.
3" SUPPLY	Supply Main: A supply main indicates that the water main is used as a supply for a single property or group of properties.
3" FIRE	Fire Main: Where a pipe is used as a fire supply, the word FIRE will be displayed along the pipe.
3" METERED	Metered Pipe: A metered main indicates that the pipe in question supplies water for a single property or group of properties and that quantity of water passing through the pipe is metered even though there may be no meter symbol shown.
	Transmission Tunnel: A very large diameter water pipe. Most tunnels are buried very deep underground. These pipes are not expected to affect the structural integrity of buildings shown on the map provided.
	Proposed Main: A main that is still in the planning stages or in the process of being laid. More details of the proposed main and its reference number are generally included near the main.

PIPE DIAMETER	DEPTH BELOW GROUND
Up to 300mm (12")	900mm (3')
300mm - 600mm (12" - 24")	1100mm (3' 8")
600mm and bigger (24" plus)	1200mm (4')

Valves

	General Purpose Valve
	Air Valve
	Pressure Control Valve
	Customer Valve

Hydrants

	Single Hydrant
--	----------------

Meters

	Meter
--	-------

End Items

Symbol indicating what happens at the end of a water main.

	Blank Flange
	Capped End
	Emptying Pit
	Undefined End
	Manifold
	Customer Supply
	Fire Supply

Operational Sites

	Booster Station
	Other
	Other (Proposed)
	Pumping Station
	Service Reservoir
	Shaft Inspection
	Treatment Works
	Unknown
	Water Tower

Other Symbols

	Data Logger
--	-------------

Other Water Pipes (Not Operated or Maintained by Thames Water)

	Other Water Company Main: Occasionally other water company water pipes may overlap the border of our clean water coverage area. These mains are denoted in purple and in most cases have the owner of the pipe displayed along them.
	Private Main: Indicates that the water main in question is not owned by Thames Water. These mains normally have text associated with them indicating the diameter and owner of the pipe.

Terms and Conditions

All sales are made in accordance with Thames Water Utilities Limited (TWUL) standard terms and conditions unless previously agreed in writing.

1. All goods remain in the property of Thames Water Utilities Ltd until full payment is received.
2. Provision of service will be in accordance with all legal requirements and published TWUL policies.
3. All invoices are strictly due for payment 14 days from due date of the invoice. Any other terms must be accepted/agreed in writing prior to provision of goods or service, or will be held to be invalid.
4. Thames Water does not accept post-dated cheques-any cheques received will be processed for payment on date of receipt.
5. In case of dispute TWUL's terms and conditions shall apply.
6. Penalty interest may be invoked by TWUL in the event of unjustifiable payment delay. Interest charges will be in line with UK Statute Law 'The Late Payment of Commercial Debts (Interest) Act 1998'.
7. Interest will be charged in line with current Court Interest Charges, if legal action is taken.
8. A charge may be made at the discretion of the company for increased administration costs.

A copy of Thames Water's standard terms and conditions are available from the Commercial Billing Team (cashoperations@thameswater.co.uk).

We publish several Codes of Practice including a guaranteed standards scheme. You can obtain copies of these leaflets by calling us on 0800 316 9800

If you are unhappy with our service you can speak to your original goods or customer service provider. If you are not satisfied with the response, your complaint will be reviewed by the Customer Services Director. You can write to her at: Thames Water Utilities Ltd. PO Box 492, Swindon, SN38 8TU.

If the Goods or Services covered by this invoice falls under the regulation of the 1991 Water Industry Act, and you remain dissatisfied you can refer your complaint to Consumer Council for Water on 0121 345 1000 or write to them at Consumer Council for Water, 1st Floor, Victoria Square House, Victoria Square, Birmingham, B2 4AJ.

Ways to pay your bill

Credit Card	BACS Payment	Telephone Banking	Cheque
Call 0800 009 4540 quoting your invoice number starting CBA or ADS / OSS	Account number 90478703 Sort code 60-00-01 A remittance advice must be sent to: Thames Water Utilities Ltd., PO Box 3189, Slough SL1 4WW. or email ps.billing@thameswater.co.uk	By calling your bank and quoting: Account number 90478703 Sort code 60-00-01 and your invoice number	Made payable to ' Thames Water Utilities Ltd ' Write your Thames Water account number on the back. Send to: Thames Water Utilities Ltd., PO Box 3189, Slough SL1 4WW or by DX to 151280 Slough 13

Thames Water Utilities Ltd Registered in England & Wales No. 2366661 Registered Office Clearwater Court, Vastern Rd, Reading, Berks, RG1 8DB.

APPENDIX V


EA FLOOD RISK MAPS

Flood risk

Extent of flooding

Location

Enter a place or postcode



Extent of flooding from rivers or the sea

● High ● Medium ● Low ● Very low

Flood risk

Extent of flooding

Location

Enter a place or postcode

Flood risk from rivers or the sea



Low risk means that each year this area has a chance of flooding of between 0.1% and 1%. This takes into account the effect of any flood defences in the area. These defences reduce but do not completely stop the chance of flooding as they can be overtopped, or fail.

[Back to map](#)



Contains OS data © Crown copyright and database rights 2021

Extent of flooding from rivers or the sea


● High ● Medium ● Low ● Very low

Flood risk

Extent of flooding

Location

Enter a place or postcode



Extent of flooding from surface water

☒ High ☐ Medium ☐ Low ☐ Very low

Flood risk from surface water



Low risk means that each year this area has a chance of flooding of between 0.1% and 1%. Flooding from surface water is difficult to predict as rainfall location and volume are difficult to forecast. In addition, local features can greatly affect the chance and severity of flooding.

[Back to map](#)



Contains OS data © Crown copyright and database rights 2021

Extent of flooding from surface water

☒ High ☐ Medium ☐ Low ☐ Very low

Flood risk

Low risk: depth

Location

Enter a place or postcode



Surface water flood risk: water depth in a low risk scenario

Flood depth (millimetres)

Over 900mm 300 to 900mm Below 300mm

Flood risk

Low risk: velocity

Location

Enter a place or postcode



Surface water flood risk: water velocity in a low risk scenario

Flood velocity (metres/second)


Over 0.25 m/s Less than 0.25 m/s Direction of water flow

Flood risk

Extent of flooding

Location

Enter a place or postcode



Extent of flooding from reservoirs


Maximum extent of flooding

Flood risk

Flood depth

Location

Enter a place or postcode



Reservoir flood risk: flood water depth


Over 2m Between 0.3 and 2m Below 0.3m

Flood risk

Flood speed

Location

Enter a place or postcode



Reservoir flood risk: flood water speed

Over 2m/s Between 0.5 and 2m/s Below 0.5m/s

APPENDIX VI

GROUNDSURE FLOOD RISK INFORMATION

Envirocheck[®] Report:

Flood Screening Report Datasheet

Order Details:

Order Number:

282662955_1_1

Customer Reference:

63282

National Grid Reference:

534770, 191740

Slice:

A

Site Area (Ha):

0.96

Search Buffer (m):

1000

Site Details:

Site at 534770, 191740

Client Details:

Mr B Smith
PRP Ltd
Catherine House
Old Harborough Road
Brixworth
Northampton
NN6 9BX

Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer(s) selected. For ease of reference, the report is broken down into seven sections of data.	
EA / NRW / CEH Flood Data	1
This section details data from the Environment Agency/Natural Resources Wales and the Centre for Ecology and Hydrology. The EA/NRW data is reported to a distance of 250m from the edge of the site polygon and details both Zone 2 (extreme) and Zone 3 flood extents, as well as flood defences, flood water storage areas and areas benefiting from flood defences. The CEH data is reported to a distance of 250m from the edge of the site polygon and covers flood data for Scotland, divided into levels based on the frequency and magnitude of a predicted 100 year term. All data sets within this section are plotted and feature on the EA / NRW / CEH Flood Data (1:10,000) map. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.	
JBA Flood Data	2
This section contains the Comprehensive Flood Map ("CFM") data from JBA Risk Management Limited. The data is based upon the likelihood of a flood occurrence for up to 4 flood return periods depending on the type of flooding; these being 75 years, 100 years, 200 years and 1000 years. Each layer being modelled at a 5m cell resolution. Each return period is depicted on a separate 1:10,000 scale map and reports features to a distance of 250m in the datasheet from the edge of the site polygon. For each return period the following three sources of flooding are identified, surface water or pluvial flooding, undefended river flooding or fluvial flooding and undefended coastal flooding. In each case the extent of the flooding source is displayed with the associated depth range. In addition, a 1:10,000 scale map depicting flooding from a Canal Failure and a coverage check for this dataset is included. Where coverage exists, information is reported in the datasheet where the site could be affected by flooding that results from a dam breach. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.	
BGS Flood Data	198
This section contains two BGS data sets; namely Geological Indicators of Flooding and Groundwater Flooding Susceptibility, both of which report features out to a possible 1000m, with coverage in England, Wales and Scotland. Each data set is plotted on a separate BGS Flood Data (1:50,000) map.	
GeoSmart Information Groundwater Flood Data	200
This section contains data provided by GeoSmart Information who, building on their expertise, have developed algorithms and calibrated predictions of the risk of groundwater flooding occurring in Great Britain. The resulting map, classifies groundwater flood risk for each 5m x 5m into four categories, negligible, low, moderate and high. These classifications are based on the level of risk, combining severity and uncertainty that a site will suffer groundwater flooding within a return period of about 200 years.	
OS Water Network Data	206
This section details the MasterMap Water Network data sourced from the Ordnance Survey. The OS MasterMap Water Network data details a network representing the watercourse within Great Britain. The OS Water Network Lines data set details the approximate central alignment of a watercourse, including rivers, lakes and canals. The OS Water Network Nodes data set details features that represent a river's source, end, a junction where three or more links meet, and places where the real world related attribution changes; for example a watercourse becoming tidal. The data sets within this section are plotted and feature on the OS Water Network Map (1:10,000) . For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.	

EA/NRW Historic Flood Events Data	211
This section details Historic Flood data sourced from the Environment Agency/Natural Resources Wales and from data held by Landmark. The EA/NRW Historic Flood Events data is reported to a distance of 1000m from the edge of the site polygon and details recorded historic flood events from 1703 to October 2008. The data also contains information on the source and cause of the flood, and how the flood outline was established. Also included in this section is Landmark's Historical Flood Liabilities data set, which identifies areas that are liable to flood based on systematic analysis of historical mapping dating back to the mid 19th century. Both data sets within this section are plotted and feature on the EA/NRW Historical Flood (1:10,000) map. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.	
EA/NRW RoFRS Data	212
This section details the Risk of Flooding from Rivers and Sea (RoFRS) data sourced from the Environment Agency/Natural Resources Wales and is reported to a distance of 1000m from the edge of the site polygon. The RoFRS data provides an indication of areas of land at risk of flooding from rivers and the sea. These areas of land, called impacted cells, are represented as 50 metre squares, or smaller areas where a square is intersected by a river or coastline. The average height information of the impacted cell, modelled river and sea levels and information about over 200,000 flood defences are used as inputs to a computer flood model run by the Environment Agency/Natural Resources Wales. The model compares the probability that the flood defences will overtop or breach and the distance of the impact cell from the river or the sea for 40 scenarios for probabilities of between 100% to 0.1%. The results are then consolidated to calculate a single probability category for each impacted cell. These results have been validated by local staff using their local knowledge and expertise. RoFRS is a national flood risk assessment and does not contain information about property thresholds. Due to variations in the input data and the performance of the computer flood model at particular locations, the resulting category of an impacted cell should only be used at a specific study scale. In certain areas it would only be appropriate to compare risks between towns and counties whereas in other areas they would be more suitable for understanding risk at a street level. The level of suitability for a particular cell is indicated by the cell's suitability scale. The data within this section is plotted and feature on the EA/NRW RoFRS Data (1:50,000) map. This dataset is not available in Scotland.	
Flood Insurance Risk Data	223
This section contains flood risk data from Crawford and Company. This dataset is not plotted on any of the associated Flood maps. Crawford & Co have generated an Insurance Claims rating for Flood Risk. The risk is determined by comparing the number of flood insurance claims made to the number of properties in the postcode sector. The data will also include flood claims from domestic accidents or blocked drains, as well as flooding from river or tidal events. Flood insurance claim ratings are reported for the site only.	
Data Currency	224
Data Suppliers	227
Useful Contacts	228

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
EA / NRW / CEH Flood Data					
Extreme Flooding from Rivers or Sea without Defences	pg 1	1		n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
JBA Flood Data					
JBA 75 Year Return (undefended) - Pluvial	pg 2	2	121	n/a	n/a
JBA 75 Year Return (undefended) - Fluvial	pg 7	17	844	n/a	n/a
JBA 75 Year Return (undefended) - Coastal				n/a	n/a
JBA 100 Year Return (undefended) - Fluvial	pg 46	20	838	n/a	n/a
JBA 100 Year Return (undefended) - Coastal				n/a	n/a
JBA 200 Year Return (undefended) - Pluvial	pg 85	2	221	n/a	n/a
JBA 200 Year Return (undefended) - Fluvial	pg 95	30	859	n/a	n/a
JBA 200 Year Return (undefended) - Coastal				n/a	n/a
JBA 1000 Year Return (undefended) - Pluvial	pg 136	21	369	n/a	n/a
JBA 1000 Year Return (undefended) - Fluvial	pg 154	55	868	n/a	n/a
JBA 1000 Year Return (undefended) - Coastal				n/a	n/a
JBA Canal Failure	pg 196			1	
JBA Dam Break	pg 196	4		6	3
BGS Flood Data					
BGS Geological Indicators of Flooding	pg 198	1	1	1	1
BGS Groundwater Flooding Susceptibility	pg 198			2	18
GeoSmart Information Groundwater Flood					
GeoSmart Information Groundwater Flood Risk	pg 200	1		2	78
OS Water Network Data					
OS Water Network Lines	pg 206			5	24
OS Water Network Nodes	pg 209			3	19
EA/NRW Historic Flood Events Data					
Historic Flood Events	pg 211			1	2
Historical Flood Liabilities					
EA/NRW RoFRS Data					
RoFRS - Risk of Flooding from Rivers and Sea	pg 212	1		13	133
Flood Insurance Risk Data					
Postcode Sector Flood Insurance Claim Ratings	pg 223	2	n/a	n/a	n/a

Report Version v53.0

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A13SW (SE)	0	1	534766 191744
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	0	2	534810 191780
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	0	2	534810 191755
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	2	2	534710 191715
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	2	2	534725 191690
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	3	2	534766 191800
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	3	2	534780 191800
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	6	2	534735 191800
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	6	2	534725 191800
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	8	2	534770 191805
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	9	2	534820 191780
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	13	2	534766 191810
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	13	2	534770 191810
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	14	2	534825 191785
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	18	2	534766 191815
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	27	2	534825 191820
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	30	2	534690 191800
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	32	2	534800 191830
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	32	2	534845 191740
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	33	2	534840 191805
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	36	2	534825 191830
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	38	2	534766 191835
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	38	2	534830 191830

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	45	2	534745 191840
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	47	2	534830 191840
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	49	2	534845 191830
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	52	2	534710 191845
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	52	2	534865 191735
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	52	2	534845 191835
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	53	2	534865 191750
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	54	2	534765 191850
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	55	2	534735 191850
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	56	2	534840 191845
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	57	2	534870 191740
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	57	2	534870 191735
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	58	2	534765 191855
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	58	2	534860 191825
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	59	2	534760 191855
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	61	2	534830 191855
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	68	2	534880 191755
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	68	2	534765 191865
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	68	2	534766 191865
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	69	2	534840 191860
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	70	2	534880 191795
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	79	2	534890 191780

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	81	2	534845 191870
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	84	2	534860 191865
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	86	2	534880 191845
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	89	2	534900 191790
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	91	2	534875 191860
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	92	2	534840 191885
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	93	2	534780 191600
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	94	2	534905 191790
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	94	2	534905 191775
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	94	2	534875 191865
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	97	2	534815 191895
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	99	2	534910 191785
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	99	2	534865 191880
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	102	2	534875 191875
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	103	2	534915 191770
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	104	2	534830 191900
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	106	2	534840 191900
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	108	2	534780 191905
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	108	2	534885 191875
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	109	2	534875 191885
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	113	2	534915 191835
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	118	2	534845 191910

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	119	2	534760 191915
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	119	2	534830 191915
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	122	2	534845 191915
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	122	2	534925 191835
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	127	2	534845 191920
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	128	2	534845 191570
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	129	2	534940 191775
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	132	2	534845 191925
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	135	2	534910 191600
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	137	2	534880 191915
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	146	2	534955 191810
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	148	2	534875 191560
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	148	2	534885 191925
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	150	2	534590 191620
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	150	2	534830 191545
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	155	2	534590 191610
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	168	2	534675 191530
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	168	2	534766 191965
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	170	2	534645 191540
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	174	2	534795 191520
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	175	2	534635 191540
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	175	2	534740 191970

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	183	2	534885 191965
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	186	2	534615 191540
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	188	2	534955 191570
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	192	2	534675 191980
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	195	2	534740 191990
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	195	2	534820 191500
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	200	2	534820 191495
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	200	2	534825 191495
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	200	2	534735 191995
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	202	2	534675 191990
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	205	2	534820 191490
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	205	2	534825 191490
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	208	2	534770 192005
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	209	2	534790 191485
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	211	2	534635 191500
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	214	2	534805 191480
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	216	2	534970 191545
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	219	2	535005 191895
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	219	2	534795 191475
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	222	2	534675 191475
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	222	2	534500 191725
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	224	2	534795 191470

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	224	2	534800 191470
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	230	2	535040 191650
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	233	2	534570 191515
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	234	2	535050 191675
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	237	2	534485 191725
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	241	2	534890 192025
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	243	2	534770 191450
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	245	2	534660 191455
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	246	2	534890 192030
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	246	2	535055 191645
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	248	2	535045 191605
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	248	2	534665 191450
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	249	2	534810 191445
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	0	2	534810 191730
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	0	2	534810 191725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	0	2	534810 191715
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	0	2	534770 191700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	0	2	534805 191700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	0	2	534730 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	0	2	534735 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	0	2	534755 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	0	2	534760 191695

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	0	2	534766 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	0	2	534790 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	0	2	534795 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	0	2	534810 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	0	2	534765 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	0	2	534805 191785
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	0	2	534805 191744
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	0	2	534810 191744
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	2	2	534815 191735
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	2	2	534815 191730
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	2	2	534815 191725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	2	2	534720 191705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	2	2	534720 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	2	2	534755 191690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	2	2	534800 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	2	2	534785 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	2	2	534810 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	3	2	534815 191744
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	4	2	534815 191775
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	5	2	534750 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	6	2	534735 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	7	2	534820 191735

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	7	2	534820 191730
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	7	2	534820 191725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	7	2	534715 191710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	7	2	534715 191705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	7	2	534715 191700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	7	2	534820 191740
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	8	2	534775 191685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	8	2	534766 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	8	2	534715 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	8	2	534820 191760
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	8	2	534820 191744
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	9	2	534780 191685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	9	2	534790 191685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	9	2	534810 191685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	10	2	534820 191790
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	11	2	534825 191705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	11	2	534825 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	11	2	534730 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	12	2	534825 191720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	12	2	534710 191715
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	12	2	534710 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	12	2	534825 191690

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	12	2	534755 191680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	12	2	534790 191810
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	12	2	534800 191810
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	12	2	534825 191740
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	13	2	534765 191680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	13	2	534825 191770
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	14	2	534825 191775
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	16	2	534830 191705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	16	2	534830 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	16	2	534830 191700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	16	2	534735 191810
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	17	2	534830 191725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	17	2	534705 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	17	2	534760 191675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	17	2	534800 191815
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	17	2	534785 191815
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	18	2	534766 191675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	18	2	534775 191675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	18	2	534825 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	18	2	534825 191680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	19	2	534805 191675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	19	2	534760 191815

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	19	2	534830 191780
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	19	2	534830 191775
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	20	2	534825 191810
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	20	2	534830 191790
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	21	2	534830 191680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	22	2	534835 191725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	22	2	534750 191670
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	22	2	534790 191820
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	22	2	534830 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	22	2	534835 191744
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	23	2	534835 191685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	23	2	534760 191670
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	24	2	534785 191670
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	25	2	534835 191680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	25	2	534735 191820
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	25	2	534695 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	26	2	534840 191690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	27	2	534840 191730
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	27	2	534695 191705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	27	2	534695 191710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	27	2	534695 191690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	27	2	534750 191665

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	27	2	534775 191825
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	27	2	534795 191825
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	27	2	534695 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	27	2	534840 191740
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	28	2	534840 191685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	30	2	534815 191665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	30	2	534740 191825
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	30	2	534690 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	31	2	534845 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	31	2	534845 191690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	32	2	534690 191730
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	32	2	534690 191695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	32	2	534690 191690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	32	2	534845 191685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	32	2	534750 191660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	32	2	534715 191825
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	32	2	534845 191744
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	33	2	534760 191660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	33	2	534840 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	34	2	534780 191660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	35	2	534815 191660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	36	2	534730 191830

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	37	2	534685 191700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	37	2	534685 191690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	37	2	534750 191655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	37	2	534720 191835
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	37	2	534720 191830
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	37	2	534685 191745
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	37	2	534850 191744
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	38	2	534766 191655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	38	2	534850 191770
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	39	2	534850 191775
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	40	2	534735 191835
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	42	2	534680 191720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	42	2	534855 191720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	42	2	534855 191715
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	42	2	534680 191705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	42	2	534740 191650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	42	2	534745 191650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	42	2	534790 191840
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	42	2	534680 191750
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	42	2	534680 191745
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	42	2	534680 191744
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	42	2	534680 191740

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	43	2	534766 191840
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	43	2	534766 191650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	43	2	534770 191650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	43	2	534820 191840
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	43	2	534775 191650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	43	2	534855 191770
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	44	2	534760 191840
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	44	2	534765 191840
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	45	2	534815 191650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	45	2	534825 191840
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	45	2	534675 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	47	2	534785 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	47	2	534790 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	47	2	534795 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	47	2	534830 191840
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	47	2	534750 191645
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	47	2	534680 191820
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	47	2	534675 191755
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	47	2	534675 191750
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	47	2	534860 191740
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	48	2	534675 191685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	48	2	534766 191645

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	48	2	534860 191770
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	48	2	534860 191765
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	48	2	534860 191755
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	49	2	534675 191680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	49	2	534835 191840
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	50	2	534735 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	50	2	534825 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	51	2	534865 191720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	52	2	534865 191725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	52	2	534790 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	52	2	534795 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	52	2	534815 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	52	2	534850 191830
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	52	2	534715 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	52	2	534670 191744
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	54	2	534780 191640
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	54	2	534785 191640
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	54	2	534795 191640
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	54	2	534665 191795
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	55	2	534735 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	55	2	534740 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	56	2	534720 191850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	56	2	534730 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	57	2	534790 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	57	2	534815 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	57	2	534785 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	58	2	534766 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	58	2	534775 191635
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	59	2	534825 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	59	2	534870 191675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	60	2	534735 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	60	2	534740 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	60	2	534700 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	61	2	534730 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	62	2	534710 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	62	2	534745 191630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	62	2	534740 191630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	64	2	534825 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	64	2	534750 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	65	2	534740 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	65	2	534830 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	65	2	534680 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	65	2	534665 191660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	65	2	534815 191630

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	66	2	534730 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	67	2	534880 191725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	67	2	534785 191865
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	67	2	534810 191865
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	67	2	534670 191650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	68	2	534675 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	69	2	534760 191865
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	69	2	534680 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	69	2	534785 191625
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	69	2	534795 191625
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	71	2	534720 191865
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	71	2	534725 191865
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	71	2	534670 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	71	2	534665 191650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	72	2	534810 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	72	2	534800 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	72	2	534805 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	72	2	534710 191865
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	73	2	534765 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	74	2	534885 191675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	74	2	534675 191635
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	74	2	534645 191795

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	75	2	534830 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	75	2	534685 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	75	2	534885 191670
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	75	2	534660 191650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	75	2	534645 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	76	2	534725 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	76	2	534650 191825
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	77	2	534805 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	77	2	534890 191720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	77	2	534710 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	77	2	534795 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	77	2	534800 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	77	2	534690 191865
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	77	2	534680 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	78	2	534665 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	78	2	534675 191630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	78	2	534870 191640
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	79	2	534780 191615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	79	2	534785 191615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	79	2	534790 191615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	79	2	534795 191615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	80	2	534740 191875

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	80	2	534745 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	80	2	534890 191670
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	80	2	534815 191615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	80	2	534820 191615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	81	2	534890 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	82	2	534785 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	82	2	534810 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	82	2	534815 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	82	2	534665 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	83	2	534890 191660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	84	2	534785 191610
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	85	2	534745 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	85	2	534695 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	85	2	534655 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	85	2	534885 191835
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	86	2	534720 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	86	2	534680 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	86	2	534675 191620
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	87	2	534795 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	87	2	534900 191730
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	87	2	534900 191725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	87	2	534810 191885

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	87	2	534815 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	87	2	534715 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	88	2	534705 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	88	2	534765 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	88	2	534825 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	89	2	534660 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	89	2	534670 191620
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	89	2	534795 191605
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	89	2	534830 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	90	2	534680 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	90	2	534695 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	90	2	534645 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	90	2	534855 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	90	2	534740 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	91	2	534830 191605
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	92	2	534810 191890
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	92	2	534785 191890
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	92	2	534815 191890
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	92	2	534905 191735
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	92	2	534895 191830
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	92	2	534905 191744
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	93	2	534825 191890

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	93	2	534675 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	93	2	534630 191820
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	93	2	534670 191615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	93	2	534905 191760
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	94	2	534640 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	94	2	534800 191600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	95	2	534820 191600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	96	2	534730 191890
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	97	2	534710 191890
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	97	2	534640 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	97	2	534820 191895
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	97	2	534785 191895
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	97	2	534815 191895
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	97	2	534800 191895
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	97	2	534805 191895
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	98	2	534665 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	98	2	534885 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	99	2	534890 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	99	2	534895 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	99	2	534845 191600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	100	2	534640 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	100	2	534695 191595

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	100	2	534815 191595
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	101	2	534635 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	101	2	534895 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	101	2	534670 191605
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	102	2	534675 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	102	2	534720 191590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	102	2	534740 191590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	102	2	534800 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	102	2	534805 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	103	2	534640 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	103	2	534630 191845
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	103	2	534825 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	103	2	534700 191895
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	103	2	534766 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	104	2	534670 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	104	2	534800 191590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	105	2	534825 191590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	105	2	534740 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	105	2	534745 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	106	2	534630 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	107	2	534650 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	107	2	534905 191845

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	107	2	534690 191590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	107	2	534835 191590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	107	2	534710 191585
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	107	2	534805 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	107	2	534810 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	108	2	534665 191600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	109	2	534660 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	110	2	534870 191600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	110	2	534680 191590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	110	2	534740 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	111	2	534835 191585
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	111	2	534720 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	111	2	534690 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	112	2	534665 191595
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	112	2	534795 191910
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	112	2	534715 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	113	2	534925 191750
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	113	2	534700 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	113	2	534705 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	114	2	534620 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	114	2	534830 191910
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	115	2	534680 191585

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	115	2	534820 191580
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	115	2	534705 191910
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	116	2	534725 191910
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	117	2	534620 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	117	2	534805 191915
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	117	2	534785 191915
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	117	2	534685 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	117	2	534710 191910
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	117	2	534800 191915
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	117	2	534670 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	118	2	534645 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	118	2	534766 191915
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	118	2	534775 191915
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	118	2	534930 191765
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	118	2	534780 191575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	119	2	534670 191585
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	119	2	534790 191575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	119	2	534800 191575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	120	2	534815 191575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	120	2	534675 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	121	2	534630 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	121	2	534730 191915

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	122	2	534670 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	123	2	534610 191850
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	123	2	534845 191575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	123	2	534766 191920
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	123	2	534780 191570
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	123	2	534935 191745
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	124	2	534790 191570
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	124	2	534795 191570
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	125	2	534610 191855
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	125	2	534690 191915
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	126	2	534660 191905
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	127	2	534870 191580
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	127	2	534785 191925
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	127	2	534800 191925
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	127	2	534705 191920
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	127	2	534885 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	128	2	534610 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	128	2	534940 191745
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	129	2	534830 191925
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	129	2	534675 191915
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	129	2	534680 191570
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	129	2	534785 191565

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	130	2	534890 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	130	2	534645 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	131	2	534910 191605
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	131	2	534905 191600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	131	2	534675 191570
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	131	2	534660 191910
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	132	2	534815 191930
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	132	2	534920 191615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	132	2	534870 191575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	133	2	534655 191910
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	133	2	534640 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	133	2	534945 191750
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	134	2	534935 191840
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	134	2	534675 191920
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	135	2	534620 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	135	2	534940 191825
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	135	2	534910 191600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	135	2	534945 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	136	2	534880 191575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	137	2	534805 191935
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	137	2	534810 191935
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	138	2	534945 191820

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	138	2	534850 191930
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	140	2	534675 191560
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	140	2	534815 191555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	140	2	534830 191555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	142	2	534905 191585
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	142	2	534890 191915
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	143	2	534950 191820
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	144	2	534600 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	146	2	534860 191935
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	147	2	534815 191945
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	147	2	534805 191945
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	147	2	534890 191920
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	148	2	534960 191755
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	148	2	534680 191550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	149	2	534855 191940
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	149	2	534675 191550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	150	2	534890 191565
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	151	2	534890 191925
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	152	2	534960 191815
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	152	2	534805 191950
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	152	2	534850 191945
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	152	2	534885 191930

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	152	2	534885 191560
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	153	2	534825 191950
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	153	2	534865 191940
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	153	2	534965 191765
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	153	2	534965 191760
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	154	2	534790 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	155	2	534965 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	155	2	534890 191930
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	156	2	534845 191950
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	156	2	534965 191810
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	156	2	534605 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	156	2	534670 191545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	157	2	534820 191955
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	157	2	534815 191955
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	157	2	534850 191950
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	157	2	534865 191945
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	157	2	534885 191935
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	157	2	534600 191895
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	158	2	534825 191955
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	158	2	534830 191955
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	158	2	534675 191945
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	158	2	534970 191765

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	159	2	534790 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	159	2	534800 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	159	2	534580 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	159	2	534890 191935
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	159	2	534970 191775
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	159	2	534675 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	160	2	534860 191950
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	160	2	534970 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	160	2	534600 191900
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	160	2	534670 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	161	2	534590 191890
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	161	2	534580 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	161	2	534645 191550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	161	2	534885 191550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	161	2	534875 191545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	162	2	534810 191960
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	162	2	534850 191955
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	162	2	534865 191950
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	163	2	534575 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	163	2	534780 191960
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	163	2	534825 191960
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	163	2	534855 191955

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	163	2	534660 191945
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	163	2	534650 191545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	163	2	534880 191545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	164	2	534785 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	164	2	534800 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	164	2	534890 191940
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	164	2	534975 191795
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	164	2	534975 191780
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	164	2	534975 191775
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	164	2	534790 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	165	2	534860 191955
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	165	2	534815 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	166	2	534575 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	167	2	534680 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	167	2	534805 191965
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	167	2	534785 191965
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	167	2	534810 191965
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	167	2	534865 191955
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	168	2	534766 191965
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	168	2	534770 191965
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	168	2	534780 191965
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	168	2	534830 191965

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	168	2	534870 191955
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	169	2	534660 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	169	2	534785 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	169	2	534810 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	169	2	534980 191790
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	169	2	534980 191785
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	169	2	534980 191780
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	170	2	534885 191950
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	170	2	534825 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	170	2	534895 191945
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	170	2	534980 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	170	2	534980 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	171	2	534840 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	171	2	534650 191950
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	172	2	534570 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	172	2	534815 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	172	2	534810 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	172	2	534680 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	172	2	534890 191950
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	173	2	534880 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	173	2	534770 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	173	2	534780 191970

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	173	2	534675 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	173	2	534850 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	173	2	534870 191960
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	173	2	534630 191545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	174	2	534560 191865
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	174	2	534860 191965
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	174	2	534805 191520
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	174	2	534590 191910
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	175	2	534645 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	175	2	534570 191885
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	175	2	534710 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	175	2	534740 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	175	2	534670 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	175	2	534635 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	176	2	534725 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	176	2	534840 191520
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	177	2	534795 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	177	2	534555 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	177	2	534805 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	177	2	534715 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	177	2	534660 191960
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	177	2	534680 191520

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	177	2	534590 191915
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	177	2	534960 191595
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	178	2	534775 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	178	2	534780 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	178	2	534855 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	178	2	534645 191955
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	178	2	534850 191520
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	179	2	534885 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	179	2	534805 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	179	2	534810 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	179	2	534990 191785
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	179	2	534920 191550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	180	2	534735 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	180	2	534740 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	180	2	534990 191805
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	180	2	534990 191800
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	181	2	534560 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	181	2	534720 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	181	2	534890 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	182	2	534850 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	182	2	534715 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	182	2	534800 191980

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	182	2	534805 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	182	2	534810 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	182	2	534705 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	182	2	534675 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	182	2	534870 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	182	2	534845 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	182	2	534605 191935
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	183	2	534895 191960
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	183	2	534610 191940
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	183	2	534850 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	183	2	534620 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	184	2	534750 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	184	2	534760 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	184	2	534840 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	184	2	534645 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	184	2	534670 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	184	2	534810 191510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	185	2	534735 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	185	2	534610 191545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	186	2	534550 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	186	2	534725 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	186	2	534880 191520

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	186	2	534615 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	187	2	534810 191985
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	187	2	534815 191985
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	187	2	534785 191985
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	187	2	534790 191985
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	187	2	534805 191985
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	187	2	534755 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	188	2	534885 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	188	2	534895 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	188	2	534675 191510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	188	2	534766 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	188	2	534770 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	188	2	534775 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	188	2	534765 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	190	2	534615 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	190	2	534545 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	190	2	534685 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	191	2	534620 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	191	2	534715 191985
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	191	2	534540 191860
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	191	2	534680 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	191	2	534955 191565

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	192	2	534785 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	192	2	534805 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	192	2	534710 191985
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	192	2	534790 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	192	2	534800 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	192	2	534825 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	192	2	534895 191970
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	192	2	534965 191575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	192	2	534605 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	193	2	534610 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	193	2	534670 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	193	2	534766 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	193	2	534775 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	193	2	534600 191945
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	193	2	534850 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	193	2	534766 191500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	193	2	534675 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	194	2	534760 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	194	2	534840 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	195	2	534820 191500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	195	2	534890 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	195	2	534600 191540

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	196	2	534725 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	196	2	534680 191985
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	196	2	534835 191500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	197	2	534815 191995
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	197	2	534855 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	198	2	534766 191995
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	198	2	534830 191995
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	198	2	534885 191510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	198	2	534775 191495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	199	2	534540 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	199	2	534840 191995
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	199	2	534875 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	199	2	534670 191500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	199	2	534640 191510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	199	2	534785 191495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	199	2	534795 191495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	199	2	534810 191495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	200	2	534680 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	201	2	534895 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	201	2	534905 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	201	2	534585 191545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	202	2	534595 191535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	202	2	534785 192000
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	202	2	534810 192000
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	202	2	534675 191990
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	202	2	534950 191545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	202	2	534885 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	203	2	534765 192000
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	203	2	534766 192000
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	203	2	534535 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	203	2	534760 191490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	203	2	534766 191490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	203	2	534780 191490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	204	2	534840 192000
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	204	2	534755 192000
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	204	2	534530 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	204	2	534620 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	204	2	534785 191490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	204	2	534810 191490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	205	2	534590 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	205	2	534735 192000
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	205	2	534680 191995
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	206	2	534715 192000
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	206	2	534725 192000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	207	2	534710 192000
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	207	2	534525 191865
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	207	2	534645 191500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	207	2	534990 191585
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	208	2	534766 192005
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	208	2	534585 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	208	2	534765 191485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	209	2	534745 192005
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	209	2	534665 191995
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	209	2	534580 191950
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	209	2	534690 191485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	209	2	534790 191485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	210	2	534860 191490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	210	2	534820 191485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	211	2	534570 191545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	212	2	534790 192010
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	212	2	534585 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	212	2	534885 191495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	212	2	534810 192010
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	212	2	534960 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	213	2	534766 192010
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	213	2	534890 191995

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	214	2	534945 191525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	214	2	534595 191520
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	215	2	534735 192010
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	215	2	534895 191995
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	215	2	534520 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	216	2	534935 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	216	2	534560 191940
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	216	2	534850 192010
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	217	2	534900 191995
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	217	2	534710 191475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	217	2	534995 191575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	217	2	534900 191495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	217	2	534790 192015
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	217	2	534795 192015
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	218	2	534860 192010
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	218	2	534515 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	218	2	534765 191475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	218	2	534640 191490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	219	2	534840 192015
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	220	2	534515 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	220	2	534585 191520
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	220	2	534560 191945

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	220	2	534735 192015
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	220	2	534740 192015
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	221	2	534580 191965
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	222	2	534875 192010
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	222	2	534515 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	222	2	534805 192020
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	223	2	534555 191945
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	224	2	534895 192005
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	224	2	534795 191470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	224	2	534810 191470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	224	2	534815 191470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	224	2	534865 192015
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	224	2	534840 192020
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	224	2	534615 191495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	225	2	534685 191470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	225	2	534850 191470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	225	2	534735 192020
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	226	2	534620 191490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	227	2	534505 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	227	2	534780 192025
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	227	2	534800 192025
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	227	2	534875 192015

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	227	2	534805 192025
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	228	2	534875 191475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	228	2	534990 191550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	228	2	534880 192015
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	229	2	534560 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	229	2	534580 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	229	2	534690 191465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	229	2	534790 191465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	229	2	534665 191470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	230	2	534555 191955
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	230	2	534645 191475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	230	2	534825 191465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	230	2	534985 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	231	2	534960 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	231	2	534580 191510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	231	2	534855 192025
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	232	2	534575 191975
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	232	2	534640 191475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	232	2	534955 191510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	232	2	534710 191460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	232	2	534810 192030
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	232	2	534805 192030

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	233	2	534780 191460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	233	2	534570 191515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	233	2	534605 191490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	233	2	534895 192015
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	234	2	534985 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	234	2	534500 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	234	2	534980 191530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	234	2	534665 191465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	234	2	534860 191465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	234	2	534595 191495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	235	2	534645 191470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	235	2	534850 192030
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	235	2	534885 192020
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	236	2	534500 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	236	2	534575 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	236	2	534900 191475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	236	2	534675 191460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	237	2	534495 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	237	2	534615 191480
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	237	2	534850 191460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	237	2	534805 192035
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	237	2	534825 192035

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	237	2	534860 192030
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	238	2	534695 191455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	238	2	534755 191455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	238	2	534766 191455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	238	2	534830 192035
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	534595 191490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	239	2	534495 191875
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	239	2	534570 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	239	2	534880 191465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	239	2	534960 191505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	239	2	534800 191455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	239	2	534790 191455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	239	2	534755 192035
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	239	2	534885 192025
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	240	2	534575 191985
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	240	2	534660 191460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	240	2	534835 191455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	241	2	534855 192035
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	241	2	534890 192025
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	241	2	534535 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	242	2	534490 191870
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	242	2	534965 191505

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	242	2	534800 192040
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	242	2	534805 192040
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	243	2	534895 191465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	243	2	534835 192040
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	243	2	534765 191450
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	243	2	534765 192040
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	243	2	534830 192040
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	243	2	534895 192025
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	244	2	534545 191965
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	244	2	534600 191480
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	244	2	534845 192040
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	244	2	534885 192030
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	245	2	534490 191880
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	245	2	534975 191510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	245	2	534865 191455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	245	2	534685 191450
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	245	2	534530 191540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	246	2	534870 191455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	246	2	534890 192030
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	247	2	534555 191510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	247	2	534770 192045
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	247	2	534790 192045

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	247	2	534755 191445
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	248	2	534530 191535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	248	2	534575 191995
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	248	2	534555 191980
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	248	2	534880 191455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	248	2	534766 192045
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	248	2	534865 192040
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	248	2	534760 191445
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	248	2	534765 191445
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	249	2	534580 192000
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	249	2	534750 192045
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	249	2	534755 192045
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	249	2	534870 192040
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	249	2	534795 191445
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	250	2	534480 191865
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	250	2	534660 191450
	JBA 75 Year Return (undefended) - Coastal None				
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	0	2	534800 191795
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	0	2	534810 191715
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	0	2	534805 191770
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	0	2	534760 191700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	0	2	534770 191700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	0	2	534805 191700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	0	2	534805 191755
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	0	2	534805 191745
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	0	2	534735 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	0	2	534755 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	0	2	534760 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	0	2	534766 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	0	2	534790 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	0	2	534795 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	0	2	534805 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	0	2	534800 191744
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	0	2	534805 191744
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	0	2	534810 191744
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	0	2	534730 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	0	2	534765 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	1	2	534810 191790
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	1	2	534815 191700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	2	2	534785 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	2	2	534790 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	2	2	534720 191705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	2	2	534720 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	2	2	534755 191690

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	4	2	534760 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	4	2	534815 191775
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	5	2	534750 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	6	2	534725 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	6	2	534735 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	6	2	534820 191710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	7	2	534795 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	7	2	534820 191730
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	7	2	534720 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	7	2	534715 191710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	7	2	534715 191700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	7	2	534820 191740
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	8	2	534820 191744
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	8	2	534775 191685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	9	2	534810 191685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	9	2	534805 191685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	11	2	534730 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	11	2	534825 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	12	2	534790 191810
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	12	2	534720 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	12	2	534825 191730
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	12	2	534710 191695

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	12	2	534795 191810
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	12	2	534825 191690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	13	2	534765 191680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	13	2	534825 191765
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	14	2	534825 191775
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	16	2	534730 191810
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	16	2	534735 191810
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	16	2	534830 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	17	2	534830 191720
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	17	2	534760 191675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	17	2	534785 191815
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	18	2	534825 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	18	2	534766 191675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	18	2	534780 191815
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	19	2	534710 191810
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	19	2	534805 191675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	20	2	534740 191815
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	21	2	534830 191680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	21	2	534835 191705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	21	2	534735 191815
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	21	2	534730 191815
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	21	2	534835 191695

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	22	2	534700 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	22	2	534835 191725
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	22	2	534750 191670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	22	2	534830 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	22	2	534795 191820
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	22	2	534835 191744
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	23	2	534830 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	23	2	534760 191670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	23	2	534835 191685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	24	2	534785 191670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	24	2	534760 191820
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	26	2	534840 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	27	2	534840 191730
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	27	2	534840 191725
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	27	2	534695 191710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	27	2	534695 191705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	27	2	534695 191700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	27	2	534840 191744
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	27	2	534695 191690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	28	2	534780 191825
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	29	2	534755 191825
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	30	2	534815 191665

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	31	2	534730 191825
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	31	2	534845 191690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	32	2	534690 191730
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	32	2	534720 191825
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	32	2	534690 191695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	32	2	534840 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	32	2	534845 191744
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	32	2	534690 191690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	33	2	534690 191810
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	33	2	534760 191660
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	37	2	534685 191735
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	37	2	534685 191730
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	37	2	534685 191710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	37	2	534685 191700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	37	2	534750 191655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	37	2	534685 191745
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	37	2	534685 191690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	38	2	534766 191655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	39	2	534850 191785
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	39	2	534780 191655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	40	2	534680 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	40	2	534735 191835

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	40	2	534815 191655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	41	2	534680 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	42	2	534855 191735
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	42	2	534680 191725
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	42	2	534855 191720
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	42	2	534855 191715
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	42	2	534680 191705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	42	2	534745 191650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	42	2	534680 191750
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	42	2	534680 191745
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	42	2	534680 191744
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	42	2	534680 191740
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	43	2	534855 191680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	43	2	534820 191840
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	43	2	534855 191770
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	43	2	534766 191650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	43	2	534770 191650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	43	2	534855 191745
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	43	2	534775 191650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	44	2	534765 191840
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	44	2	534855 191775
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	46	2	534685 191825

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	47	2	534785 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	47	2	534680 191820
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	47	2	534675 191755
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	47	2	534675 191750
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	47	2	534750 191645
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	48	2	534860 191755
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	48	2	534860 191745
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	48	2	534755 191645
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	48	2	534766 191645
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	48	2	534675 191685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	49	2	534675 191680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	49	2	534835 191840
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	50	2	534815 191645
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	51	2	534830 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	51	2	534865 191715
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	52	2	534710 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	52	2	534800 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	52	2	534815 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	52	2	534715 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	52	2	534670 191744
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	53	2	534860 191810
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	53	2	534865 191770

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	53	2	534755 191640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	54	2	534705 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	54	2	534780 191640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	54	2	534785 191640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	54	2	534795 191640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	55	2	534740 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	57	2	534870 191725
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	57	2	534740 191635
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	57	2	534790 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	58	2	534766 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	58	2	534775 191635
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	59	2	534870 191675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	59	2	534850 191840
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	59	2	534825 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	59	2	534780 191635
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	60	2	534700 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	60	2	534735 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	62	2	534875 191725
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	62	2	534815 191860
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	62	2	534800 191860
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	62	2	534710 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	62	2	534870 191805

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	62	2	534745 191630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	63	2	534770 191860
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	64	2	534795 191630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	65	2	534680 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	65	2	534655 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	65	2	534815 191630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	66	2	534730 191860
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	67	2	534880 191725
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	67	2	534785 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	67	2	534805 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	67	2	534810 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	67	2	534670 191650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	69	2	534755 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	69	2	534655 191820
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	69	2	534785 191625
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	69	2	534790 191625
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	70	2	534745 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	71	2	534670 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	71	2	534720 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	71	2	534725 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	71	2	534665 191650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	72	2	534880 191665

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	72	2	534800 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	72	2	534805 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	72	2	534710 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	72	2	534766 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	72	2	534810 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	72	2	534750 191620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	73	2	534765 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	73	2	534680 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	74	2	534885 191675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	74	2	534645 191795
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	74	2	534825 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	74	2	534675 191635
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	75	2	534885 191670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	75	2	534870 191645
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	75	2	534830 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	75	2	534685 191860
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	75	2	534660 191650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	75	2	534645 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	76	2	534725 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	76	2	534650 191825
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	77	2	534750 191615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	77	2	534890 191720

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	77	2	534690 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	77	2	534710 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	77	2	534785 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	77	2	534790 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	77	2	534680 191860
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	77	2	534860 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	78	2	534665 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	78	2	534890 191675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	78	2	534660 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	79	2	534780 191615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	79	2	534785 191615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	79	2	534790 191615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	80	2	534890 191670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	80	2	534815 191615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	80	2	534745 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	82	2	534655 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	82	2	534660 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	82	2	534895 191720
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	82	2	534785 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	82	2	534800 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	82	2	534810 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	82	2	534665 191855

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	83	2	534890 191660
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	83	2	534825 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	83	2	534895 191765
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	84	2	534780 191610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	84	2	534795 191610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	84	2	534700 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	84	2	534785 191610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	85	2	534815 191610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	85	2	534820 191610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	86	2	534745 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	86	2	534680 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	86	2	534675 191620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	87	2	534735 191605
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	87	2	534820 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	87	2	534795 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	87	2	534810 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	87	2	534815 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	87	2	534715 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	88	2	534840 191610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	88	2	534765 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	88	2	534825 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	89	2	534660 191860

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	89	2	534670 191620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	90	2	534645 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	90	2	534680 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	90	2	534695 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	91	2	534830 191605
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	91	2	534895 191825
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	92	2	534905 191735
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	92	2	534725 191600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	92	2	534785 191890
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	92	2	534795 191890
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	92	2	534905 191744
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	93	2	534675 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	93	2	534905 191755
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	93	2	534630 191820
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	93	2	534905 191745
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	93	2	534670 191615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	94	2	534640 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	94	2	534800 191600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	95	2	534820 191600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	96	2	534730 191890
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	96	2	534645 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	97	2	534640 191850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	97	2	534715 191595
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	97	2	534720 191595
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	97	2	534785 191895
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	97	2	534800 191895
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	98	2	534770 191895
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	98	2	534665 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	98	2	534910 191760
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	99	2	534700 191595
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	100	2	534815 191595
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	100	2	534670 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	100	2	534745 191895
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	100	2	534655 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	100	2	534645 191860
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	100	2	534640 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	100	2	534820 191595
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	101	2	534635 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	101	2	534670 191605
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	101	2	534895 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	101	2	534720 191895
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	101	2	534725 191895
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	102	2	534710 191590
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	102	2	534715 191590

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	102	2	534740 191590
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	102	2	534675 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	102	2	534890 191860
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	102	2	534820 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	103	2	534630 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	103	2	534900 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	103	2	534765 191590
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	104	2	534670 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	104	2	534755 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	104	2	534895 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	105	2	534900 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	105	2	534695 191590
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	105	2	534745 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	105	2	534625 191840
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	105	2	534825 191590
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	106	2	534630 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	106	2	534730 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	106	2	534725 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	107	2	534905 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	107	2	534820 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	107	2	534790 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	107	2	534785 191905

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	107	2	534810 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	107	2	534710 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	107	2	534735 191585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	108	2	534665 191600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	108	2	534825 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	110	2	534870 191600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	110	2	534680 191590
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	110	2	534745 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	110	2	534820 191585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	111	2	534920 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	111	2	534690 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	111	2	534835 191585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	112	2	534920 191810
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	112	2	534665 191595
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	112	2	534795 191910
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	112	2	534890 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	113	2	534700 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	113	2	534705 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	113	2	534840 191585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	113	2	534925 191745
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	114	2	534620 191850
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	114	2	534930 191765

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	114	2	534795 191580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	115	2	534705 191910
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	115	2	534680 191585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	115	2	534800 191575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	116	2	534725 191910
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	117	2	534805 191915
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	117	2	534785 191915
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	117	2	534685 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	117	2	534710 191910
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	117	2	534800 191915
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	117	2	534670 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	117	2	534630 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	118	2	534775 191915
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	118	2	534780 191575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	119	2	534845 191580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	119	2	534860 191585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	119	2	534790 191575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	119	2	534795 191575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	119	2	534805 191575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	120	2	534675 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	120	2	534815 191575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	120	2	534915 191630

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	121	2	534610 191845
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	121	2	534730 191915
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	121	2	534630 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	122	2	534855 191580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	122	2	534915 191625
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	123	2	534765 191920
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	123	2	534766 191920
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	123	2	534890 191890
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	123	2	534780 191570
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	124	2	534785 191570
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	124	2	534790 191570
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	125	2	534690 191915
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	125	2	534610 191855
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	126	2	534660 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	126	2	534675 191575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	127	2	534785 191925
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	127	2	534800 191925
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	127	2	534715 191920
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	127	2	534885 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	127	2	534870 191580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	128	2	534900 191600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	128	2	534600 191840

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	128	2	534940 191745
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	128	2	534930 191640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	129	2	534760 191925
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	129	2	534675 191915
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	129	2	534655 191905
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	129	2	534595 191830
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	129	2	534680 191570
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	129	2	534785 191565
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	130	2	534645 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	130	2	534890 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	130	2	534875 191580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	131	2	534910 191605
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	132	2	534920 191615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	132	2	534940 191815
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	133	2	534825 191930
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	133	2	534640 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	133	2	534945 191750
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	134	2	534675 191920
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	134	2	534935 191840
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	134	2	534875 191575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	135	2	534620 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	135	2	534940 191825

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	135	2	534675 191565
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	137	2	534805 191935
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	137	2	534670 191565
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	137	2	534810 191935
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	138	2	534945 191820
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	138	2	534890 191910
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	139	2	534865 191565
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	139	2	534785 191555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	140	2	534855 191930
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	140	2	534815 191555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	142	2	534905 191585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	142	2	534820 191940
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	142	2	534670 191560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	143	2	534885 191570
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	144	2	534600 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	145	2	534675 191555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	145	2	534815 191550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	145	2	534830 191550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	146	2	534670 191555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	146	2	534860 191935
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	147	2	534805 191945
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	148	2	534955 191820

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	148	2	534960 191755
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	148	2	534825 191945
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	148	2	534680 191550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	148	2	534945 191625
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	149	2	534855 191940
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	149	2	534795 191545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	150	2	534905 191575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	150	2	534890 191565
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	151	2	534595 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	152	2	534885 191930
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	152	2	534585 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	152	2	534805 191950
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	152	2	534850 191945
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	152	2	534960 191815
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	152	2	534885 191560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	153	2	534965 191760
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	153	2	534865 191940
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	153	2	534845 191545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	154	2	534785 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	154	2	534790 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	155	2	534965 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	155	2	534830 191540

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	156	2	534965 191810
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	156	2	534605 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	156	2	534670 191545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	157	2	534600 191895
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	157	2	534815 191955
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	157	2	534820 191955
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	157	2	534805 191955
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	158	2	534970 191770
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	158	2	534970 191765
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	158	2	534830 191955
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	158	2	534675 191945
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	159	2	534870 191945
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	159	2	534675 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	160	2	534970 191805
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	160	2	534815 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	160	2	534600 191900
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	160	2	534855 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	160	2	534670 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	161	2	534590 191890
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	161	2	534580 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	161	2	534645 191550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	162	2	534800 191960

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	162	2	534785 191960
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	162	2	534865 191950
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	163	2	534575 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	163	2	534855 191955
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	163	2	534780 191960
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	163	2	534880 191545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	164	2	534785 191530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	164	2	534805 191530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	164	2	534975 191775
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	164	2	534870 191950
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	165	2	534815 191530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	165	2	534570 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	166	2	534575 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	166	2	534895 191940
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	167	2	534680 191530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	167	2	534785 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	167	2	534810 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	167	2	534815 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	167	2	534580 191885
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	167	2	534865 191955
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	168	2	534766 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	168	2	534825 191965

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	168	2	534870 191955
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	169	2	534980 191790
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	169	2	534660 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	169	2	534835 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	169	2	534800 191525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	169	2	534980 191780
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	169	2	534655 191950
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	172	2	534810 191970
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	172	2	534680 191525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	172	2	534845 191525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	172	2	534710 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	172	2	534570 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	172	2	534815 191970
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	172	2	534640 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	173	2	534880 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	173	2	534765 191970
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	173	2	534675 191525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	174	2	534885 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	174	2	534745 191970
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	174	2	534985 191790
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	174	2	534590 191910
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	174	2	534560 191865

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	174	2	534795 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	174	2	534805 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	175	2	534645 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	175	2	534665 191960
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	175	2	534685 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	175	2	534730 191970
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	175	2	534670 191525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	176	2	534720 191970
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	176	2	534840 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	176	2	534625 191545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	177	2	534675 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	177	2	534705 191970
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	177	2	534660 191960
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	177	2	534795 191975
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	177	2	534555 191860
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	177	2	534680 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	177	2	534845 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	177	2	534890 191955
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	177	2	534985 191815
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	177	2	534590 191915
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	178	2	534830 191975
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	178	2	534645 191955

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	179	2	534855 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	179	2	534885 191530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	179	2	534990 191780
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	179	2	534960 191590
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	179	2	534610 191935
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	180	2	534990 191800
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	180	2	534875 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	181	2	534890 191530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	181	2	534560 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	181	2	534600 191930
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	182	2	534870 191970
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	182	2	534810 191980
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	182	2	534805 191980
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	182	2	534845 191515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	183	2	534775 191980
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	183	2	534895 191960
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	183	2	534766 191510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	183	2	534620 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	184	2	534645 191525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	184	2	534840 191980
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	184	2	534670 191515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	185	2	534610 191545

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	186	2	534890 191525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	186	2	534550 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	186	2	534880 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	186	2	534615 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	187	2	534725 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	187	2	534785 191985
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	187	2	534790 191985
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	187	2	534680 191510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	187	2	534745 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	187	2	534755 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	188	2	534885 191970
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	188	2	534550 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	188	2	534855 191980
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	188	2	534895 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	188	2	534760 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	188	2	534766 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	188	2	534775 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	188	2	534780 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	189	2	534915 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	190	2	534615 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	190	2	534545 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	190	2	534900 191525

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	190	2	534685 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	191	2	534620 191530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	191	2	534540 191860
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	192	2	534785 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	192	2	534790 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	192	2	534810 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	192	2	534825 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	192	2	534605 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	193	2	534610 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	193	2	534675 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	193	2	534830 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	193	2	534670 191980
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	193	2	534775 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	193	2	534885 191515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	193	2	534760 191500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	193	2	534765 191500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	193	2	534766 191500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	194	2	534835 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	194	2	534670 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	195	2	534990 191610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	195	2	534740 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	195	2	534910 191525

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	195	2	534600 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	196	2	534680 191985
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	196	2	534880 191510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	196	2	535000 191630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	196	2	534835 191500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	197	2	534815 191995
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	197	2	534855 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	197	2	534895 191975
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	197	2	534975 191580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	197	2	534905 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	198	2	534770 191495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	198	2	534770 191995
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	198	2	534760 191495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	199	2	534810 191495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	199	2	534795 191495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	199	2	534540 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	199	2	534840 191995
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	199	2	534665 191985
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	199	2	534640 191510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	199	2	534585 191940
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	200	2	534995 191610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	200	2	534680 191990

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	200	2	534975 191575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	201	2	534880 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	201	2	534585 191545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	202	2	534595 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	202	2	534530 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	202	2	534785 192000
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	202	2	534705 191995
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	202	2	534675 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	202	2	534585 191945
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	203	2	534705 191490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	203	2	534535 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	203	2	534985 191585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	204	2	534785 191490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	204	2	534530 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	204	2	534760 192000
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	204	2	534620 191515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	204	2	534875 191500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	205	2	534665 191495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	205	2	534685 191490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	205	2	534680 191995
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	206	2	534905 191510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	206	2	534895 191985

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	206	2	534985 191580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	207	2	534645 191500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	208	2	534700 191485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	208	2	535000 191600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	208	2	534765 192005
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	209	2	534785 191485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	209	2	534665 191995
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	209	2	534755 192005
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	209	2	534580 191950
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	210	2	534895 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	211	2	534675 192000
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	211	2	534925 191515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	211	2	534600 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	211	2	534570 191545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	212	2	534585 191530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	212	2	534870 191490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	212	2	534810 192010
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	212	2	534705 192005
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	212	2	534710 192005
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	212	2	534710 191480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	213	2	534640 191495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	213	2	534770 192010

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	213	2	534700 192005
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	213	2	534890 191995
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	213	2	534900 191500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	214	2	534750 192010
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	214	2	534755 192010
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	214	2	534865 192005
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	215	2	534895 191495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	215	2	534520 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	215	2	534730 192010
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	215	2	534990 191570
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	216	2	534850 192010
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	216	2	534725 192010
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	216	2	534560 191940
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	217	2	534795 192015
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	217	2	534520 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	217	2	534810 192015
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	217	2	534790 192015
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	217	2	534805 192015
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	217	2	534710 192010
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	217	2	534705 192010
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	217	2	534900 191995
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	217	2	534590 191520

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	217	2	534850 191480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	218	2	534640 191490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	218	2	534515 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	218	2	534860 192010
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	218	2	534700 192010
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	218	2	534945 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	219	2	534965 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	219	2	534750 192015
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	219	2	534745 192015
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	219	2	534840 192015
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	219	2	534895 192000
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	219	2	534805 191475
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	220	2	534935 191510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	220	2	534565 191950
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	220	2	534995 191570
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	221	2	534580 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	222	2	534785 192020
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	222	2	534515 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	222	2	534790 192020
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	222	2	534705 192015
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	222	2	534845 191475
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	223	2	534555 191945

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	223	2	534755 191470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	224	2	534615 191495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	224	2	534840 192020
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	224	2	534895 192005
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	224	2	534795 191470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	224	2	534810 191470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	225	2	534740 192020
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	225	2	534685 191470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	225	2	534895 191485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	226	2	534620 191490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	226	2	534610 191495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	226	2	534555 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	227	2	534570 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	227	2	534805 192025
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	227	2	534875 192015
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	228	2	534830 192025
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	228	2	534765 192025
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	228	2	534775 192025
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	228	2	534955 191515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	228	2	534990 191550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	228	2	534766 191465
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	229	2	534560 191530

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	229	2	534580 191975
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	229	2	534690 191465
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	229	2	534785 191465
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	229	2	534665 191470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	229	2	534555 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	230	2	534980 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	230	2	534735 192025
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	230	2	534645 191475
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	230	2	534825 191465
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	231	2	534600 191495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	231	2	534500 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	231	2	534855 192025
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	231	2	534580 191510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	232	2	534825 192030
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	232	2	534805 192030
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	232	2	534810 192030
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	232	2	534575 191975
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	232	2	534640 191475
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	232	2	534955 191510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	233	2	534605 191490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	233	2	534880 192020
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	233	2	534895 192015

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	233	2	534875 191470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	233	2	534780 191460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	233	2	534570 191515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	234	2	534985 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	234	2	534500 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	234	2	534555 191960
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	234	2	534665 191465
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	234	2	534785 191460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	234	2	534800 191460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	235	2	534740 192030
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	235	2	534885 192020
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	235	2	534960 191510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	235	2	534645 191470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	236	2	534600 191490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	236	2	534500 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	236	2	534575 191980
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	236	2	534955 191505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	236	2	534675 191460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	236	2	534840 191460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	237	2	534810 192035
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	237	2	534860 192030
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	237	2	534495 191870

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	237	2	534975 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	237	2	534615 191480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	237	2	534805 192035
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	237	2	534850 191460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	237	2	534750 191455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	238	2	534695 191455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	238	2	534766 191455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	239	2	534495 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	239	2	534885 192025
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	239	2	534570 191980
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	239	2	534860 191460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	239	2	534690 191455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	240	2	534740 192035
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	240	2	534850 192035
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	240	2	534575 191985
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	240	2	534660 191460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	240	2	534835 191455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	241	2	534550 191965
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	241	2	534890 192025
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	241	2	534580 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	241	2	534980 191520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	242	2	534670 191455

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	242	2	534490 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	243	2	534830 192040
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	243	2	534865 192035
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	243	2	534490 191875
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	243	2	534835 192040
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	243	2	534765 191450
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	244	2	534885 192030
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	244	2	534575 191990
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	244	2	534600 191480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	244	2	534920 191475
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	245	2	534485 191865
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	245	2	534490 191880
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	245	2	534850 192040
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	245	2	534975 191510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	245	2	534530 191540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	245	2	534865 191455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	245	2	534685 191450
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	246	2	534890 192030
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	246	2	534485 191870
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	247	2	534780 192045
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	247	2	534785 192045
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	247	2	534555 191510

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	247	2	534875 191455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	248	2	534530 191535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	248	2	534766 191445
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	248	2	534770 191445
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	248	2	534766 192045
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	248	2	534830 192045
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	248	2	534880 191455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	248	2	534765 191445
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	249	2	534485 191615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	249	2	534580 192000
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	249	2	534845 192045
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	249	2	534750 192045
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	249	2	534755 192045
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	250	2	534735 192045
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	250	2	534885 191455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	250	2	534660 191450
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	250	2	534835 191445
	JBA 100 Year Return (undefended) - Coastal None				
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	0	2	534810 191750
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	0	2	534805 191740
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	1	2	534815 191750
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	2	2	534766 191800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	2	2	534815 191735
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	2	2	534720 191705
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	2	2	534710 191715
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	2	2	534725 191690
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	3	2	534770 191690
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	4	2	534800 191690
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	4	2	534810 191690
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	5	2	534750 191800
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	6	2	534725 191800
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	7	2	534790 191805
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	7	2	534820 191715
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	7	2	534715 191710
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	8	2	534780 191805
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	8	2	534820 191760
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	9	2	534805 191685
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	12	2	534820 191795
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	14	2	534825 191780
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	14	2	534825 191685
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	16	2	534820 191680
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	17	2	534830 191730
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	18	2	534830 191770
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	19	2	534830 191785

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	19	2	534830 191780
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	20	2	534830 191805
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	21	2	534830 191795
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	21	2	534835 191700
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	21	2	534830 191680
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	24	2	534695 191795
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	27	2	534840 191730
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	29	2	534690 191795
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	30	2	534690 191800
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	32	2	534790 191830
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	32	2	534715 191825
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	33	2	534770 191830
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	34	2	534760 191830
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	36	2	534725 191830
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	37	2	534850 191725
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	38	2	534820 191835
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	39	2	534750 191835
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	39	2	534850 191785
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	42	2	534680 191740
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	43	2	534830 191835
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	52	2	534735 191850
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	54	2	534855 191825

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	54	2	534865 191780
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	58	2	534766 191855
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	58	2	534870 191765
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	62	2	534710 191855
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	63	2	534875 191770
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	64	2	534700 191855
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	64	2	534875 191780
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	65	2	534740 191860
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	66	2	534875 191800
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	67	2	534790 191865
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	68	2	534675 191845
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	70	2	534875 191820
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Equal to 0.1m	A13NE (N)	72	2	534795 191870
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	73	2	534766 191870
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	74	2	534875 191830
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	74	2	534885 191775
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	78	2	534840 191870
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	80	2	534865 191855
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	80	2	534890 191795
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	81	2	534875 191845
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	83	2	534766 191880
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	83	2	534890 191810

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	83	2	534895 191770
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	84	2	534785 191610
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	89	2	534790 191605
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	92	2	534805 191890
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	92	2	534820 191890
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	93	2	534765 191890
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	94	2	534855 191880
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	96	2	534905 191805
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	97	2	534840 191890
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	98	2	534910 191765
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	99	2	534910 191795
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	102	2	534875 191875
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	103	2	534775 191900
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	103	2	534915 191770
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	107	2	534820 191905
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	107	2	534785 191905
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	108	2	534920 191760
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	110	2	534835 191905
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	113	2	534765 191910
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	116	2	534840 191910
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	118	2	534765 191915
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	118	2	534920 191835

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	118	2	534930 191765
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	118	2	534930 191745
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	119	2	534870 191900
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	119	2	534845 191580
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	121	2	534835 191575
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	123	2	534780 191920
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	124	2	534800 191570
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	127	2	534930 191835
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	129	2	534835 191925
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	130	2	534590 191780
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	132	2	534920 191615
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Equal to 0.1m	A13NE (N)	132	2	534800 191930
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	134	2	534850 191565
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	134	2	534940 191820
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	134	2	534585 191790
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	134	2	534585 191785
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	135	2	534930 191625
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	136	2	534870 191920
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	137	2	534935 191630
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	137	2	534945 191815
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	138	2	534950 191755
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	139	2	534950 191795

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	139	2	534580 191780
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	142	2	534935 191620
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	143	2	534955 191770
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	144	2	534865 191560
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	145	2	534575 191775
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	145	2	534840 191940
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	145	2	534870 191930
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	148	2	534960 191765
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	149	2	534960 191795
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	149	2	534835 191945
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	150	2	534590 191620
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	150	2	534570 191770
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	154	2	534965 191780
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	155	2	534590 191610
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	155	2	534565 191770
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	156	2	534845 191950
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	157	2	534840 191540
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	158	2	534970 191765
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	159	2	534795 191535
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	159	2	534970 191795
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	160	2	534560 191770
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	162	2	534780 191960

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	162	2	534800 191960
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	163	2	534920 191570
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	163	2	534766 191960
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	163	2	534770 191960
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	164	2	534675 191535
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	167	2	534955 191605
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	167	2	534845 191530
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	167	2	534780 191965
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	168	2	534775 191965
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	169	2	534870 191535
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	169	2	534745 191965
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	170	2	534645 191540
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	171	2	534835 191525
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	173	2	534935 191570
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	174	2	534930 191565
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	174	2	534750 191970
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	175	2	534985 191800
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	175	2	534635 191540
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	177	2	534845 191520
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	177	2	534705 191970
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	179	2	534800 191515
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	180	2	534990 191805

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	180	2	534735 191975
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	181	2	534890 191960
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	182	2	534790 191980
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	185	2	534875 191520
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	186	2	534965 191585
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	186	2	534615 191540
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	190	2	534730 191985
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	191	2	534850 191985
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	192	2	534815 191990
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	192	2	534675 191980
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	192	2	534870 191980
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	193	2	534775 191990
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	194	2	534900 191520
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	195	2	534685 191985
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	196	2	534680 191500
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	196	2	534680 191985
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	197	2	534810 191995
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	198	2	534766 191995
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	199	2	534790 191495
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	200	2	534865 191990
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	201	2	534930 191530
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	201	2	534835 191495

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	201	2	534895 191980
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	202	2	534945 191540
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	206	2	534840 191490
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	206	2	534850 192000
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	208	2	534770 192005
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	208	2	534775 192005
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	209	2	534640 191500
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	211	2	534680 191485
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	211	2	534715 192005
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	213	2	534766 192010
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	214	2	534865 192005
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	214	2	534750 192010
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	215	2	534990 191570
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	217	2	534995 191575
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	217	2	534505 191720
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	219	2	535005 191895
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	219	2	534575 191530
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	219	2	534755 192015
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	219	2	534810 191475
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	222	2	534675 191475
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	224	2	534795 191470
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	226	2	534850 192020

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	227	2	534580 191515
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	227	2	534495 191720
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	229	2	534895 192010
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	230	2	535040 191650
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	234	2	535050 191675
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	235	2	534870 192025
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	237	2	534485 191710
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	237	2	534485 191705
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	239	2	534580 191500
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	240	2	534870 192030
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	240	2	534600 191485
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	240	2	534630 191470
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	241	2	534890 192025
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	245	2	534660 191455
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	246	2	535055 191645
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	246	2	534890 192030
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	247	2	534780 192045
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	247	2	534795 192045
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	248	2	535045 191605
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	248	2	534765 192045
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	250	2	534740 192045
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	0	2	534810 191775

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	0	2	534775 191765
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	0	2	534775 191760
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	0	2	534780 191760
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	0	2	534795 191760
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	0	2	534810 191755
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	0	2	534790 191744
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	0	2	534795 191744
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	0	2	534800 191744
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	0	2	534810 191740
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	0	2	534805 191735
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	0	2	534805 191744
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	0	2	534810 191765
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	0	2	534805 191720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	0	2	534810 191715
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	0	2	534810 191705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	0	2	534760 191700
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	0	2	534770 191700
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	0	2	534805 191700
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	0	2	534725 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	0	2	534730 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	0	2	534760 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	0	2	534766 191695

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	0	2	534785 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	0	2	534790 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	0	2	534800 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	0	2	534765 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	0	2	534810 191700
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	0	2	534805 191780
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	0	2	534800 191785
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	2	2	534720 191705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	2	2	534720 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	2	2	534725 191690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	2	2	534735 191690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	2	2	534740 191690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	2	2	534755 191690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	2	2	534790 191800
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	3	2	534720 191690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	3	2	534766 191800
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	4	2	534790 191690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	4	2	534715 191795
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	6	2	534735 191800
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	6	2	534725 191800
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	6	2	534730 191800
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	7	2	534715 191710

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	8	2	534820 191750
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	8	2	534820 191744
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	8	2	534770 191685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	9	2	534810 191685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	9	2	534710 191795
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	10	2	534745 191805
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	12	2	534825 191730
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	12	2	534710 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	12	2	534825 191690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	12	2	534795 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	12	2	534720 191805
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	13	2	534825 191765
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	13	2	534825 191760
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	13	2	534765 191680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	14	2	534805 191680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	14	2	534810 191680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	16	2	534830 191715
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	16	2	534830 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	16	2	534725 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	16	2	534730 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	17	2	534705 191720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	17	2	534830 191720

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	17	2	534760 191675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	17	2	534790 191815
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	18	2	534830 191765
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	19	2	534710 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	21	2	534835 191705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	21	2	534835 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	21	2	534830 191680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	21	2	534730 191815
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	21	2	534735 191815
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	22	2	534835 191720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	22	2	534700 191715
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	22	2	534700 191700
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	22	2	534700 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	22	2	534745 191670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	22	2	534750 191670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	22	2	534705 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	23	2	534835 191685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	23	2	534760 191670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	24	2	534785 191670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	24	2	534795 191670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	24	2	534805 191670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	25	2	534735 191820

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	25	2	534835 191680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	26	2	534840 191690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	27	2	534840 191744
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	27	2	534840 191725
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	27	2	534695 191710
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	27	2	534725 191825
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	28	2	534840 191685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	28	2	534690 191700
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	29	2	534700 191815
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	29	2	534695 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	30	2	534815 191665
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	31	2	534825 191665
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	32	2	534690 191730
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	32	2	534800 191830
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	32	2	534745 191660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	33	2	534845 191770
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	33	2	534760 191660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	34	2	534805 191660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	34	2	534845 191790
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	36	2	534825 191660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	37	2	534685 191745
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	37	2	534685 191740

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	37	2	534685 191730
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	37	2	534850 191720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	37	2	534685 191695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	37	2	534790 191835
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	38	2	534850 191770
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	38	2	534850 191765
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	38	2	534850 191745
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	38	2	534766 191655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	39	2	534780 191655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	39	2	534805 191655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	40	2	534735 191835
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	41	2	534855 191690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	41	2	534725 191835
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	41	2	534730 191835
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	41	2	534680 191805
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	42	2	534680 191745
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	42	2	534680 191750
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	42	2	534680 191744
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	42	2	534680 191740
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	42	2	534855 191715
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	42	2	534680 191705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	42	2	534815 191840

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	42	2	534715 191835
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	42	2	534735 191650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	42	2	534745 191650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	43	2	534855 191765
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	43	2	534820 191840
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	43	2	534766 191650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	43	2	534775 191650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	44	2	534680 191680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	44	2	534780 191650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	44	2	534675 191795
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	47	2	534675 191755
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	47	2	534740 191645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	47	2	534750 191645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	48	2	534860 191755
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	48	2	534775 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	48	2	534820 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	48	2	534760 191645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	48	2	534766 191645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	48	2	534775 191645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	49	2	534860 191785
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	49	2	534780 191645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	50	2	534745 191845

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	50	2	534820 191645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	51	2	534865 191715
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	51	2	534865 191710
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	51	2	534830 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	52	2	534670 191745
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	52	2	534670 191744
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	52	2	534710 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	52	2	534715 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	53	2	534755 191640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	54	2	534825 191850
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	54	2	534705 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	54	2	534780 191640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	54	2	534795 191640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	56	2	534725 191850
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	57	2	534790 191855
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	57	2	534695 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	58	2	534820 191855
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	58	2	534835 191640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	58	2	534775 191635
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	59	2	534825 191855
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	59	2	534690 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	59	2	534780 191635

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	59	2	534870 191780
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	60	2	534735 191855
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	62	2	534795 191860
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	62	2	534800 191860
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	62	2	534710 191855
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	62	2	534870 191805
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	63	2	534765 191860
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	64	2	534675 191840
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	65	2	534735 191860
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	65	2	534680 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	67	2	534805 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	67	2	534670 191650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	67	2	534745 191625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	68	2	534820 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	68	2	534665 191655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	69	2	534755 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	69	2	534760 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	69	2	534655 191820
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	69	2	534785 191625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	69	2	534650 191790
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	70	2	534740 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	70	2	534650 191800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	70	2	534670 191645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	71	2	534720 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	71	2	534665 191650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	71	2	534680 191635
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	72	2	534800 191870
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	72	2	534710 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	72	2	534715 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	72	2	534885 191680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	73	2	534765 191870
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	74	2	534750 191870
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	74	2	534760 191870
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	74	2	534675 191635
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	74	2	534645 191795
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	74	2	534645 191790
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	74	2	534800 191620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	75	2	534745 191870
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	75	2	534885 191670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	75	2	534885 191800
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	76	2	534650 191825
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	77	2	534825 191615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	77	2	534790 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	77	2	534710 191870

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	77	2	534680 191860
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	77	2	534890 191720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	77	2	534750 191615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	78	2	534665 191850
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	78	2	534660 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	78	2	534890 191675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	78	2	534870 191640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	79	2	534760 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	79	2	534885 191815
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	79	2	534640 191790
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	79	2	534780 191615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	79	2	534785 191615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	79	2	534790 191615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	80	2	534815 191615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	80	2	534745 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	80	2	534675 191860
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	80	2	534890 191670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	80	2	534640 191805
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	81	2	534890 191665
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	82	2	534750 191610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	82	2	534795 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	82	2	534800 191880

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	82	2	534895 191725
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	82	2	534895 191720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	82	2	534665 191855
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	82	2	534660 191850
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	82	2	534655 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	83	2	534820 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	84	2	534780 191610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	84	2	534700 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	84	2	534785 191610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	85	2	534745 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	85	2	534870 191630
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	86	2	534720 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	86	2	534675 191620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	87	2	534735 191605
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	87	2	534710 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	87	2	534800 191885
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	87	2	534820 191885
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	88	2	534900 191765
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	89	2	534900 191775
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	89	2	534750 191885
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	89	2	534660 191860
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	89	2	534670 191620

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	90	2	534680 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	90	2	534695 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	90	2	534645 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	91	2	534830 191605
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	92	2	534725 191600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	92	2	534835 191605
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	92	2	534820 191890
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	92	2	534905 191735
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	92	2	534905 191730
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	92	2	534900 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	93	2	534766 191890
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	93	2	534675 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	93	2	534650 191855
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	93	2	534630 191820
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	94	2	534855 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	94	2	534800 191600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	94	2	534760 191890
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	94	2	534640 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	95	2	534820 191600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	95	2	534695 191885
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	96	2	534730 191890
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	96	2	534690 191885

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	96	2	534880 191625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	97	2	534785 191895
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	97	2	534790 191895
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	97	2	534820 191895
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	97	2	534690 191600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	97	2	534715 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	97	2	534720 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	97	2	534640 191850
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	98	2	534910 191760
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	98	2	534775 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	98	2	534870 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	98	2	534665 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	99	2	534650 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	100	2	534875 191615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	100	2	534815 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	100	2	534825 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	100	2	534820 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	100	2	534670 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	100	2	534655 191870
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	100	2	534640 191855
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	101	2	534725 191895
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	101	2	534670 191605

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	101	2	534720 191895
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	102	2	534675 191885
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	102	2	534690 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	102	2	534720 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	102	2	534730 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	102	2	534735 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	102	2	534740 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	102	2	534710 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	103	2	534915 191760
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	103	2	534705 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	103	2	534765 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	103	2	534766 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	104	2	534755 191900
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	104	2	534760 191900
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	104	2	534685 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	104	2	534635 191855
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	104	2	534895 191855
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	105	2	534625 191840
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	106	2	534850 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	107	2	534710 191900
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	107	2	534835 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	107	2	534715 191585

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	107	2	534735 191585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	107	2	534740 191585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	107	2	534905 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	107	2	534790 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	107	2	534820 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	108	2	534765 191585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	110	2	534860 191895
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	110	2	534870 191600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	110	2	534680 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	110	2	534815 191585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	110	2	534825 191585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	110	2	534910 191840
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	110	2	534740 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	110	2	534745 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	111	2	534690 191900
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	111	2	534665 191890
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	111	2	534650 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	111	2	534835 191585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	111	2	534725 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	111	2	534720 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	112	2	534665 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	112	2	534620 191845

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	112	2	534820 191910
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	112	2	534785 191910
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	112	2	534790 191910
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	113	2	534700 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	114	2	534795 191580
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	114	2	534620 191850
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	114	2	534925 191670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	114	2	534695 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	115	2	534680 191585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	115	2	534625 191860
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	115	2	534925 191665
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	115	2	534735 191910
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	115	2	534740 191910
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	117	2	534670 191900
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	117	2	534915 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	117	2	534785 191915
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	117	2	534790 191915
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	117	2	534710 191910
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	117	2	534685 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	118	2	534780 191575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	118	2	534605 191825
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	118	2	534775 191915

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	118	2	534680 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	119	2	534790 191575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	119	2	534795 191575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	119	2	534800 191575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	119	2	534805 191575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	119	2	534610 191840
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	119	2	534750 191915
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	120	2	534820 191575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	120	2	534835 191915
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	120	2	534915 191630
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	120	2	534675 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	121	2	534875 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	121	2	534675 191580
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	121	2	534630 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	121	2	534610 191845
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	121	2	534920 191635
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	121	2	534725 191915
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	121	2	534865 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	122	2	534800 191920
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	122	2	534820 191920
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	123	2	534765 191920
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	124	2	534795 191570

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	124	2	534800 191570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	124	2	534805 191570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	124	2	534750 191920
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	125	2	534625 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	125	2	534735 191920
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	125	2	534745 191920
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	125	2	534690 191915
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	126	2	534675 191575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	126	2	534660 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	127	2	534605 191850
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	127	2	534820 191925
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	127	2	534785 191925
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	127	2	534890 191895
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	127	2	534795 191925
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	127	2	534800 191925
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	127	2	534815 191925
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	127	2	534705 191920
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	127	2	534715 191920
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	128	2	534635 191890
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	128	2	534940 191745
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	128	2	534845 191570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	128	2	534780 191565

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	128	2	534775 191925
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	129	2	534680 191570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	129	2	534785 191565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	129	2	534795 191565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	129	2	534595 191830
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	129	2	534935 191820
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	129	2	534760 191925
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	129	2	534695 191920
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	130	2	534875 191580
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	130	2	534815 191565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	131	2	534670 191915
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	132	2	534880 191580
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	133	2	534770 191930
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	133	2	534655 191910
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	133	2	534640 191900
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	134	2	534785 191560
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	134	2	534935 191840
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	134	2	534675 191920
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	135	2	534620 191885
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	135	2	534675 191565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	135	2	534940 191825
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	136	2	534635 191900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	136	2	534940 191830
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	137	2	534670 191565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	137	2	534860 191565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	137	2	534800 191935
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	137	2	534805 191935
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	138	2	534950 191755
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	138	2	534950 191750
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	138	2	534825 191935
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	138	2	534775 191935
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	138	2	534945 191820
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	139	2	534610 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	139	2	534885 191575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	140	2	534605 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	140	2	534815 191555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	140	2	534855 191930
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	140	2	534950 191660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	140	2	534635 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	142	2	534810 191940
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	142	2	534950 191655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	143	2	534605 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	144	2	534810 191550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	144	2	534855 191935

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	145	2	534675 191555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	146	2	534595 191870
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	146	2	534890 191570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	146	2	534670 191555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	147	2	534900 191575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	147	2	534955 191815
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	148	2	534960 191750
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	148	2	534665 191555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	148	2	534680 191550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	148	2	534955 191820
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	148	2	534945 191625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	149	2	534595 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	149	2	534790 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	149	2	534620 191905
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	150	2	534815 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	151	2	534835 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	151	2	534630 191915
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	152	2	534805 191950
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	152	2	534960 191815
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	153	2	534965 191760
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	153	2	534965 191755
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	153	2	534780 191540

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	153	2	534675 191940
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	153	2	534950 191625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	154	2	534800 191540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	154	2	534785 191540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	154	2	534855 191945
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	155	2	534570 191835
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	155	2	534950 191620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	156	2	534605 191900
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	156	2	534580 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	156	2	534920 191580
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	156	2	534670 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	156	2	534965 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	157	2	534600 191895
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	157	2	534665 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	157	2	534800 191955
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	157	2	534785 191955
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	157	2	534805 191955
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	157	2	534965 191815
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	158	2	534970 191765
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	158	2	534565 191830
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	159	2	534675 191540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	159	2	534800 191535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	159	2	534890 191935
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	160	2	534600 191900
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	160	2	534565 191835
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	160	2	534970 191805
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	161	2	534590 191890
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	161	2	534580 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	161	2	534645 191550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	162	2	534780 191960
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	162	2	534790 191960
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	163	2	534975 191765
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	163	2	534880 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	163	2	534766 191960
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	164	2	534975 191775
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	164	2	534915 191565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	164	2	534805 191530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	164	2	534870 191950
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	164	2	534960 191620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	165	2	534570 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	165	2	534975 191805
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	166	2	534965 191625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	166	2	534895 191940
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	166	2	534625 191930

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	167	2	534580 191885
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	167	2	534795 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	167	2	534810 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	167	2	534820 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	167	2	534680 191530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	168	2	534585 191895
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	168	2	534675 191530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	168	2	534765 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	168	2	534780 191525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	169	2	534980 191775
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	169	2	534745 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	169	2	534660 191535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	169	2	534805 191525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	170	2	534925 191565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	170	2	534740 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	170	2	534645 191540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	171	2	534980 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	172	2	534570 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	172	2	534790 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	172	2	534815 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	172	2	534785 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	172	2	534710 191965

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	172	2	534665 191530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	173	2	534766 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	173	2	534830 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	173	2	534765 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	173	2	534870 191960
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	173	2	534645 191950
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	174	2	534755 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	174	2	534760 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	174	2	534885 191535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	174	2	534795 191520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	174	2	534590 191910
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	174	2	534985 191795
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	174	2	534985 191790
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	175	2	534645 191535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	175	2	534640 191950
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	176	2	534625 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	176	2	534840 191520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	177	2	534800 191975
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	177	2	534805 191975
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	177	2	534675 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	177	2	534555 191860
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	177	2	534660 191960

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	177	2	534985 191815
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	177	2	534590 191915
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	178	2	534670 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	178	2	534780 191515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	178	2	534605 191930
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	179	2	534990 191785
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	179	2	534990 191780
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	179	2	534755 191975
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	179	2	534560 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	179	2	534690 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	179	2	534670 191520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	179	2	534855 191520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	180	2	534735 191975
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	180	2	534650 191960
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	180	2	534990 191800
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	181	2	534965 191595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	181	2	534725 191975
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	181	2	534890 191530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	181	2	534600 191930
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	182	2	534810 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	182	2	534805 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	182	2	534815 191980

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	182	2	534735 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	182	2	534740 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	182	2	534755 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	183	2	534855 191975
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	183	2	534780 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	183	2	534885 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	183	2	534895 191530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	183	2	534895 191960
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	183	2	534610 191940
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	183	2	534990 191825
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	184	2	534840 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	184	2	534835 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	184	2	534690 191975
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	184	2	534915 191540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	185	2	534610 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	185	2	534690 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	185	2	534990 191830
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	185	2	534995 191805
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	186	2	534715 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	186	2	534555 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	186	2	534550 191870
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	186	2	534605 191940

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	187	2	534785 191985
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	187	2	534730 191505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	187	2	534750 191505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	187	2	534725 191505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	188	2	534775 191985
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	188	2	534700 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	188	2	534550 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	188	2	534895 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	188	2	534540 191850
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	188	2	534935 191550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	188	2	534895 191525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	188	2	534870 191515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	188	2	534755 191505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	188	2	534705 191505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	189	2	534630 191960
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	189	2	534600 191940
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	190	2	534730 191985
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	190	2	534550 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	190	2	534615 191535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	190	2	534685 191505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	191	2	534880 191515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	192	2	534820 191990

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	192	2	534825 191990
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	192	2	534675 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	192	2	534895 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	192	2	534605 191540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	192	2	534750 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	192	2	534725 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	192	2	534995 191630
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	193	2	534670 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	193	2	534700 191985
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	193	2	534610 191535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	193	2	534766 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	193	2	534770 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	193	2	534775 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	194	2	534690 191985
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	194	2	534840 191990
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	194	2	534925 191535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	194	2	534785 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	194	2	534790 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	194	2	535005 191795
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	194	2	535005 191790
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	195	2	534845 191990
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	195	2	534890 191975

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	195	2	534900 191970
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	195	2	534600 191540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	195	2	535000 191635
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	196	2	535005 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	196	2	534995 191620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	197	2	534825 191995
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	197	2	534790 191995
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	197	2	534895 191975
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	197	2	534815 191995
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	197	2	535000 191630
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	198	2	534775 191995
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	198	2	535000 191625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	198	2	534830 191995
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	198	2	534755 191495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	199	2	534840 191995
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	199	2	534640 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	199	2	534875 191505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	199	2	534585 191940
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	201	2	534535 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	201	2	534585 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	202	2	534655 191985
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	202	2	534615 191520

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	202	2	534645 191505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	202	2	534585 191945
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	203	2	534695 191995
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	203	2	534535 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	203	2	534910 191515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	203	2	534705 191490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	203	2	534755 191490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	203	2	534590 191950
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	204	2	534650 191985
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	204	2	534665 191990
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	204	2	534890 191985
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	204	2	534785 191490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	205	2	534865 191995
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	205	2	534680 191995
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	205	2	534590 191535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	205	2	534665 191495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	205	2	535015 191800
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	205	2	535005 191620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	206	2	534905 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	206	2	534585 191950
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	206	2	535015 191815
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	207	2	534705 192000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	207	2	534780 192005
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	207	2	534825 192005
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	208	2	534775 192005
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	208	2	535000 191600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	208	2	534920 191515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	208	2	534620 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	208	2	534765 192005
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	210	2	534680 192000
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	210	2	534905 191505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	211	2	534525 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	211	2	534570 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	212	2	534585 191530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	212	2	534785 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	212	2	534790 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	212	2	534825 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	213	2	534695 192005
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	213	2	535000 191590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	213	2	534525 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	213	2	534640 191495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	213	2	534775 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	213	2	534830 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	214	2	534585 191960

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	214	2	534805 191480
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	214	2	534760 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	214	2	534755 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	215	2	534905 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	216	2	534585 191525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	216	2	534560 191940
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	216	2	534675 192005
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	217	2	534900 191995
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	217	2	534590 191520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	217	2	534580 191960
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	217	2	534900 191495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	217	2	534750 191475
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	218	2	534570 191535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	218	2	534640 191490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	218	2	534755 191475
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	218	2	534830 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	218	2	534860 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	218	2	534695 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	218	2	534700 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	219	2	534560 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	219	2	534905 191495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	219	2	534665 191480

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	219	2	534840 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	219	2	534895 192000
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	220	2	534995 191570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	220	2	534615 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	220	2	534935 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	220	2	535030 191810
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	220	2	534730 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	220	2	534735 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	221	2	534580 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	221	2	534715 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	221	2	534720 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	221	2	534850 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	222	2	534995 191565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	222	2	534800 192020
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	222	2	534675 191475
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	222	2	534785 192020
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	222	2	534705 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	223	2	534765 191470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	223	2	534555 191945
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	223	2	534766 192020
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	223	2	534695 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	224	2	534570 191960

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	224	2	534615 191495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	225	2	534685 191470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	225	2	534735 192020
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	225	2	534740 192020
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	226	2	534510 191880
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	226	2	534555 191540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	226	2	534945 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	226	2	534930 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	226	2	534920 191495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	226	2	534610 191495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	226	2	534715 192020
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	227	2	534570 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	227	2	534565 191960
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	227	2	534785 192025
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	227	2	534560 191955
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	227	2	534875 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	227	2	534780 192025
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	227	2	534650 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	228	2	534990 191550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	228	2	534765 192025
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	229	2	534580 191975
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	229	2	534555 191535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	229	2	534560 191530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	229	2	534690 191465
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	229	2	534645 192010
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	230	2	534560 191960
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	230	2	534645 191475
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	230	2	534660 191470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	231	2	534990 191545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	231	2	534580 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	231	2	534900 191480
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	232	2	534575 191975
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	232	2	534710 191460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	232	2	534800 192030
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	232	2	534810 192030
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	232	2	534825 192030
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	233	2	534570 191515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	233	2	534765 192030
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	233	2	534880 192020
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	233	2	534895 192015
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	234	2	534500 191875
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	234	2	534985 191535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	234	2	534785 191460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	234	2	534630 192010

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	235	2	534645 191470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	235	2	534610 191485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	235	2	534735 192030
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	236	2	534575 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	236	2	534585 191500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	236	2	534855 192030
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	237	2	534985 191530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	237	2	534935 191490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	237	2	534850 191460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	237	2	534750 191455
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	237	2	534785 192035
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	237	2	534825 192035
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	237	2	534915 191480
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	238	2	534830 192035
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	238	2	534895 192020
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	239	2	534665 191460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	240	2	534575 191985
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	240	2	534490 191865
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	240	2	534900 191470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	240	2	534660 191460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	240	2	534835 191455
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	240	2	534740 192035

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	241	2	534580 191990
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	241	2	534550 191965
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	241	2	534720 192035
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	241	2	534715 192035
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	241	2	534890 192025
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	242	2	534565 191980
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	242	2	534490 191870
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	242	2	534800 192040
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	242	2	534815 192040
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	242	2	534785 192040
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	242	2	534805 192040
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	242	2	534825 192040
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	242	2	534740 191450
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	242	2	534745 191450
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	243	2	534570 191985
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	243	2	534830 192040
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	243	2	534835 192040
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	243	2	534865 192035
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	244	2	534750 192040
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	244	2	534980 191515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	244	2	534930 191480
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	244	2	534920 191475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	245	2	534530 191540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	245	2	534850 192040
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	245	2	534970 191505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	245	2	534660 191455
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	245	2	534685 191450
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	245	2	534625 192020
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	246	2	534490 191610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	246	2	534875 192035
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	246	2	534855 192040
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	246	2	534485 191625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	247	2	534825 192045
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	247	2	534555 191510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	247	2	534960 191495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	247	2	534875 191455
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	247	2	534745 191445
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	247	2	534755 191445
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	248	2	534530 191535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	248	2	534770 191445
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	248	2	534955 191490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	248	2	534635 191460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	248	2	534765 191445
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	249	2	534580 192000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	249	2	534485 191615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	249	2	534750 192045
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	249	2	534900 192030
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	250	2	534735 192045
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	250	2	534850 192045
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	250	2	534900 191460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	250	2	534885 191455
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	250	2	534625 192025
	JBA 200 Year Return (undefended) - Coastal None				
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	0	2	534765 191775
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	0	2	534766 191775
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	0	2	534766 191765
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	0	2	534770 191765
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	0	2	534735 191755
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	0	2	534730 191750
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	0	2	534766 191725
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	0	2	534780 191725
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	0	2	534770 191760
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SE)	0	2	534766 191744
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	0	2	534725 191700
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	0	2	534730 191790
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	0	2	534755 191790

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	0	2	534765 191780
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	0	2	534760 191780
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	0	2	534730 191780
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	0	2	534750 191780
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	0	2	534780 191744
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	0	2	534770 191720
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	0	2	534766 191695
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	0	2	534790 191695
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	2	2	534720 191705
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	2	2	534755 191690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	2	2	534725 191690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	3	2	534765 191690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	4	2	534795 191690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	4	2	534805 191690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	8	2	534820 191750
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	11	2	534820 191685
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	12	2	534710 191760
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	12	2	534710 191750
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	12	2	534825 191730
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	12	2	534710 191744
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	13	2	534765 191680
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	13	2	534825 191750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	13	2	534825 191745
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	16	2	534830 191715
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	16	2	534705 191765
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	16	2	534830 191695
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	17	2	534760 191675
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	17	2	534720 191810
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	17	2	534830 191690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	21	2	534830 191680
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	21	2	534835 191700
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	22	2	534700 191745
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	23	2	534835 191685
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	23	2	534835 191770
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	23	2	534710 191815
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	25	2	534815 191670
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	31	2	534825 191665
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	34	2	534685 191790
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	36	2	534690 191815
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	40	2	534820 191655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 1.0m	A13NE (NE)	41	2	534840 191825
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	41	2	534825 191655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	42	2	534745 191650
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	43	2	534855 191755

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	43	2	534766 191650
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	46	2	534850 191665
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	47	2	534840 191655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	47	2	534690 191830
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	47	2	534675 191735
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	47	2	534675 191720
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	47	2	534675 191690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	48	2	534820 191845
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	49	2	534670 191790
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	50	2	534700 191840
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	50	2	534680 191825
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	51	2	534865 191710
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	51	2	534730 191845
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	52	2	534670 191755
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	54	2	534780 191640
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	54	2	534685 191835
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	54	2	534865 191675
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	57	2	534665 191810
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	57	2	534870 191720
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	58	2	534835 191640
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	61	2	534865 191660
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	65	2	534815 191630

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	67	2	534880 191680
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	67	2	534670 191650
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	69	2	534785 191625
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	69	2	534650 191785
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 1.0m	A13NE (NE)	70	2	534880 191795
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	71	2	534680 191635
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	71	2	534845 191630
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	72	2	534650 191690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	73	2	534650 191685
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	73	2	534820 191870
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	73	2	534875 191655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	74	2	534885 191675
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	74	2	534760 191870
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	76	2	534720 191870
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	76	2	534730 191870
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 1.0m	A13SE (E)	77	2	534890 191735
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	77	2	534885 191665
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	78	2	534705 191870
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	79	2	534655 191650
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	79	2	534780 191615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	79	2	534785 191615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	80	2	534815 191615

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 1.0m	A13NE (E)	84	2	534895 191790
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	84	2	534785 191610
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	85	2	534740 191880
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	86	2	534725 191880
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	87	2	534720 191605
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	87	2	534735 191605
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	88	2	534655 191635
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	89	2	534630 191790
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	89	2	534670 191620
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	90	2	534635 191825
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	91	2	534830 191605
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	91	2	534890 191645
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	92	2	534665 191620
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	92	2	534630 191815
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	94	2	534625 191790
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	94	2	534625 191785
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	94	2	534800 191600
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	95	2	534625 191815
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	95	2	534735 191890
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	96	2	534630 191830
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	97	2	534820 191895
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	97	2	534725 191595

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	98	2	534665 191875
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	98	2	534625 191680
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	98	2	534910 191760
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	98	2	534685 191885
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	99	2	534660 191615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	101	2	534725 191895
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	101	2	534690 191890
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	102	2	534710 191895
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	102	2	534790 191900
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	103	2	534650 191870
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	103	2	534915 191755
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	106	2	534905 191640
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	106	2	534910 191650
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	107	2	534635 191860
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	107	2	534720 191585
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	107	2	534745 191585
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 1.0m	A13NE (NE)	108	2	534885 191875
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	109	2	534760 191905
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	109	2	534660 191885
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	109	2	534610 191795
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	110	2	534695 191585
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	112	2	534710 191580

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	113	2	534910 191850
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	114	2	534785 191580
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	114	2	534800 191580
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	114	2	534670 191590
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	115	2	534625 191860
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	115	2	534695 191580
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	115	2	534660 191595
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	115	2	534815 191580
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 1.0m	A13NE (NE)	116	2	534885 191885
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	116	2	534615 191845
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	117	2	534620 191855
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	117	2	534930 191744
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	117	2	534605 191690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	117	2	534715 191575
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	120	2	534675 191905
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	120	2	534600 191780
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	120	2	534645 191600
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	121	2	534720 191915
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	122	2	534800 191920
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	122	2	534655 191590
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	123	2	534780 191570
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	123	2	534880 191590

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	124	2	534680 191575
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	124	2	534785 191570
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	125	2	534875 191585
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	126	2	534720 191920
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	126	2	534685 191915
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	127	2	534820 191925
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	128	2	534770 191925
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	129	2	534890 191590
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	130	2	534905 191885
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	132	2	534785 191930
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	132	2	534945 191744
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	133	2	534640 191900
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	133	2	534900 191895
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	134	2	534585 191800
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	134	2	534585 191785
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	135	2	534660 191915
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	137	2	534585 191820
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	138	2	534950 191745
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	139	2	534760 191935
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	139	2	534580 191795
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	139	2	534800 191555
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	140	2	534855 191930

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	140	2	534580 191780
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	141	2	534880 191570
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	142	2	534955 191744
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	144	2	534910 191900
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	144	2	534575 191785
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	144	2	534800 191550
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	145	2	534575 191775
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	145	2	534575 191770
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	146	2	534660 191560
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	147	2	534705 191940
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	147	2	534910 191905
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	148	2	534595 191615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	148	2	534955 191820
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	150	2	534570 191810
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	150	2	534585 191860
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	151	2	534955 191640
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	151	2	534655 191930
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	152	2	534780 191950
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	153	2	534665 191550
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	154	2	534855 191945
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	154	2	534905 191570
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	155	2	534650 191555

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	155	2	534565 191770
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	157	2	534740 191535
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	158	2	534775 191535
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	161	2	534895 191555
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	162	2	534960 191625
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	164	2	534970 191645
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	165	2	534900 191935
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	165	2	534555 191810
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	165	2	534885 191545
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	167	2	534600 191910
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	167	2	534820 191965
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	168	2	534555 191830
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	169	2	534925 191920
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	169	2	534935 191910
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	170	2	534645 191540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	172	2	534675 191960
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	172	2	534980 191815
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	173	2	534985 191755
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	174	2	534590 191910
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	174	2	534985 191795
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	174	2	534815 191520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	175	2	534895 191950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	175	2	534635 191540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	176	2	534940 191915
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	176	2	534575 191595
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	177	2	534785 191975
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	177	2	534620 191940
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	178	2	534985 191825
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	179	2	534940 191920
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	179	2	534545 191665
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	179	2	534990 191790
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	181	2	534640 191530
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	181	2	534545 191655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	181	2	534900 191535
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	182	2	534745 191510
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	182	2	534970 191600
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	183	2	534910 191950
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	187	2	534820 191985
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	187	2	534995 191820
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	188	2	534670 191975
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	188	2	534990 191845
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	189	2	534540 191640
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	189	2	534610 191540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	189	2	535000 191790

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	190	2	534935 191940
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	190	2	534620 191955
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	192	2	534810 191990
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	192	2	534605 191540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	192	2	534745 191500
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	193	2	534770 191500
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	193	2	534940 191940
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	193	2	534995 191845
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	194	2	534690 191500
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	195	2	534620 191525
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	195	2	534550 191890
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	195	2	534600 191540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	197	2	534820 191995
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	198	2	534835 191995
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	198	2	534640 191975
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	198	2	534775 191995
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	199	2	534585 191940
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	200	2	534685 191495
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	201	2	535005 191840
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	201	2	534590 191540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	202	2	534790 192000
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	203	2	535000 191865

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	203	2	535015 191750
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	204	2	534785 191490
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	206	2	535015 191650
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	207	2	534800 192005
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	207	2	534515 191725
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	207	2	535020 191744
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	208	2	534900 191985
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	208	2	534580 191540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	208	2	534910 191510
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	209	2	534565 191935
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	209	2	535015 191830
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	210	2	534930 191970
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	210	2	534530 191885
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	211	2	535005 191605
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	211	2	534575 191540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	211	2	534600 191520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	211	2	534570 191545
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	212	2	534815 192010
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	213	2	534835 192010
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	213	2	534935 191970
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	213	2	535005 191880
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	213	2	535015 191625

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	213	2	535010 191610
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	214	2	535025 191660
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	215	2	534570 191540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	216	2	534945 191965
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	217	2	534900 191995
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	218	2	535025 191640
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	218	2	534640 191490
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	219	2	534915 191500
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	219	2	534760 192015
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	219	2	535005 191895
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	220	2	534680 192010
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	220	2	535005 191585
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	220	2	535030 191655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	221	2	534660 191480
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	221	2	534935 191980
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	221	2	535030 191815
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	222	2	534700 192015
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	222	2	534800 192020
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	222	2	534825 192020
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	222	2	534500 191725
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	223	2	534835 192020
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	223	2	534635 192000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	223	2	535025 191850
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	223	2	535020 191610
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	224	2	534940 191980
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	225	2	534560 191535
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	225	2	534685 191470
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	226	2	534945 191510
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	226	2	535005 191910
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	226	2	535030 191840
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	226	2	535040 191680
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	226	2	534555 191540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	226	2	535000 191565
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	228	2	535035 191640
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	228	2	534905 191485
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	228	2	534575 191970
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	228	2	534545 191940
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	229	2	534645 192010
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	229	2	534755 192025
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	230	2	535025 191875
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	230	2	534630 192005
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	231	2	534900 192010
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	232	2	534635 192010
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	232	2	534710 192025

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	232	2	535010 191570
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	233	2	534770 192030
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	233	2	535045 191665
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	233	2	534505 191885
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	234	2	534785 191460
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	234	2	534745 192030
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	234	2	534760 192030
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	234	2	535045 191655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	235	2	535000 191550
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	235	2	535035 191615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	237	2	534925 192005
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	237	2	535050 191735
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	237	2	535050 191725
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	238	2	535050 191665
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	238	2	534905 191475
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	238	2	534765 191455
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	239	2	535025 191900
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	239	2	534490 191860
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	239	2	535045 191835
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	239	2	535050 191795
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	241	2	534715 192035
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	241	2	534480 191825

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	241	2	534845 191455
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	242	2	534530 191945
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	243	2	535055 191765
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	243	2	535045 191620
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	244	2	534930 191480
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	244	2	534575 191990
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	244	2	535010 191935
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	244	2	534545 191965
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	244	2	534995 191530
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	245	2	534640 192025
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	245	2	534835 191450
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	246	2	535055 191645
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	247	2	534905 191465
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	248	2	535045 191605
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	248	2	534755 191445
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	248	2	534665 192035
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	248	2	534645 192030
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	249	2	534885 192035
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	249	2	535045 191875
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	249	2	534485 191615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	249	2	535050 191615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	249	2	535030 191570

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	249	2	535040 191590
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	250	2	534565 191990
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	250	2	534735 192045
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	0	2	534775 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	0	2	534780 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	0	2	534785 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	0	2	534745 191740
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	0	2	534785 191740
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	0	2	534740 191735
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	0	2	534745 191735
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	0	2	534810 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	0	2	534745 191730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	0	2	534750 191730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	0	2	534760 191730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	0	2	534770 191730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	0	2	534785 191730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	0	2	534766 191725
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	0	2	534780 191725
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	0	2	534810 191725
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	0	2	534770 191720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	0	2	534775 191720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	0	2	534790 191725

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	0	2	534775 191760
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	0	2	534760 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	0	2	534766 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	0	2	534775 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	0	2	534790 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	0	2	534800 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	0	2	534805 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	0	2	534755 191710
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SE)	0	2	534766 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	0	2	534745 191700
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	0	2	534740 191795
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	0	2	534765 191780
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	0	2	534766 191795
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	0	2	534755 191790
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	0	2	534725 191695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	0	2	534730 191695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	0	2	534785 191695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	0	2	534725 191785
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	0	2	534750 191785
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	0	2	534720 191780
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	0	2	534725 191780
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	0	2	534730 191780

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	0	2	534750 191780
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	0	2	534755 191780
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	0	2	534760 191780
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	0	2	534720 191775
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	0	2	534775 191765
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	0	2	534770 191765
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	0	2	534765 191765
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	0	2	534766 191765
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	0	2	534770 191760
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	0	2	534775 191755
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	0	2	534785 191755
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	0	2	534795 191750
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	0	2	534790 191745
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	0	2	534765 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	2	2	534815 191720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	2	2	534720 191710
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	2	2	534720 191705
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	2	2	534720 191795
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	2	2	534725 191690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	2	2	534730 191690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	2	2	534735 191690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	2	2	534755 191690

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	2	2	534710 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	3	2	534720 191690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	4	2	534760 191810
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	5	2	534750 191800
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	5	2	534715 191770
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	6	2	534725 191800
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	7	2	534715 191740
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	7	2	534820 191735
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	7	2	534715 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	7	2	534715 191710
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	7	2	534715 191690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	7	2	534735 191685
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	7	2	534715 191750
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	7	2	534715 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	12	2	534710 191720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	12	2	534710 191745
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	12	2	534710 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	13	2	534825 191745
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	14	2	534785 191670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	16	2	534830 191710
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	16	2	534725 191810
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	16	2	534830 191700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	17	2	534705 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	17	2	534705 191730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	17	2	534830 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	17	2	534720 191810
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	17	2	534825 191800
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	17	2	534745 191675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	18	2	534766 191675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	19	2	534710 191810
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	21	2	534725 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	21	2	534835 191705
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	22	2	534700 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	22	2	534715 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	22	2	534700 191695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	23	2	534710 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	23	2	534835 191770
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	23	2	534760 191670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	23	2	534766 191670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	23	2	534775 191670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	24	2	534695 191795
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	25	2	534830 191675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	26	2	534725 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	27	2	534840 191715

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	27	2	534695 191710
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	27	2	534695 191700
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	27	2	534695 191695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	27	2	534695 191690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	27	2	534750 191665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	28	2	534766 191825
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	28	2	534710 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	28	2	534760 191665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	28	2	534840 191750
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	29	2	534820 191825
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	29	2	534765 191825
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	29	2	534785 191665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	30	2	534740 191825
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	31	2	534845 191705
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	32	2	534690 191735
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	32	2	534690 191730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	33	2	534845 191755
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	33	2	534830 191665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	33	2	534765 191660
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	34	2	534690 191680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	34	2	534790 191660
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	36	2	534690 191815

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	37	2	534685 191740
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	37	2	534685 191735
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	37	2	534685 191700
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	37	2	534685 191745
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	37	2	534755 191655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	38	2	534765 191655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	38	2	534766 191655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	39	2	534800 191655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	39	2	534805 191655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	39	2	534810 191655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	42	2	534680 191700
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	42	2	534785 191840
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	42	2	534680 191750
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	42	2	534680 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	42	2	534735 191650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	42	2	534745 191650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	43	2	534690 191825
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	43	2	534855 191770
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	43	2	534766 191840
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	43	2	534755 191650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	43	2	534766 191650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	43	2	534760 191650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	43	2	534775 191650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	44	2	534675 191790
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	44	2	534680 191680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	44	2	534795 191650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	46	2	534730 191840
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	46	2	534850 191665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	47	2	534675 191720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	47	2	534740 191645
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	47	2	534675 191755
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	48	2	534675 191685
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	48	2	534820 191845
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	49	2	534670 191790
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	49	2	534675 191680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	50	2	534685 191830
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	50	2	534700 191840
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	50	2	534675 191675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	51	2	534865 191710
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	51	2	534865 191705
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	51	2	534840 191650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	52	2	534695 191840
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	52	2	534670 191690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	52	2	534865 191685

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	52	2	534795 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	52	2	534670 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	53	2	534670 191685
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	53	2	534760 191640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	54	2	534685 191835
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	54	2	534795 191640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	54	2	534780 191640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	56	2	534870 191715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	56	2	534865 191670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	57	2	534870 191720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	57	2	534665 191810
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	57	2	534810 191855
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	58	2	534665 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	58	2	534705 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	59	2	534780 191635
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	59	2	534660 191790
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	59	2	534690 191845
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	60	2	534660 191805
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	60	2	534660 191800
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	60	2	534700 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	61	2	534675 191835
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	61	2	534720 191855

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	62	2	534735 191630
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	63	2	534665 191825
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	65	2	534660 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	65	2	534665 191660
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	67	2	534670 191650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	69	2	534800 191625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	69	2	534650 191795
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	69	2	534650 191790
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	69	2	534785 191625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	70	2	534825 191625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	70	2	534675 191640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	71	2	534680 191635
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	71	2	534665 191650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	72	2	534885 191720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	72	2	534885 191680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	72	2	534675 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	73	2	534765 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	73	2	534820 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	74	2	534675 191635
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	74	2	534650 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	74	2	534750 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	74	2	534755 191870

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	74	2	534760 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	75	2	534645 191805
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	75	2	534665 191845
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	76	2	534650 191825
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	76	2	534720 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	76	2	534730 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	77	2	534890 191720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	77	2	534745 191615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	77	2	534750 191615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	77	2	534835 191620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	77	2	534710 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	77	2	534690 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	77	2	534890 191680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	78	2	534650 191830
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	78	2	534890 191675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	79	2	534780 191615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	79	2	534785 191615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	79	2	534685 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	79	2	534795 191615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	80	2	534735 191875
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	81	2	534730 191875
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	81	2	534640 191810

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	81	2	534660 191640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	83	2	534885 191830
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	83	2	534895 191675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	84	2	534665 191630
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	84	2	534755 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	84	2	534780 191610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	85	2	534895 191670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	85	2	534670 191625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	86	2	534675 191620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	86	2	534740 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	86	2	534725 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	86	2	534665 191860
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	87	2	534900 191725
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	87	2	534900 191720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	87	2	534690 191875
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	87	2	534735 191605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	87	2	534740 191605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	88	2	534705 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	88	2	534665 191625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	88	2	534765 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	89	2	534670 191620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	89	2	534760 191885

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	89	2	534800 191605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	89	2	534660 191860
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	89	2	534630 191795
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	89	2	534630 191790
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	90	2	534745 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	90	2	534695 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	90	2	534825 191605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	91	2	534660 191625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	92	2	534905 191744
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	92	2	534905 191730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	92	2	534820 191890
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	92	2	534720 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	92	2	534725 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	92	2	534745 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	92	2	534740 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	93	2	534630 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	93	2	534670 191615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	93	2	534705 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	93	2	534710 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	93	2	534650 191855
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	94	2	534760 191890
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	94	2	534625 191790

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	94	2	534625 191795
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	94	2	534640 191845
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	95	2	534660 191620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	96	2	534655 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	96	2	534830 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	97	2	534795 191895
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	97	2	534670 191610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	97	2	534690 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	97	2	534835 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	97	2	534890 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	97	2	534815 191895
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	97	2	534640 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	97	2	534720 191595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	98	2	534685 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	98	2	534625 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	98	2	534665 191875
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	98	2	534775 191595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	98	2	534910 191760
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	98	2	534910 191745
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	99	2	534760 191895
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	99	2	534700 191890
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	99	2	534675 191605

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	99	2	534800 191595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	99	2	534620 191800
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	100	2	534665 191610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	100	2	534820 191595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	100	2	534825 191595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	101	2	534720 191895
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	101	2	534725 191895
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	101	2	534670 191605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	102	2	534675 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	102	2	534835 191595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	102	2	534750 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	103	2	534700 191895
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	103	2	534650 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	103	2	534840 191595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	103	2	534760 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	103	2	534765 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	103	2	534775 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	103	2	534766 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	103	2	534915 191760
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	104	2	534760 191900
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	104	2	534750 191900
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	104	2	534755 191900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	104	2	534665 191605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	104	2	534685 191595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	104	2	534615 191790
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	104	2	534805 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	105	2	534625 191840
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	105	2	534670 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	105	2	534815 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	105	2	534825 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	106	2	534830 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	106	2	534895 191860
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	107	2	534710 191900
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	107	2	534650 191875
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	107	2	534635 191860
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	107	2	534730 191585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	107	2	534740 191585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	108	2	534780 191585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	108	2	534920 191755
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	109	2	534755 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	109	2	534660 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	109	2	534700 191585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	110	2	534745 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	110	2	534740 191905

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	111	2	534720 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	111	2	534690 191900
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	111	2	534665 191890
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	112	2	534665 191595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	112	2	534715 191580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	112	2	534725 191580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	112	2	534735 191580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	112	2	534740 191580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	112	2	534745 191580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	113	2	534705 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	113	2	534895 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	113	2	534900 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	113	2	534685 191585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	113	2	534705 191580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	113	2	534925 191770
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	113	2	534925 191745
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	114	2	534610 191825
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	114	2	534670 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	114	2	534910 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	114	2	534795 191580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	115	2	534650 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	115	2	534625 191860

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	115	2	534905 191860
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	115	2	534680 191585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	116	2	534615 191845
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	117	2	534685 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	117	2	534915 191845
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	118	2	534766 191915
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	118	2	534680 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	118	2	534780 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	119	2	534920 191840
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	119	2	534755 191915
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	119	2	534760 191915
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	119	2	534680 191580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	119	2	534790 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	119	2	534795 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	119	2	534800 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	119	2	534805 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	120	2	534745 191915
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	120	2	534675 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	120	2	534815 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	121	2	534720 191915
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	121	2	534725 191915
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	121	2	534730 191915

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	121	2	534630 191875
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	121	2	534610 191845
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	122	2	534710 191915
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	123	2	534880 191590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	123	2	534845 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	123	2	534935 191745
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	124	2	534810 191570
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	125	2	534690 191915
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	125	2	534735 191920
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	125	2	534865 191580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	126	2	534660 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	127	2	534785 191925
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	127	2	534705 191920
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	127	2	534715 191920
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	128	2	534635 191890
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	128	2	534630 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	128	2	534610 191860
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	128	2	534770 191925
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	128	2	534780 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	129	2	534750 191925
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	129	2	534755 191925
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	129	2	534760 191925

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	129	2	534785 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	129	2	534790 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	129	2	534795 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	129	2	534800 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	129	2	534805 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	130	2	534645 191900
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	130	2	534900 191890
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	130	2	534740 191925
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	130	2	534665 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	130	2	534930 191845
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	130	2	534815 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	131	2	534670 191915
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	131	2	534650 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	131	2	534590 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	132	2	534820 191930
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	132	2	534605 191860
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	132	2	534795 191930
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	132	2	534600 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	133	2	534655 191910
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	133	2	534640 191900
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	133	2	534770 191930
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	133	2	534890 191585

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	134	2	534940 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	134	2	534835 191930
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	134	2	534675 191920
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	134	2	534785 191560
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	135	2	534620 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	135	2	534825 191560
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	136	2	534590 191835
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	136	2	534635 191900
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	136	2	534940 191830
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	137	2	534940 191835
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	137	2	534585 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	137	2	534785 191935
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	137	2	534810 191935
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	138	2	534915 191600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	138	2	534620 191890
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	138	2	534585 191825
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	138	2	534950 191745
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	139	2	534615 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	139	2	534760 191935
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	139	2	534665 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	139	2	534800 191555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	139	2	534810 191555

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	141	2	534640 191910
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	141	2	534900 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	141	2	534890 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	142	2	534580 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	142	2	534775 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	143	2	534766 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	143	2	534765 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	143	2	534900 191580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	144	2	534755 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	144	2	534800 191550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	145	2	534670 191930
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	147	2	534600 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	147	2	534575 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	147	2	534785 191945
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	147	2	534900 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	148	2	534900 191915
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	148	2	534955 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	148	2	534960 191755
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	148	2	534895 191570
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	148	2	534960 191750
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	148	2	534665 191555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	148	2	534680 191550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	149	2	534620 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	149	2	534795 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	149	2	534595 191875
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	149	2	534960 191665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	149	2	534790 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	149	2	534800 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	150	2	534855 191550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	151	2	534595 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	151	2	534915 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	151	2	534900 191570
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	152	2	534795 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	152	2	534800 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	152	2	534960 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	153	2	534605 191895
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	153	2	534960 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	153	2	534965 191750
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	153	2	534895 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	154	2	534800 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	154	2	534805 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	154	2	534750 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	154	2	534745 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	154	2	534905 191570

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	155	2	534735 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	155	2	534740 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	155	2	534965 191805
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	155	2	534900 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	156	2	534605 191900
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	156	2	534720 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	156	2	534725 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	156	2	534580 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	157	2	534595 191890
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	157	2	534710 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	157	2	534715 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	157	2	534965 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	157	2	534665 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	157	2	534680 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	158	2	534780 191535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	158	2	534565 191830
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	158	2	534825 191955
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	158	2	534570 191845
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	158	2	534970 191755
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	159	2	534580 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	159	2	534905 191925
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	159	2	534660 191545

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	160	2	534595 191895
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	160	2	534565 191835
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	160	2	534740 191955
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	160	2	534840 191955
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	160	2	534735 191955
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	160	2	534970 191805
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	160	2	534970 191800
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	160	2	534570 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	160	2	534970 191660
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	161	2	534590 191890
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	161	2	534560 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	161	2	534970 191810
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	161	2	534910 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	161	2	534895 191555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	161	2	534645 191550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	162	2	534680 191535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	163	2	534600 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	163	2	534675 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	163	2	534575 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	163	2	534975 191765
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	163	2	534650 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	163	2	534890 191550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	164	2	534805 191530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	164	2	534660 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	165	2	534560 191835
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	165	2	534555 191810
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	165	2	534555 191805
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	165	2	534975 191800
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	165	2	534920 191920
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	166	2	534685 191530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	166	2	534895 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	166	2	534975 191810
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	166	2	534560 191840
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	167	2	534820 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	167	2	534710 191960
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	167	2	534905 191935
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	168	2	534766 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	168	2	534585 191895
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	168	2	534775 191525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	168	2	534565 191860
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	168	2	534980 191770
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	168	2	534650 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	169	2	534935 191910
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	169	2	534660 191535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	169	2	534750 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	169	2	534760 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	169	2	534580 191890
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	170	2	534885 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	170	2	534735 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	170	2	534565 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	170	2	534910 191935
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	171	2	534725 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	171	2	534575 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	171	2	534550 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	171	2	534650 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	171	2	534980 191655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	171	2	534635 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	171	2	534840 191525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	172	2	534820 191970
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	172	2	534710 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	172	2	534665 191530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	172	2	534705 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	172	2	534715 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	172	2	534890 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	172	2	534980 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	172	2	534905 191940

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	173	2	534700 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	173	2	534770 191520
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	173	2	534900 191945
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	174	2	534585 191905
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	174	2	534885 191535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	174	2	534690 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	174	2	534600 191920
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	174	2	534985 191775
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	175	2	534645 191535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	175	2	534730 191970
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	175	2	534895 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	176	2	534680 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	176	2	534720 191970
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	176	2	534545 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	176	2	534905 191945
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	177	2	534785 191975
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	177	2	534740 191515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	177	2	534600 191925
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	177	2	534555 191860
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	178	2	534670 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	178	2	534675 191520
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	178	2	534770 191515

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	179	2	534695 191515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	179	2	534555 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	179	2	534990 191795
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	179	2	534990 191775
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	179	2	534620 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	180	2	534905 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	180	2	534540 191805
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	182	2	534720 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	182	2	534730 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	182	2	534735 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	182	2	534755 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	182	2	534605 191935
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	182	2	534785 191980
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	182	2	534775 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	183	2	534895 191530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	183	2	534895 191960
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	183	2	534700 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	183	2	534705 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	183	2	534765 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	183	2	534610 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	183	2	534830 191980
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	183	2	534770 191980

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	183	2	534780 191980
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	183	2	534545 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	184	2	534690 191975
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	184	2	534885 191525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	184	2	534615 191945
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	184	2	534695 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	184	2	534785 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	184	2	534550 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	184	2	534995 191785
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	184	2	534995 191780
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	184	2	534915 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	185	2	534685 191975
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	185	2	534600 191935
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	186	2	534990 191835
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	186	2	534665 191515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	186	2	534550 191870
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	187	2	534675 191975
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	187	2	534995 191820
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	187	2	534610 191945
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	187	2	534710 191505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	188	2	534895 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	188	2	534905 191530

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	188	2	534555 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	188	2	534775 191985
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	188	2	534780 191985
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	188	2	534695 191980
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	188	2	534670 191975
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	188	2	534700 191505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	189	2	534915 191535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	189	2	534670 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	189	2	534695 191505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	189	2	535000 191785
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	189	2	534995 191830
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	190	2	534615 191535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	190	2	534910 191530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	190	2	534530 191815
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	191	2	534910 191960
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	191	2	534680 191980
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	192	2	534675 191980
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	192	2	534820 191990
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	192	2	534595 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	192	2	534725 191500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	192	2	534740 191500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	192	2	534745 191500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	192	2	534965 191575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	192	2	534605 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	193	2	534905 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	193	2	534610 191535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	193	2	534695 191985
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	193	2	534675 191505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	193	2	534850 191505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	193	2	534540 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	194	2	534690 191500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	194	2	535005 191780
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	194	2	535005 191775
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	194	2	535000 191640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	195	2	534900 191970
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	195	2	534845 191990
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	195	2	534525 191805
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	195	2	534600 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	195	2	535005 191655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	196	2	535005 191650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	197	2	534790 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	197	2	534820 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	197	2	534940 191945
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	197	2	534655 191980

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	197	2	534725 191495
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	197	2	534750 191495
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	198	2	534770 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	198	2	534950 191550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	198	2	534835 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	198	2	534775 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	198	2	534535 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	199	2	535005 191830
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	199	2	534540 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	199	2	534585 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	200	2	534665 191500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	200	2	535010 191655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	201	2	534645 191980
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	201	2	534585 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	202	2	534820 192000
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	202	2	534800 192000
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	202	2	534675 191990
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	202	2	534585 191945
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	202	2	534580 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	202	2	534615 191520
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	202	2	534645 191505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	203	2	534780 192000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	203	2	534695 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	203	2	534590 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	203	2	534535 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	204	2	534690 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	205	2	534590 191535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	205	2	535010 191835
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	206	2	534915 191515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	206	2	534575 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	207	2	534790 192005
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	207	2	534800 192005
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	207	2	534525 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	207	2	534675 191490
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	208	2	535010 191625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	208	2	534530 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	208	2	534620 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	208	2	534910 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	208	2	534900 191985
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	208	2	535010 191850
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	209	2	534580 191950
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	209	2	535020 191780
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	210	2	534680 192000
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	210	2	534905 191505

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	210	2	535020 191800
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	211	2	534915 191980
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	211	2	534570 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	212	2	534820 192010
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	212	2	534815 192010
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	212	2	534825 192010
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	212	2	534585 191530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	212	2	534790 192010
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	212	2	534655 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	212	2	534640 191990
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	212	2	534745 191480
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	212	2	534970 191550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	213	2	534775 192010
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	213	2	534766 192010
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	213	2	534650 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	213	2	534640 191495
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	214	2	534595 191520
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	214	2	534665 191485
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	215	2	534680 192005
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	215	2	534645 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	215	2	534520 191875
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	215	2	535025 191805

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	216	2	534955 191530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	216	2	534675 192005
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	216	2	534585 191525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	216	2	534560 191940
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	216	2	534515 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	216	2	535000 191585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	217	2	534710 192010
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	217	2	534580 191960
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	217	2	534900 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	218	2	534585 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	218	2	534570 191535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	218	2	534640 191490
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	218	2	534990 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	219	2	534760 192015
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	219	2	534905 191495
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	219	2	534870 192010
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	219	2	534915 191500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	219	2	534510 191860
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	219	2	535030 191800
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	219	2	535030 191795
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	220	2	534660 192005
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	220	2	535030 191810

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	220	2	535030 191805
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	220	2	534615 191500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	221	2	534660 191480
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	221	2	534510 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	221	2	534920 191500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	222	2	534700 192015
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	222	2	534900 192000
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	222	2	534625 191995
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	222	2	534515 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	222	2	534995 191565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	222	2	534555 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	222	2	534720 191470
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	223	2	534835 192020
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	223	2	534695 192015
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	223	2	535035 191795
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	224	2	534645 192005
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	224	2	534515 191885
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	224	2	534905 192000
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	224	2	534510 191875
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	224	2	534495 191800
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	224	2	534615 191495
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	225	2	534495 191805

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	226	2	534715 192020
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	226	2	534555 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	226	2	534640 192005
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	226	2	534510 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	226	2	534725 192020
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	226	2	534935 191985
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	227	2	534560 191955
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	227	2	534825 192025
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	227	2	534640 191480
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	229	2	534840 192025
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	229	2	534550 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	229	2	534645 192010
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	229	2	534750 192025
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	229	2	534755 192025
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	229	2	534580 191975
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	230	2	534630 192005
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	230	2	534560 191960
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	230	2	534730 192025
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	230	2	534920 191490
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	230	2	534645 191475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	231	2	534990 191545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	232	2	534705 192025

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	232	2	534575 191975
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	232	2	534915 191485
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	233	2	534555 191530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	233	2	534835 192030
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	233	2	534770 192030
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	234	2	534755 192030
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	234	2	534760 192030
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	234	2	534690 191460
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	235	2	534485 191805
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	235	2	534485 191810
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	235	2	534495 191865
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	235	2	534910 191480
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	235	2	534645 191470
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	236	2	534500 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	236	2	534575 191980
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	237	2	534650 192020
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	237	2	534740 191455
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	237	2	534745 191455
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	237	2	534985 191530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	237	2	534980 191525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	237	2	534710 192030
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	237	2	534915 191480

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	237	2	534625 191475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	238	2	534766 192035
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	238	2	534695 192030
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	239	2	534630 192015
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	239	2	534910 192015
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	240	2	534640 192020
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	240	2	534830 191455
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	240	2	534835 191455
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	240	2	534495 191880
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	240	2	534575 191985
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	240	2	534660 191460
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	241	2	534550 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	241	2	534720 192035
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	241	2	534985 191525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	241	2	534715 192035
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	241	2	534580 191990
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	242	2	534635 192020
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	242	2	534705 191450
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	242	2	534710 191450
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	242	2	534735 191450
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	242	2	534795 192040
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	242	2	534490 191870

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	242	2	534565 191980
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	242	2	534605 191480
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	242	2	534615 191475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	243	2	534695 191450
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	243	2	534630 192020
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	243	2	534570 191985
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	244	2	534900 192025
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	244	2	534860 191455
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	244	2	534545 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	244	2	534690 191450
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	244	2	534810 191450
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	244	2	534575 191990
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	244	2	534840 192040
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	244	2	534610 191475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	245	2	534625 192020
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	245	2	534615 192015
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	245	2	534530 191540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	246	2	534655 191455
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	246	2	534475 191825
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	246	2	534485 191625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	247	2	534700 192040
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	247	2	534540 191525

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	247	2	534705 191445
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	247	2	534730 191445
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	247	2	534745 191445
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	247	2	534880 192035
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	247	2	534570 191990
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	248	2	534475 191835
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	248	2	534530 191535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	248	2	534635 191460
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	248	2	534540 191965
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	248	2	534545 191970
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	248	2	534665 192035
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	248	2	534980 191510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	248	2	534645 192030
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	248	2	534975 191505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	249	2	534870 192040
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	249	2	534785 191445
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	249	2	534580 192000
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	249	2	534940 191480
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	250	2	534480 191630
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	250	2	534685 191445
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	250	2	534835 191445
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	250	2	534625 192025

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	250	2	534890 192035
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	250	2	534660 191450
	JBA 1000 Year Return (undefended) - Coastal None				
	JBA Canal Failure Coverage Coverage: This area has been mapped for risk of flooding from canal or aqueduct failure or breach. Please note that all canals in this area may not have been mapped for failure or breach.	A13SW (SE)	0	2	534766 191744
	JBA Canal Failure Assessment: This area is regarded as being at some risk of flooding in the event of failure or breach of a canal embankment or an aqueduct. Canal Name: Lee Navigation DTM Type: Not Supplied Breach Type: Raised Canal Flooded Area Size: 251700m2	A14SW (E)	376	2	535190 191740
	JBA Dam Break Coverage Coverage: This area has been mapped for flooding from dam or reservoir embankment failure or breach.	A13SW (SE)	0	2	534766 191744
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 9137300m2	A13SW (SE)	0	2	534766 191744
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 8358325m2	A13SE (E)	0	2	534800 191744
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 7954500m2	A13SW (SE)	0	2	534766 191744
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 9749500m2	A13SW (SE)	0	2	534766 191744
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 2435450m2	A14NW (E)	318	2	535140 191840
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 1146300m2	A14NW (E)	334	2	535140 191840
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 3747200m2	A13SE (SE)	338	2	535005 191415
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 1036525m2	A14SW (E)	376	2	535190 191725
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 3586900m2	A14SW (E)	376	2	535190 191730
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 6054400m2	A14SW (E)	376	2	535190 191730
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 1893350m2	A14SW (E)	611	2	535425 191705

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 3552100m ²	A9NE (E)	906	2	535670 191395
	JBA Dam Break Assessment: This area is regarded as being at some risk of flooding in the event of an instantaneous catastrophic breach of dam or reservoir embankment. Flooded Area Size: 1645750m ²	A14SE (E)	911	2	535680 191410

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	A13SW (SE)	0	3	534766 191744
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	A13SE (E)	186	3	535000 191744
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Higher flood potential from rivers: the first areas to experience the effects of inland flooding in a river catchment. Code:	A14SW (E)	462	3	535263 191581
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Higher flood potential from rivers: the first areas to experience the effects of inland flooding in a river catchment. Code:	A8SE (S)	925	3	535000 190788
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A14SW (E)	446	3	535250 191600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12SE (W)	469	3	534250 191744
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NE (S)	513	3	534950 191200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (E)	638	3	535450 191650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (E)	643	3	535450 191600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SE (E)	687	3	535500 191650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (E)	701	3	535500 191550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (E)	736	3	535550 191700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SE (E)	742	3	535550 191600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (E)	750	3	535550 191550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SE (E)	786	3	535600 191700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (E)	786	3	535600 191744
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14SE (E)	787	3	535600 191650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A19NW (NE)	804	3	535200 192500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (E)	837	3	535650 191650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (E)	841	3	535650 191600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A9SW (SE)	863	3	535250 190950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14SE (E)	967	3	535750 191450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SE (W)	977	3	533750 191600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A9NE (E)	981	3	535750 191400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A13SW (SE)	0	2	534766 191744
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SE (W)	449	2	534270 191744
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SW (E)	459	2	535260 191580
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SW (E)	595	2	535400 191590
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SE (W)	610	2	534125 191565
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (E)	610	2	535415 191590
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (NW)	611	2	534150 192015
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (NW)	618	2	534150 192035
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	626	2	534165 192085
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	649	2	534075 191640
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SE (W)	650	2	534100 191505
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	653	2	534080 191575
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	653	2	534075 191605
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (NW)	674	2	534105 192070
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	678	2	534130 192130
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	680	2	534105 192085

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	680	2	534140 192150
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (NW)	681	2	534095 192065
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	683	2	534050 191570
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	684	2	534075 191470
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	685	2	534150 192175
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	687	2	534045 191575
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NW (NW)	689	2	534090 192075
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SW (W)	690	2	534070 191465
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	691	2	534100 192100
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NW (W)	694	2	534025 191805
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NW (W)	699	2	534020 191785
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (SW)	705	2	534060 191450
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	709	2	534075 191400
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NW (W)	714	2	534005 191795
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	716	2	534010 191615
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	721	2	534020 191530

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A7NW (SW)	730	2	534055 191395
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	731	2	534140 192240
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NW (W)	734	2	533985 191790
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	735	2	534080 191335
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NW (W)	735	2	533985 191760
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	740	2	534025 191445
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	741	2	534075 191330
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	741	2	534005 191505
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	744	2	534015 191460
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	744	2	534040 191395
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	749	2	534145 192275
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (SW)	750	2	534025 191415
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	752	2	533970 191675
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	756	2	534025 191400
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	756	2	533990 191505
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	759	2	533995 191470

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	760	2	534025 191390
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	767	2	533980 191500
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	780	2	533945 191630
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	792	2	534040 191290
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SE (E)	804	2	535610 191580
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	812	2	533970 191385
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SE (E)	813	2	535620 191585
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	814	2	534000 191315
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A7NW (SW)	825	2	533965 191365
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	842	2	533950 191355
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	847	2	533905 191470
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	854	2	533880 191550
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SW (W)	863	2	533860 191655
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	866	2	533955 191290
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (SW)	874	2	533990 191215
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SW (NW)	895	2	534080 192420

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17SW (NW)	910	2	533870 192120
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12NW (W)	917	2	533825 192010
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17SW (W)	920	2	533850 192095
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NW (NW)	949	2	534025 192440
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NW (NW)	955	2	534035 192460
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NW (NW)	959	2	534035 192465
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NE (NW)	962	2	534180 192590
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NW (NW)	962	2	534030 192465
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NW (NW)	966	2	534030 192470
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NE (NW)	970	2	534100 192540
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NW (NW)	976	2	534035 192490
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NW (NW)	980	2	534015 192475
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17SW (NW)	983	2	533880 192305
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SE (E)	984	2	535760 191420
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (W)	984	2	533790 191375

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A7NW (W)	996	2	533780 191370
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SE (E)	997	2	535770 191410

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	OS Water Network Lines Watercourse Name: Pymme's Brook Watercourse Form: Inland river Watercourse Length: 156.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18SE (NE)	443	4	535100 192132
2	OS Water Network Lines Watercourse Name: Pymme's Brook Watercourse Form: Inland river Watercourse Length: 1073.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18SE (NE)	464	4	535076 192177
3	OS Water Network Lines Watercourse Name: Pymme's Brook Watercourse Form: Inland river Watercourse Length: 18.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19SW (NE)	485	4	535195 192091
4	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 1142.1 Watercourse Level: On ground surface Primacy: 2 Permanent: True Catchment Name: Thames	A19SW (NE)	485	4	535195 192091
5	OS Water Network Lines Watercourse Name: Pymme's Brook Watercourse Form: Inland river Watercourse Length: 225.1 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19SW (NE)	494	4	535212 192083
6	OS Water Network Lines Watercourse Name: Pymme's Brook Watercourse Form: Inland river Watercourse Length: 1585.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A14SE (E)	629	4	535443 191702
7	OS Water Network Lines Watercourse Name: Pymme's Brook Watercourse Form: Inland river Watercourse Length: 280.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A14NE (E)	674	4	535485 191890
8	OS Water Network Lines Watercourse Name: Salmon's Brook Watercourse Form: Inland river Watercourse Length: 205.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A14NE (E)	698	4	535509 191799
9	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 157.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19NW (NE)	794	4	535233 192469

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	OS Water Network Lines Watercourse Name: Salmon's Brook Watercourse Form: Inland river Watercourse Length: 84.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A14NE (E)	802	4	535590 191976
11	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A14NE (E)	802	4	535590 191976
12	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 24.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19NW (NE)	834	4	535117 192573
13	OS Water Network Lines Watercourse Name: Salmon's Brook Watercourse Form: Inland river Watercourse Length: 103.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A14NE (E)	838	4	535605 192058
14	OS Water Network Lines Watercourse Name: River Lee Watercourse Form: Inland river Watercourse Length: 2099.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A14SE (E)	887	4	535702 191703
15	OS Water Network Lines Watercourse Name: The Moselle Watercourse Form: Inland river Watercourse Length: 1313.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NW (W)	901	4	533873 191392
16	OS Water Network Lines Watercourse Name: Salmon's Brook Watercourse Form: Inland river Watercourse Length: 12.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19SE (NE)	908	4	535646 192148
17	OS Water Network Lines Watercourse Name: Salmon's Brook Watercourse Form: Inland river Watercourse Length: 62.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19SE (NE)	917	4	535651 192158
18	OS Water Network Lines Watercourse Name: Pymme's Brook Watercourse Form: Inland river Watercourse Length: 17.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A17NE (NW)	935	4	534107 192500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	OS Water Network Lines Watercourse Name: River Lee Watercourse Form: Inland river Watercourse Length: 656.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A9NE (E)	936	4	535701 191395
20	OS Water Network Lines Watercourse Name: River Lee Watercourse Form: Inland river Watercourse Length: 1889.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A9NE (SE)	937	4	535679 191334
21	OS Water Network Lines Watercourse Name: River Lee Watercourse Form: Inland river Watercourse Length: 263.3 Watercourse Level: On ground surface Primacy: 2 Permanent: True Catchment Name: Thames	A9NE (E)	939	4	535694 191368
22	OS Water Network Lines Watercourse Name: Salmon's Brook Watercourse Form: Inland river Watercourse Length: 23.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19SE (NE)	946	4	535654 192221
23	OS Water Network Lines Watercourse Name: Pymme's Brook Watercourse Form: Inland river Watercourse Length: 1.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A17NE (NW)	952	4	534097 192514
24	OS Water Network Lines Watercourse Name: Pymme's Brook Watercourse Form: Inland river Watercourse Length: 313.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A17NE (NW)	954	4	534096 192515
25	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 11.4 Watercourse Level: Not Supplied Primacy: 1 Permanent: True Catchment Name: Thames	A19SE (NE)	955	4	535652 192244
26	OS Water Network Lines Watercourse Name: Salmon's Brook Watercourse Form: Inland river Watercourse Length: 938.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19SE (NE)	955	4	535652 192244
27	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 171.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A9NE (SE)	961	4	535680 191277

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 106.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19SE (NE)	966	4	535663 192248
29	OS Water Network Lines Watercourse Name: River Lee Watercourse Form: Inland river Watercourse Length: 963.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A14SE (E)	968	4	535741 191414
30	OS Water Network Nodes Hydronode Pseudo Category:	A18SE (NE)	464	4	535076 192177
31	OS Water Network Nodes Hydronode Junction Category:	A19SW (NE)	485	4	535195 192091
32	OS Water Network Nodes Hydronode Pseudo Category:	A19SW (NE)	494	4	535212 192083
33	OS Water Network Nodes Hydronode Pseudo Category:	A14NW (NE)	674	4	535433 192052
34	OS Water Network Nodes Hydronode Junction Category:	A14NE (E)	698	4	535509 191799
35	OS Water Network Nodes Hydronode Outlet Category:	A19NW (NE)	794	4	535233 192469
36	OS Water Network Nodes Hydronode Junction Category:	A14NE (E)	802	4	535590 191976
37	OS Water Network Nodes Hydronode Source Category:	A14NE (E)	807	4	535596 191976
38	OS Water Network Nodes Hydronode Outlet Category:	A19NW (NE)	834	4	535117 192573
39	OS Water Network Nodes Hydronode Pseudo Category:	A14NE (E)	838	4	535605 192058
40	OS Water Network Nodes Hydronode Source Category:	A18NE (N)	843	4	535099 192590
41	OS Water Network Nodes Hydronode Source Category:	A19NW (NE)	844	4	535126 192580
42	OS Water Network Nodes Hydronode Pseudo Category:	A19SE (NE)	908	4	535646 192148
43	OS Water Network Nodes Hydronode Pseudo Category:	A19SE (NE)	917	4	535651 192158
44	OS Water Network Nodes Hydronode Pseudo Category:	A17NE (NW)	935	4	534107 192500
45	OS Water Network Nodes Hydronode Junction Category:	A9NE (E)	939	4	535694 191368

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
46	OS Water Network Nodes Hydronode Pseudo Category:	A19SE (NE)	946	4	535654 192221
47	OS Water Network Nodes Hydronode Pseudo Category:	A17NE (NW)	952	4	534097 192514
48	OS Water Network Nodes Hydronode Pseudo Category:	A17NE (NW)	954	4	534096 192515
49	OS Water Network Nodes Hydronode Junction Category:	A19SE (NE)	955	4	535652 192244
50	OS Water Network Nodes Hydronode Source Category:	A9NE (SE)	961	4	535680 191277
51	OS Water Network Nodes Hydronode Pseudo Category:	A19SE (NE)	966	4	535663 192248

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
52	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 1st January 1947 Flood Event End Date: 12th December 1947	A8NE (SE)	411	1	535042 191353
53	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 1st October 2000 Flood Event End Date: 31st October 2000	A18NE (N)	765	1	535015 192535
54	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 26th November 2006 Flood Event End Date: 27th November 2006	A14SE (E)	901	1	535715 191702

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A13SW (SE)	0	1	534766 191744
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A13NE (NE)	349	1	535016 192079
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SE (NE)	387	1	535050 192100
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A13NE (NE)	388	1	535100 192054
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SE (NE)	438	1	535095 192129
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SE (NE)	447	1	535100 192137
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SE (N)	454	1	534850 192250
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SW (N)	457	1	534700 192250
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SE (NE)	461	1	535050 192191
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SE (NE)	465	1	535070 192182
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SE (N)	481	1	534839 192279
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SE (NE)	482	1	535050 192215
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SW (NE)	490	1	535150 192150
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SE (N)	495	1	534969 192267

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A18SE (N)	506	1	534967 192278
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A18SE (N)	522	1	534967 192296
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A19SW (NE)	523	1	535190 192156
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A18SE (N)	523	1	534959 192299
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A18SE (N)	524	1	534982 192293
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A19SW (NE)	525	1	535200 192148
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A19SW (NE)	525	1	535200 192148
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A19SW (NE)	525	1	535193 192155
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A18SE (NE)	531	1	535068 192261
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A18SE (NE)	537	1	535001 192300
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A18SW (NW)	552	1	534500 192300
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A14NW (E)	574	1	535385 191796
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A14SW (E)	586	1	535400 191702
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Assessment: County to Town Suitability Scale: Environment Agency, Head Office Source:	A17SE (NW)	599	1	534400 192300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18SW (NW)	617	1	534450 192349
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: Suitability Scale: County to Town Source: Environment Agency, Head Office	A14SW (E)	622	1	535436 191695
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SW (NE)	632	1	535200 192295
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14SE (E)	632	1	535445 191722
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14SE (E)	635	1	535449 191703
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	642	1	535452 191800
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SW (NE)	657	1	535400 192083
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NW (NE)	668	1	535427 192050
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	671	1	535483 191750
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	673	1	535484 191800
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	673	1	535477 191887
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SW (NE)	677	1	535200 192350
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NW (NE)	678	1	535436 192054
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Very Low - Less than 1 in 1,000 (0.1%) chance in any given year Assessment: Suitability Scale: County to Town Source: Environment Agency, Head Office	A14SE (E)	686	1	535500 191700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14SE (E)	687	1	535500 191650
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	688	1	535490 191891
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	688	1	535495 191862
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	689	1	535500 191800
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	690	1	535494 191884
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	692	1	535491 191913
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18NW (N)	702	1	534766 192500
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A9NW (SE)	706	1	535400 191300
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A9NW (SE)	729	1	535350 191200
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18NE (NE)	739	1	535094 192480
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	740	1	535548 191850
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	760	1	535200 192450
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	779	1	534300 192450
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	782	1	535576 191950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14SE (E)	786	1	535600 191744
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	797	1	535197 192494
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: Street to Parcels of Land Source: Environment Agency, Head Office	A17SE (NW)	798	1	534200 192400
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	803	1	535588 191989
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	804	1	535588 191992
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	808	1	534092 192302
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SW (NE)	809	1	535400 192350
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	812	1	534180 192400
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	812	1	535597 191989
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	821	1	534400 192550
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: Street to Parcels of Land Source: Environment Agency, Head Office	A17NE (NW)	822	1	534200 192431
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	834	1	535600 192059
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SW (W)	844	1	533904 191482
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18NE (N)	853	1	535100 192600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	863	1	535130 192599
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	868	1	535393 192440
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	868	1	535146 192598
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	869	1	535149 192598
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	878	1	535600 192177
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	880	1	535450 192400
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18NW (N)	882	1	534574 192663
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	887	1	535163 192611
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18NW (N)	890	1	534577 192672
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	894	1	535393 192475
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	895	1	534282 192575
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A7NW (W)	897	1	533876 191394
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	898	1	535168 192621
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: Town to Street Source: Environment Agency, Head Office	A14SE (E)	900	1	535715 191709

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	901	1	535161 192627
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	901	1	535160 192628
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	901	1	534302 192592
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	901	1	534308 192595
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A7NW (W)	903	1	533870 191392
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	904	1	535641 192151
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	906	1	534303 192598
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	906	1	534307 192600
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	906	1	535644 192149
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	908	1	534303 192600
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	910	1	534291 192596
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	910	1	535158 192639
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	910	1	535649 192146
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	912	1	535697 192000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18NW (N)	912	1	534603 192698
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18NW (N)	914	1	534571 192695
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	921	1	535405 192500
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	925	1	535150 192658
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A9NE (E)	926	1	535690 191394
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	929	1	535192 192644
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18NW (N)	933	1	534583 192716
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18NW (N)	933	1	534581 192716
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: Town to Street Source: Environment Agency, Head Office	A14SE (E)	937	1	535750 191650
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A18NW (N)	939	1	534580 192722
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	939	1	535645 192226
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	941	1	535651 192222
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NW (NW)	945	1	534050 192461
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	946	1	535189 192664

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	947	1	535188 192666
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	948	1	535189 192667
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	948	1	535722 192049
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A9NE (SE)	949	1	535700 191355
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A9NE (SE)	949	1	535653 191250
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A9NE (E)	949	1	535708 191376
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	950	1	535658 192225
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NE (NE)	950	1	535500 192450
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NW (NW)	951	1	534031 192450
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14SE (E)	951	1	535724 191417
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	952	1	535642 192258
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	953	1	535725 192058
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: Town to Street Source: Environment Agency, Head Office	A14NE (E)	955	1	535741 192000
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14NE (E)	958	1	535727 192068

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	959	1	534150 192566
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NW (NW)	960	1	534041 192473
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	960	1	535627 192298
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	962	1	535658 192249
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NW (NW)	963	1	534050 192486
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	964	1	535640 192286
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	970	1	535638 192300
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A9NE (SE)	971	1	535650 191200
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	974	1	534250 192647
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	975	1	535612 192351
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A14SE (E)	980	1	535775 191500
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: Town to Street Source: Environment Agency, Head Office	A14NE (E)	980	1	535756 192050
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	983	1	535190 192704
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19NW (NE)	985	1	535193 192705

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A23SW (N)	988	1	534552 192767
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A23SW (N)	989	1	534541 192766
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A23SW (N)	994	1	534634 192784
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A23SW (N)	994	1	534550 192773
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A23SW (N)	996	1	534631 192785
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A23SW (N)	999	1	534630 192788
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A19SE (NE)	1000	1	535730 192186

Flood Insurance Risk Data

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Postcode Sector Flood Insurance Claim Ratings Insurance Rating: Low Flood Insurance Claim Rating Postcode Sector: N18 2	A13SW (SE)	0	2	534766 191744
	Postcode Sector Flood Insurance Claim Ratings Insurance Rating: Low Flood Insurance Claim Rating Postcode Sector: N17 0	A13SE (S)	0	2	534768 191737

EA / NRW / CEH Flood Data	Version	Update Cycle
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	March 2021	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	March 2021	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	March 2021	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	March 2021	Quarterly
Flood Defences Environment Agency - Head Office	March 2021	Quarterly
EA / NRW Surface Water Flood Data	Version	Update Cycle
Surface Water 1 in 30 year Flood Depth Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Depth Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Depth Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 30 year Flood Velocity Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Velocity Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Velocity Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 30 year Flood Flow Direction 25m Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Flow Direction 25m Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Flow Direction 25m Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 30 year Flood Hazard Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Hazard Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Hazard Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually

JBA Flood Data	Version	Update Cycle
JBA 75 Year Return (undefended) - Pluvial JBA Risk Management Limited	November 2020	Annually
JBA 75 Year Return (undefended) - Fluvial JBA Risk Management Limited	November 2020	Annually
JBA 75 Year Return (undefended) - Coastal JBA Risk Management Limited	November 2020	Annually
JBA 100 Year Return (undefended) - Fluvial JBA Risk Management Limited	November 2020	Annually
JBA 100 Year Return (undefended) - Coastal JBA Risk Management Limited	November 2020	Annually
JBA 200 Year Return (undefended) - Pluvial JBA Risk Management Limited	November 2020	Annually
JBA 200 Year Return (undefended) - Fluvial JBA Risk Management Limited	November 2020	Annually
JBA 200 Year Return (undefended) - Coastal JBA Risk Management Limited	November 2020	Annually
JBA 1000 Year Return (undefended) - Pluvial JBA Risk Management Limited	November 2020	Annually
JBA 1000 Year Return (undefended) - Fluvial JBA Risk Management Limited	November 2020	Annually
JBA 1000 Year Return (undefended) - Coastal JBA Risk Management Limited	November 2020	Annually
JBA Canal Failure JBA Risk Management Limited	October 2017	Annually
JBA Dam Break JBA Risk Management Limited	October 2017	Annually
BGS Flood Data	Version	Update Cycle
BGS Geological Indicators of Flooding British Geological Survey - National Geoscience Information Service	October 2013	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually
GeoSmart Information Groundwater Flooding Data	Version	Update Cycle
GeoSmart Information Groundwater Flood Risk GeoSmart Information Ltd	October 2020	Bi-Annually
OS Water Network Data	Version	Update Cycle
OS Water Network Lines Ordnance Survey	July 2021	Quarterly
OS Water Network Nodes Ordnance Survey	July 2021	Quarterly
EA/NRW Historic Flood Events Data	Version	Update Cycle
Historic Flood Events Environment Agency - Head Office	February 2020	Quarterly
Historical Flood Liabilities Landmark Information Group Limited	December 1999	Not Applicable

EA/NRW Risk of Flooding from Rivers and Sea (RoFRS)	Version	Update Cycle
RoFRS - Risk of Flooding from Rivers and Sea Environment Agency - Head Office	June 2020	Annually
Flood Insurance Risk Data	Version	Update Cycle
Postcode Sector Flood Insurance Claim Ratings Crawford and Company	April 2020	Quarterly

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Natural Resources Wales	
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
GeoSmart Information	
JBA Risk Management	

Contact	Name and Address	Contact Details
1	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
2	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9966 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk
3	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409

Copyright Notice


© Landmark Information Group Limited 2021 The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

JBA Flood Data Information

Flood data provided by JBA Risk Management Limited. © Copyright JBA Risk Management Limited 2008-2021.
All JBA flood data is the property of JBA Risk Management Limited and must not be copied or used other than as authorised in writing by JBA Risk Management Limited. The user shall not (save only as may be permitted by law and not otherwise) copy, reproduce, resell, record, adapt, modify, reformat, reverse compile them in whole or in part, or do any other such act which may affect JBA Risk Management Limited's rights or interests therein.

Natural Resources Wales Copyright

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2021. Land & Property Services © Crown copyright and database right.



PRP

consulting civil & structural engineers

EA/NRW Flood Data Map (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


Flood Data

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Contours (height in metres)

- Standard Contour: 105, 100, 95
- Master Contour: 105, 100, 95
- Spot Height: 167.8
- MLW: Mean Low Water
- MHW: Mean High Water

EA/NRW Flood Data Map - Slice A



Order Details


Order Number: 282662955_1_1
Customer Ref: 63282
National Grid Reference: 534770, 191740
Slice: A
Site Area (Ha): 0.96
Search Buffer (m): 1000

Site Details

Site at 534770, 191740

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



PRP

consulting civil & structural engineers

JBA 75 Year Return Flood Map (Undefended) (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


Modelled Flood Depth

Pluvial Depth	Fluvial Depth	Coastal Depth
0.1m	0.01m - 0.05m	0.01m - 0.05m
0.1m - 0.3m	0.05m - 0.1m	0.05m - 0.1m
0.3m - 1m	0.1m - 0.3m	0.1m - 0.3m
>1m	0.3m - 1m	0.3m - 1m
	>1m	>1m

Contours (height in metres)

- Standard Contour 105 100 95
- Master Contour
- Spot Height 167.8
- MLW Mean Low Water
- MHW Mean High Water

JBA 75 Year Return Flood Map (Undefended) - Slice A



Order Details


Order Number: 282662955_1_1
Customer Ref: 63282
National Grid Reference: 534770, 191740
Slice: A
Site Area (Ha): 0.96
Search Buffer (m): 1000

Site Details

Site at 534770, 191740

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk





PRP
consulting civil & structural engineers

JBA 100 Year Return Flood Map (Undefended) (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Modelled Flood Depth

Fluvial Depth	Coastal Depth
0.01m - 0.05m	0.01m - 0.05m
0.05m - 0.1m	0.05m - 0.1m
0.1m - 0.3m	0.1m - 0.3m
0.3m - 1m	0.3m - 1m
>1m	>1m

Contours (height in metres)

Standard Contour: 105, 100, 95


Master Contour: 105, 100, 95

Spot Height: 167.8

MLW: Mean Low Water

MHW: Mean High Water

JBA 100 Year Return Flood Map (Undefended) - Slice A



Order Details

Order Number: 282662955_1_1
Customer Ref: 63282
National Grid Reference: 534770, 191740
Slice: A
Site Area (Ha): 0.96
Search Buffer (m): 1000

Site Details

Site at 534770, 191740




Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 28-Jul-2021 Page 3 of 17

© Crown Copyright. All Rights Reserved. License Number 100022432. Flood data provided by JBA Risk Management Limited. © Copyright JBA Risk Management Limited 2008-2021



PRP

consulting civil & structural engineers

JBA 200 Year Return Flood Map (Undefended) (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


Modelled Flood Depth

Pluvial Depth	Fluvial Depth	Coastal Depth
0.1m	0.01m - 0.05m	0.01m - 0.05m
0.1m - 0.3m	0.05m - 0.1m	0.05m - 0.1m
0.3m - 1m	0.1m - 0.3m	0.1m - 0.3m
>1m	0.3m - 1m	0.3m - 1m
	>1m	>1m

Contours (height in metres)

- Standard Contour 105 100 95
- Master Contour
- Spot Height 167.8
- MLW Mean Low Water
- MHW Mean High Water

JBA 200 Year Return Flood Map (Undefended) - Slice A



Order Details


Order Number: 282662955_1_1
Customer Ref: 63282
National Grid Reference: 534770, 191740
Slice: A
Site Area (Ha): 0.96
Search Buffer (m): 1000

Site Details

Site at 534770, 191740

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



PRP

consulting civil & structural engineers

JBA 1000 Year Return Flood Map (Undefended) (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


Modelled Flood Depth

Pluvial Depth	Fluvial Depth	Coastal Depth
0.1m	0.01m - 0.05m	0.01m - 0.05m
0.1m - 0.3m	0.05m - 0.1m	0.05m - 0.1m
0.3m - 1m	0.1m - 0.3m	0.1m - 0.3m
>1m	0.3m - 1m	0.3m - 1m
	>1m	>1m

Contours (height in metres)

- Standard Contour 105 100 95
- Master Contour 105 100 95
- Spot Height 167.8
- MLW Mean Low Water
- MHW Mean High Water

JBA 1000 Year Return Flood Map (Undefended) - Slice A



Order Details

Order Number: 282662955_1_1
Customer Ref: 63282
National Grid Reference: 534770, 191740
Slice: A
Site Area (Ha): 0.96
Search Buffer (m): 1000

Site Details

Site at 534770, 191740

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk