


ITEM DETAIL SHEET

1 x 2 Complete New Flush Casement Window Bays (conservation)

Customer Burgess	Quote Ref. L19784 / Q6	Item No 1	Sheet 1 of 1
----------------------------	----------------------------------	---------------------	------------------------



Company Details

THE ORIGINAL
BOX SASH
WINDOWS COMPANY

Boxsash
89-90 High Street,
Eton, SL4 6AF

Sales Manager: Henry Slee
Tel: 07809 896682
henry.slee@boxsash.com

Location
First Floor Front Living room

Red Grandis Hardwood sashes, Red Grandis Hardwood frame, Red Grandis Hardwood cill	Quantity 1 of shown on drawing
--	---

	<i>Glazing</i>			
		Internal Pane	Spacer	External Pane
	Fan	4mm KS Toughened	14mm	6.8mm Optiphon Clear Laminate
	Case	4mm KS Toughened	14mm	6.8mm Optiphon Clear Laminate
	Putty Line Bead	White Tape, White Warm Edge Spacer		Argon Filled
	<i>Paint Finish</i>			
	Internal	RAL 9016 Traffic White		
	External	RAL 9016 Traffic White		
	Cill	RAL 9016 Traffic White		

Customer Notes

Red Grandis hard wood to be used with a 8 yr paint guarantee.
Sash thickness - 57
Sash Head - 58
Left Stile - 64
Right Stile - 64
Bottom Rail (int) - 81
Bottom Rail (ext) - 90
Bottom Rail Shape - Chamfere
GLASS
Internal 4mm KS Toughened
External Glass 6.8mm Optiphon Clear Laminate
DGU Spacer Dim - 14mm
DGU Spacer Colour - White Warm Edge
DGU Gas Fill - Argon
Glass Fix Method - Putty Line Bead
Glazing Bead Fix - White Tape

Open quote, details subject to change

Installation Notes

Installed: Internally
External Access: Scaffold by Customer
Hazard Below: Pedestrians, Pavement

Quote Tracking


Print date: 08-10-2023

Last modified date: 08-10-2023

ITEM DETAIL SHEET

1 x 1 Complete New Flush Casement Window (conservation)

Customer Burgess	Quote Ref. L19784 / Q6	Item No 2	Sheet 1 of 1
----------------------------	----------------------------------	---------------------	------------------------



Company Details

**THE ORIGINAL
BOX SASH
WINDOWS COMPANY**

Boxsash
89-90 High Street,
Eton, SL4 6AF

Sales Manager: Henry Slee
Tel: 07809 896682
henry.slee@boxsash.com

Location
First Floor Front Living room

Material Hardwood sashes, Hardwood frame, Hardwood cill	Quantity 1 of shown on drawing
---	---

	<i>Glazing</i>			
		Internal Pane	Spacer	External Pane
	Fan	4mm KS Toughened	14mm	6.8mm Optiphon Clear Laminate
	Case	4mm KS Toughened	14mm	6.8mm Optiphon Clear Laminate
	Putty Line Bead	White Tape, White Warm Edge Spacer		Argon Filled
	<i>Paint Finish</i>			
	Internal	RAL 9016 Traffic White		
	External	RAL 9016 Traffic White		
	Cill	RAL 9016 Traffic White		

Customer Notes

Scaffold by Customer. Red Grandis hard wood to be used with a 8 yr paint guarantee.
Sash thickness - 57
Sash Head - 58
Left Stile - 64
Right Stile - 64
Bottom Rail (int) - 81
Bottom Rail (ext) - 90
Bottom Rail Shape - Chamfere
GLASS
Internal 4mm KS Toughened
External Glass 6.8mm Optiphon Clear Laminate
DGU Spacer Dim - 14mm
DGU Spacer Colour - White Warm Edge
DGU Gas Fill - Argon
Glass Fix Method - Putty Line Bead
Glazing Bead Fix - White Tape

Installation Notes

Installed: Internally
External Access: Scaffold by Customer
Hazard Below: Pedestrians, Pavement

Quote Tracking

Open quote, details subject to change


Print date: 08-10-2023

Last modified date: 08-10-2023

ITEM DETAIL SHEET

1 x 2 Complete New Flush Casement Window Bays (conservation)

Customer Burgess	Quote Ref. L19784 / Q6	Item No 3	Sheet 1 of 1
----------------------------	----------------------------------	---------------------	------------------------



Company Details



THE ORIGINAL
BOX SASH
WINDOWS COMPANY

Boxsash
89-90 High Street,
Eton, SL4 6AF

Sales Manager: Henry Slee
Tel: 07809 896682
henry.slee@boxsash.com

Location
Second Floor Front Living room

Material Hardwood sashes, Hardwood frame, Hardwood cill	Quantity 1 of shown on drawing
---	---

	<i>Glazing</i>			
		Internal Pane	Spacer	External Pane
	Fan	4mm KS Toughened	14mm	6.8mm Optiphon Clear Laminate
	Case	4mm KS Toughened	14mm	6.8mm Optiphon Clear Laminate
	Putty Line Bead		White Tape, White Warm Edge Spacer	
	Argon Filled			
	<i>Paint Finish</i>			
	Internal	RAL 9016 Traffic White		
	External	RAL 9016 Traffic White		
Cill	RAL 9016 Traffic White			

Customer Notes

Scaffold by Customer. Red Grandis hard wood to be used with a 8 yr paint guarantee.
Sash thickness - 57
Sash Head - 58
Left Stile - 64
Right Stile - 64
Bottom Rail (int) - 81
Bottom Rail (ext) - 90
Bottom Rail Shape - Chamfere
GLASS
Internal 4mm KS Toughened
External Glass 6.8mm Optiphon Clear Laminate
DGU Spacer Dim - 14mm
DGU Spacer Colour - White Warm Edge
DGU Gas Fill - Argon
Glass Fix Method - Putty Line Bead
Glazing Bead Fix - White Tape

Installation Notes

Installed: Internally
External Access: Scaffold by Customer
Hazard Below: Pedestrians, Pavement

Quote Tracking

Open quote, details subject to change


Print date: 08-10-2023

Last modified date: 08-10-2023

ITEM DETAIL SHEET

1 x 1 Complete New Flush Casement Window (conservation)

Customer Burgess	Quote Ref. L19784 / Q6	Item No 4	Sheet 1 of 1
----------------------------	----------------------------------	---------------------	------------------------



Company Details

THE ORIGINAL
BOX SASH
WINDOWS COMPANY

Boxsash
89-90 High Street,
Eton, SL4 6AF

Sales Manager: Henry Slee
Tel: 07809 896682
henry.slee@boxsash.com

Location
Second Floor Front Living room

Material Hardwood sashes, Hardwood frame, Hardwood cill	Quantity 1 of shown on drawing
---	---

	<i>Glazing</i>			
		Internal Pane	Spacer	External Pane
	Fan	4mm KS Toughened	14mm	6.8mm Optiphon Clear Laminate
	Case	4mm KS Toughened	14mm	6.8mm Optiphon Clear Laminate
	Putty Line Bead	White Tape, White Warm Edge Spacer		Argon Filled
	<i>Paint Finish</i>			
Internal	RAL 9016 Traffic White			
External	RAL 9016 Traffic White			
Cill	RAL 9016 Traffic White			

Customer Notes

Scaffold by Customer. Red Grandis hard wood to be used with a 8 yr paint guarantee.
Sash thickness - 57
Sash Head - 58
Left Stile - 64
Right Stile - 64
Bottom Rail (int) - 81
Bottom Rail (ext) - 90
Bottom Rail Shape - Chamfere
GLASS
Internal 4mm KS Toughened
External Glass 6.8mm Optiphon Clear Laminate
DGU Spacer Dim - 14mm
DGU Spacer Colour - White Warm Edge
DGU Gas Fill - Argon
Glass Fix Method - Putty Line Bead
Glazing Bead Fix - White Tape

Open quote, details subject to change

Installation Notes

Installed: Internally
External Access: Scaffold by Customer
Hazard Below: Pedestrians, Pavement

Quote Tracking


Print date: 08-10-2023

Last modified date: 08-10-2023

ITEM DETAIL SHEET

1 x 1 Complete New Flush Casement Window (conservation)

Customer Burgess	Quote Ref. L19784 / Q6	Item No 5	Sheet 1 of 1
----------------------------	----------------------------------	---------------------	------------------------



Company Details

**THE ORIGINAL
BOX SASH
WINDOWS COMPANY**

Boxsash
89-90 High Street,
Eton, SL4 6AF

Sales Manager: Henry Slee
Tel: 07809 896682
henry.slee@boxsash.com

Location
Third Floor Front Bedroom 1

Material Hardwood sashes, Hardwood frame, Hardwood cill	Quantity 1 of shown on drawing
---	---

	<i>Glazing</i>			
		Internal Pane	Spacer	External Pane
	Fan	4mm KS Toughened	14mm	6.8mm Optiphon Clear Laminate
	Case	4mm KS Toughened	14mm	6.8mm Optiphon Clear Laminate
	Putty Line Bead	White Tape, White Warm Edge Spacer		Argon Filled
	<i>Paint Finish</i>			
Internal	RAL 9016 Traffic White			
External	RAL 9016 Traffic White			
Cill	RAL 9016 Traffic White			

Customer Notes

Scaffold by Customer. Red Grandis hard wood to be used with a 8 yr paint guarantee.
Sash thickness - 57
Sash Head - 58
Left Stile - 64
Right Stile - 64
Bottom Rail (int) - 81
Bottom Rail (ext) - 90
Bottom Rail Shape - Chamfere
GLASS
Internal 4mm KS Toughened
External Glass 6.8mm Optiphon Clear Laminate
DGU Spacer Dim - 14mm
DGU Spacer Colour - White Warm Edge
DGU Gas Fill - Argon
Glass Fix Method - Putty Line Bead
Glazing Bead Fix - White Tape

Open quote, details subject to change

Installation Notes

Installed: Internally
External Access: Scaffold by Customer
Hazard Below: Pedestrians, Pavement

Quote Tracking

Print date: 08-10-2023

Last modified date: 08-10-2023