

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/0397
Application type	Conservation Area Notification
Site Address:	Flat B, 41 Hornsey Lane Gardens, Hornsey, London, N6 5NY
Proposal	T1/T2 - Lime x 2 (Tilia spp.) Specification Crown Reduction and Epicormic Removal .Both lime trees are to be selectively pruned by removing recent regrowth back to the previous points of reduction, maintaining the established crown framework. Epicormic growth is to be selectively removed to improve form and manage vitality. The works are intended to achieve an overall crown reduction of approximately 30%, distributed evenly throughout the canopy rather than concentrated at branch ends. All pruning shall be carried out in accordance with BS39982010. Reason for work: General tree maintenance

RECOMMENDATION:	No Objection	
Application date	13/02/2026	
Tree Inspector	DM	Date: 5 th March 2026

Site

The two mature Lime trees, as marked on the plan, and seen in the photographs are situated in the front garden of the property. They are publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

T1/T2 - Lime x 2 (Tilia spp.)

Specification Crown Reduction and Epicormic Removal .Both lime trees are to be selectively pruned by removing recent regrowth back to the previous points of reduction, maintaining the established crown framework. Epicormic growth is to be selectively removed to improve form and manage vitality. The works are intended to achieve an overall crown reduction of approximately 30%, distributed evenly throughout the canopy rather than concentrated at branch ends

All pruning shall be carried out in accordance with BS39982010.

Reason for work: General tree maintenance

Issues

I hold no objections to the reasonable repeat proposed pruning works to prune back to the most recent previous points.

The specification is within standard good arboricultural practice and husbandry.

The species generally responds well to such reductions, and management regimes.

Recommendation

No Objection