

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/0617
Application type	Conservation Area Notification
Site Address:	46 Dukes Avenue, Hornsey, London, N10 2PU
Proposal	Rear (by climbing frame) T1 Cherry x 1 (Prunus spp) This 14m mature cherry has not previously been reduced. It has now outgrown its location. Suggested work: - crown reduction - reduce the height by 2.5m - reduce the lateral growth by 1.5-2m to suitable growth points - remove honey suckle from canopy Rear (by climbing frame) T2 Pear x 1 (Pyrus communis) This 8m mature pear has previously been reduced, but not for many years. It is suppressed by T1 and the crown is unbalanced. Suggested work: - crown reduction - reduce the height by 2m - reduce the lateral growth 1.5-2m to balance the crown Rear RHS T3 Elder x 1 (Sambucus nigra) The canopy of this elder tree is in good shape. Suggested work: - lift off shed to give 0.5m clearance - remove honey suckle from canopy Rear (central) T4 Apple x 1 (Malus) Overall crown in good shape, tree appears healthy, no bleeding cankers or visible fungal fruiting bodies. Suggested work: - snip in overlongs to make more compact crown

RECOMMENDATION:	No Objection	
Application date	04/03/2026	
Tree Inspector	DM	Date: 20 th March 2026

Site

The various trees, as listed above and marked on the plan, are situated in the rear garden of the property. They are not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Muswell Hill Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

Rear (by climbing frame)

T1 Cherry x 1 (*Prunus* spp) This 14m mature cherry has not previously been reduced. It has now outgrown its location. Suggested work:

- crown reduction
- reduce the height by 2.5m
- reduce the lateral growth by 1.5-2m to suitable growth points
- remove honey suckle from canopy

Rear (by climbing frame)

T2 Pear x 1 (*Pyrus communis*) This 8m mature pear has previously been reduced, but not for many years. It is suppressed by T1 and the crown is unbalanced. Suggested work:

- crown reduction
- reduce the height by 2m
- reduce the lateral growth 1.5-2m to balance the crown

Rear RHS

T3 Elder x 1 (*Sambucus nigra*) The canopy of this elder tree is in good shape. Suggested work:

- lift off shed to give 0.5m clearance
- remove honey suckle from canopy

Rear (central)

T4 Apple x 1 (*Malus*) Overall crown in good shape, tree appears healthy, no bleeding cankers or visible fungal fruiting bodies. Suggested work:

- snip in overlongs to make more compact crown

Issues

I hold no objections to the proposed reasonable pruning works.

The specification is within standard good arboricultural practice and husbandry.

Recommendation

No Objection