

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/0628
Application type	Conservation Area Notification
Site Address:	7 Highgate Close, Hornsey, London, N6 4SD
Proposal	Tree location - front garden T1 - Approx. H9 S4 25DBH Conifer - fell as close as possible to ground level This tree is a very poor specimen of Conifer, it isn't developing well at this location

RECOMMENDATION:	No Objection	
Application date	05/03/2026	
Tree Inspector	DM	Date: 26 th March 2026

Site

The Conifer tree T1, as described above, seen in the photograph, and marked on the plan, is situated in the front garden of the property. It is publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Highgate Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

Tree location - front garden

T1 - Approx. H9 S4 25DBH Conifer - fell as close as possible to ground level

This tree is a very poor specimen of Conifer, it isn't developing well at this location

Issues

I hold no objection for the removal of the conifer T1 and for the reasons given. The tree is in a state of decline, and is a poor specimen not worthy of further protection.

There is a duty to replace dead, dying, and dangerous trees within a Conservation Area.

The area will make an ideal spot for a suitable ornamental species.

Recommendation

No Objection