

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road, N22 7TY

Application number	HGY/2026/0710
Application type	Tree Preservation Order application
Site Address:	8 Church Vale, Hornsey, London, N2 9PA
Proposal	Works to tree protected by a TPO. T1 Large Oak tree – Reduce the crown by approximately 2–3 metres to previous pruning points, including selective thinning of internal growth and the removal of epicormic shoots where appropriate. Works to be undertaken in accordance with BS3998 to retain a natural and balanced crown form. Justification: Routine cyclical maintenance to maintain the tree within its established management regime and to contain the canopy within the property boundary. Crown reduction will also reduce end weight on extended limbs and assist in managing the long term structural integrity of the tree

RECOMMENDATION:	No Objection	
Application date	16/03/2026	
Tree Inspector	DM	Date: 7 th April 2026

Site

The mature Oak tree T1, as marked on the plan and seen in the photograph, is situated in the rear garden of the property. It is publicly visible from Church Vale.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The tree is protected by a Tree Preservation Order (TPO)

Proposal

Tree works proposed.

Works to tree protected by a TPO.

T1 Large Oak tree – Reduce the crown by approximately 2–3 metres to previous pruning points, including selective thinning of internal growth and the removal of epicormic shoots where appropriate. Works to be undertaken in accordance with BS3998 to retain a natural and balanced crown form.

Justification: Routine cyclical maintenance to maintain the tree within its established management regime and to contain the canopy within the property boundary. Crown reduction will also reduce end weight on extended limbs and assist in managing the long term structural integrity of the tree

Issues

I hold no objections to the reasonable repeat proposed pruning works to reduce back to the most recent previous pruning points.

The specification is within standard good arboricultural practice and husbandry.

The species generally responds well to such reductions and management regimes.

Recommendation

No Objection