

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/0874
Application type	Conservation Area Notification
Site Address:	Channing School Sports Field, Stormont Road, N6 5NQ
Proposal	Small Oak - Remove old pruning stub and lift to a height of 4.0m to clear street light Maintenance works in line with good arboricultural practice Cherry - Crown lift to 3.0m Maintenance works in line with good arboricultural practice Holm Oak - Remove one stem overhanging to the pavement Crown lift trunk growth on adjacent Sycamores to a height of 3.0m Maintenance works in line with good arboricultural practice Ash - Crown reduce the spread to the north back to previous/ back to main stems (No pruning cuts larger then 50mm) approx. 3.0m Maintenance works in line with good arboricultural practice T1: Lombardy Poplar - Tree removal (see report)

RECOMMENDATION:	No Objection	
Application date	26/03/2026	
Tree Inspector	DM	Date: 16 th April 2026

Site

The various trees, as listed above, highlighted in the report, marked on the plans, and seen in the photographs, are situated in the rear grounds of the property. They are not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Crouch End Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

Small Oak - Remove old pruning stub and lift to a height of 4.0m to clear street light

Maintenance works in line with good arboricultural practice

Cherry - Crown lift to 3.0m

Maintenance works in line with good arboricultural practice

Holm Oak - Remove one stem overhanging to the pavement

Crown lift trunk growth on adjacent Sycamores to a height of 3.0m

Maintenance works in line with good arboricultural practice

Ash - Crown reduce the spread to the north back to previous/ back to main stems (No pruning cuts larger than 50mm) approx. 3.0m

Maintenance works in line with good arboricultural practice

T1: Lombardy Poplar - Tree removal (see report)

Issues

I hold no objections to the proposed reasonable pruning works.

The specification is within good arboricultural practice and husbandry.

There is a duty to replace dead, dying, and dangerous trees within a conservation area.

Recommendation

No Objection