



0012



CERTIFICATE OF REGISTRATION

This is to certify that

Alsford Timber Ltd

Ness Road
Erith
Kent
DA8 2LD

has been audited and found to meet the requirements of standard **PEFC ST 2002:2020 Chain of Custody Certification**
As amended - www.pefc.org

Scope of certification

This multi-site certificate covers the production, distribution & trade of PEFC Certified Sheet Materials, Building Joinery, Engineered Timber Products & Garden Products using the physical separation method.

Products:

030000 - Sawnwood and treated wood
040000 - Engineered wood products
050000 - Wood based panels
080000 - Exterior products

Raw material origin:

Certified Raw Material

Method:

Physical Separation

Vicki Howlett

General Manager - Certification UK

Certificate number:

BMT-PEFC-COC-0069

Issue number: 2023-01

Certificate start date: 3 November 2019

Certificate expiry date: 2 November 2024

Date of initial certification: 3 November 2004

Issuing Office: Warringtonfire Testing and Certification Limited t/a BM TRADA Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK
Reg No. 11371436.

This certificate remains the property of BM TRADA. This certificate and all copies or reproductions of the certificate shall be returned to BM TRADA or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at www.pefcregs.info

This certificate itself does not constitute evidence that a particular product supplied by the certificate holder is PEFC certified. Products offered, shipped or sold by the certificate holder can only be considered to be covered by the scope of this certificate when the required PEFC claim is stated on invoices and shipping documents

The use of the UKAS accreditation mark indicates accreditation in respect of those activities covered by the accreditation certification 0012
Multisite clients - The scope of certification shown above includes the participating sites shown in appendix A

Appendix A

The network of participating sites shown below is included in the scope of certification shown on certificate number **(BMT-PEFC-COC-0069)**

Branch	Address
Alsford Timber Ltd	Unit 5, Tannery Close Croydon Road Industrial Estate Elmers End Beckenham Kent BR3 4BY
Alsford Timber Ltd	Unit 1 & 2, Deacon Trading Est Vale Road Tonbridge Kent TN9 1SU
Alsford Timber Ltd	14 Sheen Lane Mortlake London SW14 8LW
Alsford Timber Ltd	52 The Ridge Hastings East Sussex TN34 2AB
Alsford Timber Ltd	19/20 Birch Estate Eastbourne East Sussex BN23 6PD
Alsford Timber Ltd	Units 1 & 2 Diplocks Way Hailsham East Sussex BN27 3JF
Alsford Timber Ltd	80a Preston Road Brighton East Sussex BN1 6AE

Alsford Timber Ltd

118 Park View Road
Welling
Kent
DA16 1SJ

Alsford Timber Ltd

109 - 113 Kingston Road
Leatherhead
Surrey
KT22 7SU

Alsford Timber Ltd

61 Portsmouth Road
Cobham
Surrey
KT11 1JQ

Alsford Timber Ltd

St Mark's Hill
Surbiton
Surrey
KT6 4LJ

Alsford Timber Ltd

141 South Undercliff
Rye
East Sussex
TN31 7HW

Alsford Timber Ltd

Unit 2 Bellbrook Industrial Estate
Bell Lane
Uckfield
East Sussex
TN22 1QL

Alsford Timber Ltd

Ruxley Roundabout A20
Sidcup
Kent
DA14 5AD

Alsford Timber Ltd

63/69 Heath Road
Twickenham
Middlesex
TW1 4AT

Alsford Timber Ltd

Units 5 & 6 Knightingdale Road
Horsham
West Sussex
RH12 2NW

Alsford Timber Ltd

King Street
Worthing
West Sussex
BN14 7BW

Alsford Timber Ltd

Unit 15A, Eurolink Industrial Estate
Upper Field Road
Sittingbourne
ME10 3UP



The mark of
responsible forestry

CERTIFICATE OF REGISTRATION

This is to certify that

Alsford Timber Ltd

Ness Road
Erith
Kent
DA8 2LD

has been audited and found to meet the requirements of standard(s) **FSC-STD-40-003 (Version 2.1) EN, FSC-STD-40-004 (Version 3.1) EN and FSC-STD-50-001 (Version 2.1) EN** for **FSC® Chain of Custody Certification**

Scope of certification

The purchase of FSC 100% & FSC Mix Sheet Materials, Building Joinery, Engineered Timber Products & Garden Products for the Trade and Distribution of FSC 100% & FSC Mix Sheet Materials, Building Joinery, Engineered Timber Products & Garden Products through the Transfer System as a Multi Site Certificate Holder, including Outsourced Machining and Treatment activities from the Central Office.

Products:

W11 - Wood for construction
W13 - Outdoor furniture and gardening
W4 - Impregnated/treated wood
W5 - Solid wood (sawn, chipped, peeled)
W6 - Products from planing mill
W8 - Wood panels
W9 - Engineered wood products

Vicki Howlett

General Manager - Certification UK

Certificate number: TT-COC-001872

Issue number: 2023-01

Certificate start date: 3 November 2019

Certificate expiry date: 2 November 2024

Date of initial certification: 3 November 2004

Issuing Office: Warringtonfire Testing and Certification Limited t/a bmtrada Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK
Reg No. 11371436.

This certificate remains the property of BM TRADA. This certificate and all copies or reproductions of the certificate shall be returned to BM TRADA or destroyed if requested. The validity of this certificate and the list of products covered by this certificate shall be verified at www.fsc-info.org Forest Stewardship Council®

This certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC certified (or FSC Controlled Wood). Products offered, shipped or sold by the certificate holder can only be considered to be covered by the scope of this certificate when the required FSC claim is stated on sales and delivery documents.

Multisite clients - The scope of certification shown above includes the participating sites shown in appendix A. The products and processes are performed by the participating sites but not necessarily by each of them.

Appendix A

The network of participating sites shown below is included in the scope of certification shown on certificate number (TT-COC-001872)

Branch	Address
Alsford Timber Ltd TT-COC-001872-E	Unit 5, Tannery Close Croydon Road Industrial Estate Elmers End Beckenham Kent BR3 4BY
Alsford Timber Ltd TT-COC-001872-U	Unit 1 & 2, Deacon Trading Est Vale Road Tonbridge Kent TN9 1SU
Alsford Timber Ltd TT-COC-001872-H	14 Sheen Lane Mortlake London SW14 8LW
Alsford Timber Ltd TT-COC-001872-S	52 The Ridge Hastings East Sussex TN34 2AB
Alsford Timber Ltd TT-COC-001872-AD	19/20 Birch Estate Eastbourne East Sussex BN23 6PD
Alsford Timber Ltd TT-COC-001872-L	Units 1 & 2 Diplocks Way Hailsham East Sussex BN27 3JF
Alsford Timber Ltd TT-COC-001872-P	80a Preston Road Brighton East Sussex BN1 6AE

Alsford Timber Ltd
TT-COC-001872-FO

118 Park View Road
Welling
Kent
DA16 1SJ

Alsford Timber Ltd
TT-COC-001872-C

109 - 113 Kingston Road
Leatherhead
Surrey
KT22 7SU

Alsford Timber Ltd
TT-COC-001872-BS

61 Portsmouth Road
Cobham
Surrey
KT11 1JQ

Alsford Timber Ltd
TT-COC-001872-B

St Mark's Hill
Surbiton
Surrey
KT6 4LJ

Alsford Timber Ltd
TT-COC-001872-EG

141 South Undercliff
Rye
East Sussex
TN31 7HW

Alsford Timber Ltd
TT-COC-001872-D

Unit 2 Bellbrook Industrial Estate
Bell Lane
Uckfield
East Sussex
TN22 1QL

Alsford Timber Ltd
TT-COC-001872-F

Ruxley Roundabout A20
Sidcup
Kent
DA14 5AD

Alsford Timber Ltd
TT-COC-001872-X

63/69 Heath Road
Twickenham
Middlesex
TW1 4AT

Alsford Timber Ltd
TT-COC-001872-R

Units 5 & 6 Knightingdale Road
Horsham
West Sussex
RH12 2NW

Alsford Timber Ltd
TT-COC-001872-G

King Street
Worthing
West Sussex
BN14 7BW

Alsford Timber Ltd
TT-COC-001872-AC

Unit 15A, Eurolink Industrial Estate
Upper Field Road
Sittingbourne
ME10 3UP

No.	Order Date	Buy-from Vendor No.	Buy-from Vendor Name	Status	Project No.	Project Name	Created by User	Order Value	Your Reference
MPO0C	14/07/2020	VEN00000028	ALSFORD TIMBER LTD	Released	200748	Hornsey Town Hall	ARDMOREGROUP\JN	49.98	HR001311
MPO0C	09/02/2021	VEN00000028	ALSFORD TIMBER LTD	Released	200748	Hornsey Town Hall	ARDMOREGROUP\JA	999.80	REQ.3773
MPO0C	25/02/2021	VEN00000028	ALSFORD TIMBER LTD	Released	200748	Hornsey Town Hall	ARDMOREGROUP\JA	1,099.35	REQ.6723
MPO0C	20/03/2023	VEN00000028	ALSFORD TIMBER LTD	Released	200748	Hornsey Town Hall	ARDMOREGROUP\NI	1,277.50	REQ 76481
MPO0C	15/06/2023	VEN00000028	ALSFORD TIMBER LTD	Released	200748	Hornsey Town Hall	ARDMOREGROUP\NI	978.00	REQ 91198
MPO0C	08/09/2023	VEN00000028	ALSFORD TIMBER LTD	Released	200748	Hornsey Town Hall	ARDMOREGROUP\JA	446.11	REQ.114457
MPO0C	26/01/2024	VEN00000028	ALSFORD TIMBER LTD	Released	200748	Hornsey Town Hall	ARDMOREGROUP\NI	273.80	122662
MPO0C	09/02/2024	VEN00000028	ALSFORD TIMBER LTD	Released	200748	Hornsey Town Hall	ARDMOREGROUP\NI	144.00	123677
MPO0C	05/03/2024	VEN00000028	ALSFORD TIMBER LTD	Released	200748	Hornsey Town Hall	ARDMOREGROUP\NI	72.58	125043



REGISTRATION CERTIFICATE

This document certifies that the administration systems of

Ardmore Group

*Ardmore Construction Limited & Paddington Construction Limited
6 Wharf Studios, 28 Wharf Road, London N1 7GR*

*have been assessed and approved by QAS International to the following
management systems, standards and guidelines:*

ISO 14001:2015

The approved administration systems apply to the following:

Ardmore Group, Headquartered in Central London, provides Construction Services On-Site and the Off-Site Manufacture and Site Installation of Construction Related Products and Assemblies, to the Public and Private Sectors. On-Site Services include the role of Main Contractor or Trade Contractor undertaking Design and Build Contracts.

Original Approval	5th July 2010
Current Certificate	3rd October 2020
Certificate Expiry	3rd October 2021
Certificate Number	EN1430

Signed: Certification Officer

On behalf of QAS International

This certificate remains valid while the holder maintains their administration systems in accordance with the standards and guidelines stated above, which will be audited annually by QAS International. The holder is entitled to display the above registration mark for the duration of this certificate, which should be returned to QAS International upon reasonable request.
Issuing Office: QAS International, 5 Technology Park, Colindeep Lane, London, NW9 6BX, UK





REGISTRATION CERTIFICATE

This document certifies that the administration systems of

Ardmore Group

*Ardmore Construction Limited & Paddington Construction Limited
6 Wharf Studios, 28 Wharf Road, London N1 7GR*

*have been assessed and approved by QAS International to the following
management systems, standards and guidelines:*

ISO 14001:2015

The approved administration systems apply to the following:

Ardmore Group, Headquartered in Central London, provides Construction Services On-Site and the Off-Site Manufacture and Site Installation of Construction Related Products and Assemblies, to the Public and Private Sectors. On-Site Services include the role of Main Contractor or Trade Contractor undertaking Design and Build Contracts.

Original Approval	5th July 2010
Current Certificate	3rd October 2021
Certificate Expiry	3rd October 2022
Certificate Number	EN1430

Signed: Certification Officer

On behalf of QAS International

This certificate remains valid while the holder maintains their administration systems in accordance with the standards and guidelines stated above, which will be audited annually by QAS International. The holder is entitled to display the above registration mark for the duration of this certificate, which should be returned to QAS International upon reasonable request.
Issuing Office: QAS International, 5 Technology Park, Colindeep Lane, London, NW9 6BX, UK





Registration Certificate

***This document certifies that the administration systems of
Ardmore Group***

***Ardmore Construction Limited & Paddington Construction Limited
6 Wharf Studios, 28 Wharf Road, London N1 7GR***

***have been assessed and approved by QAS International
to the following management systems, standards and guidelines:***

ISO 14001 : 2015

The approved administration systems apply to the following:

Ardmore Group, Headquartered in Central London, provides Construction Services On-Site and the Off-Site Manufacture and Site Installation of Construction Related Products and Assemblies, to the Public and Private Sectors. On-Site Services include the role of Main Contractor or Trade Contractor undertaking Design and Build Contracts.

Original Approval	5 th July 2010
Current Certificate	3 rd October 2019
Certificate Expiry	3 rd October 2020
Certificate Number	EN1430

Signed: Certification Officer

On behalf of QAS International

This certificate remains valid while the holder maintains their administration systems in accordance with the standards and guidelines stated above, which will be audited annually by QAS International. The holder is entitled to display the above registration mark for the duration of this certificate, which should be returned to QAS International upon reasonable request.
Issuing Office: QAS International, 5 Technology Park, Colindeep Lane, London, NW9 6BX, UK





Certificate of Registration

This is to certify that the Management System of:

Ardmore Group Limited

6 Wharf Studios, 28 Wharf Road, London, N1 7GR

And as detailed on the annex to this certificate

has been approved by Alcumus ISOQAR and is compliant with the requirements of:

ISO 9001: 2015



Certificate Number:

21958-QMS-001

Initial Registration Date:

31/01/2023

Expiry Date:

31/01/2026

Scope of Registration:

The provision of on-site construction services, encompassing design and build services, and the off-site manufacture and site installation of construction related products and assemblies, delivered to both the public and private sectors.

Signed:

Alyn Franklin, Chief Executive Officer
(on behalf of Alcumus ISOQAR)

A handwritten signature in blue ink, appearing to read "Alyn Franklin".

This certificate will remain current subject to the company maintaining its system to the required standard. This will be monitored regularly by Alcumus ISOQAR. Further clarification regarding the scope of this certificate and the applicability of the relevant standards' requirement may be obtained by consulting Alcumus ISOQAR

Alcumus ISOQAR Limited, Cobra Court, 1 Blackmore Road, Stretford, Manchester M32 0QY.

T: 0161 865 3699 **E:** isoqarenquiries@alcumus.com **W:** alcumus.com/isoqar

This certificate is the property of Alcumus ISOQAR and must be returned on request.



Certificate of Registration

This is to certify that the Management System of:

Ardmore Group Limited

6 Wharf Studios, 28 Wharf Road, London, N1 7GR

And as detailed on the annex to this certificate

has been approved by Alcumus ISOQAR and is compliant with the requirements of:

ISO 14001: 2015



Certificate Number:

21958-EMS-001

Initial Registration Date:

31/01/2023

Expiry Date:

31/01/2026

Scope of Registration:

The provision of on-site construction services, encompassing design and build services, and the off-site manufacture and site installation of construction related products and assemblies, delivered to both the public and private sectors.

Signed:

Alyn Franklin, Chief Executive Officer
(on behalf of Alcumus ISOQAR)

A handwritten signature in blue ink, appearing to read "Alyn Franklin".

This certificate will remain current subject to the company maintaining its system to the required standard. This will be monitored regularly by Alcumus ISOQAR. Further clarification regarding the scope of this certificate and the applicability of the relevant standards' requirement may be obtained by consulting Alcumus ISOQAR

Alcumus ISOQAR Limited, Cobra Court, 1 Blackmore Road, Stretford, Manchester M32 0QY.

T: 0161 865 3699 **E:** isoqarenquiries@alcumus.com **W:** alcumus.com/isoqar

This certificate is the property of Alcumus ISOQAR and must be returned on request.



Certificate of Registration

This is to certify that the Management System of:

Ardmore Group Limited

6 Wharf Studios, 28 Wharf Road, London, N1 7GR

And as detailed on the annex to this certificate

has been approved by Alcumus ISOQAR and is compliant with the requirements of:

ISO 45001: 2018



Certificate Number:

21958-OHS-001

Initial Registration Date:

31/01/2023

Expiry Date:

31/01/2026

Scope of Registration:

The provision of on-site construction services, encompassing design and build services, and the off-site manufacture and site installation of construction related products and assemblies, delivered to both the public and private sectors.

Signed:

Alyn Franklin, Chief Executive Officer
(on behalf of Alcumus ISOQAR)

A handwritten signature in blue ink, appearing to read "Alyn Franklin".

This certificate will remain current subject to the company maintaining its system to the required standard. This will be monitored regularly by Alcumus ISOQAR. Further clarification regarding the scope of this certificate and the applicability of the relevant standards' requirement may be obtained by consulting Alcumus ISOQAR

Alcumus ISOQAR Limited, Cobra Court, 1 Blackmore Road, Stretford, Manchester M32 0QY.

T: 0161 865 3699 **E:** isoqarenquiries@alcumus.com **W:** alcumus.com/isoqar

This certificate is the property of Alcumus ISOQAR and must be returned on request.

Controlling Legislation

Water Act 1989
Environmental Protection Act 1990
Water Resources Act 1991
Salmon and Freshwater Fisheries Act 1975
Land Drainage Act 1991
Environment Act 1995
EC Water Framework Directive 2000
Water Act 2003
Groundwater Regulations 2009
Environmental Permitting Regulations 2010

Regulatory Authorities

The Environment Agency (EA) and Scottish Environment Protection Agency (SEPA) regulate 'controlled waters'. 'Controlled waters' include groundwater, coastal waters, reservoirs and all inland watercourses (including those, which are temporarily dry). Water mains, sewers, drains and pipes are NOT controlled waters (although they may be connected to them).

The local water authority (LWA) regulates water mains, foul sewers and other drains.

General Guidance

It is vital to manage and control water properly on site to protect the environment. If watercourses are polluted, or unacceptable wastes are disposed of to the sewer system, then the EA/SEPA have the powers to prosecute, the 'polluter pays principle'. Private claims for damage may also occur where a water abstraction supply is interrupted due to pollution.

The site does not need to be next to a river to cause a problem. Any pollutants getting into a surface water drain or groundwater can end up in a river even if it is a long way away. The Environment Agencies will be able to trace these pollutants back to their source.

Spillages can be easily noticed and will be reported to the authorities by the general public. For example, a gallon of oil can cover an area the size of two football pitches.

It does not take much to cause a problem - for example, the normal limits set by the Environment Agencies for suspended solids are typically a maximum of 30-40mg/l, which is equivalent to mixing half a tablespoon of soil in a bath of water.

Discharge consents must be obtained from the relevant body for all discharges into watercourses.

Potential Risks

Under Section 85 of the Water Resources Act 1991, it is an offence to discharge polluting material into any 'controlled waters' without a discharge consent either deliberately or accidentally.

Pollution of controlled waters carries a hefty penalty. The 'polluter pays' principle means that the offending company will not only be fined in court and the responsible person jailed, but they will also be ordered to pay for the environmental clean-up operation.

Penalties are currently: -

- £20,000 &/or 3 months imprisonment by the Magistrates Court,
- trial by jury, unlimited fine and/or 2 years imprisonment in Crown Court

PLUS clean-up costs which could run into £millions.

Management Action Plan

- Pre-start environmental assessment to identify sensitive receptors,
- At least 7 working days' notice must be given to the EA or SEPA prior to works starting on or near a foul or trunk sewer.
- Prior approval must be obtained from the EA or SEPA for any construction work being carried out:-
 - (i) within 8 meters of the bank of any river;
 - (ii) within 16 meters of any tidal defence, or;
 - (iii) which may interfere with the banks, bed or flood channel of any watercourse.
- Construction activities near watercourses, sewers and drains must be controlled to prevent pollution from silt, chemicals or construction materials. Method statements for all activities should include ways of preventing pollution.
- When working near a river or stream, banks should be properly secured to prevent silting, erosion or collapse
- All oil and chemical tanks should be properly bunded and secured. These must be sited at the furthest distance possible from the watercourse
- A designated area should be set aside for washing out concrete mixing plant and lorries. Dirty water must not be allowed to enter watercourses, sewers or drains without prior treatment. A settlement lagoon is recommended for dirty water that can then be discharged into drains or foul sewers **ONLY** with consent from the local water authority.
- All drain covers and surface runoff grills should be painted for easy identification, e.g. surface water drains – blue, foul sewer drains – red.
- Do not allow tools or equipment to be washed in any watercourse
- Prevent litter from blowing into watercourses by storing wastes properly

Emergency Action in the event of an incident

If any polluting material enters a controlled watercourse or surface runoff drain without a discharge consent then the EA or SEPA must be notified immediately.

EA Pollution Hotline: **0800 80 70 60**

SEPA Pollution Hotline: **03000 99 66 99**

If any substance without discharge consent enters a foul sewer or water mains the LWA must be notified immediately.

An Environmental Incident Report form must be completed and sent to Head Office

For further information also refer to:

Code of Good Practice No. 5- 'Groundwater Regulations'

Code of Good Practice No. 7 - 'Silt and its Effect on Rivers'

Code of Good Practice No. 8 - 'Oil Storage Tanks and Bunds'

Suggested reading and references

- 'Working at Construction and Demolition Sites': EA/SEPA Pollution Prevention Guidelines PPG6
- 'Use and Design of Oil Separators in Surface Water Drainage Systems': EA/SEPA
- Pollution Prevention Guidelines PPG3
- **Environmental good practice on site, CIRIA C692, 2010**

Considerate Constructors Scheme Monitor's Site Report



Project name	Hornsey Town Hall				
Contractor name	Ardmore Construction Ltd				
Onsite contact(s)	Joe Pitt				
Scheme ID number	116466	Visit no.	2	Visit date	15/10/2020

Project description, context, location and relevant constraints

This mixed use project comprises alterations and refurbishment of the existing listed Hornsey Town Hall to provide a new 65 bed hotel and a new arts/community centre together with 127 new residential apartments in two 6 storey new build blocks on an existing old car park/waste ground to the rear of the town hall, associated works include 9 new apartments in an adjoining mews and upgrading of the public square facing onto Crouch End Broadway. This is a high profile project in the centre of busy Crouch End with close residential/retail/commercial/library as neighbours. The project is at an early stage, the housing site has been cleared including associated demolitions, service diversions underway, investigations/repairs underway to the retained town hall building. 15/10/2020 – The concrete frame is in construction on block A along with the mews construction. The excavation on block B has started and the refurbishment of the existing town hall continues with the internal works progressing.

Code section	Visit 1	Visit 2		Scheme scoring explained
Care about Appearance	7	8	/9	- Each section of the Checklist will be scored out of 9 points with 1 additional point available for each approved innovation, up to a maximum of 5. - A score of 5 in one of the sections of the Checklist reflects compliance with the Scheme's core requirements while scores of 4 or lower indicate different levels of non-compliance. - Higher scores indicate performance beyond compliance with 6 reflecting a 'good' level of performance, 7 'very good', 8 'excellent' and 9 'exceptional'. - Approved innovations will need to be further developed and improved to receive an additional point at a subsequent visit. - For more information on the Monitor Checklist, scoring descriptors, the Scheme's definition of innovation and report writing standards, visit www.ccscheme.org.uk. - For an online library of best practice examples, case studies, e-learning modules and other resources, visit www.ccsbestpractice.org.uk.
Respect the Community	8	8	/9	
Protect the Environment	7	8	/9	
Secure everyone's Safety	8	8	/9	
Value their Workforce	7	8	/9	
Additional points	0	0	/5	
Total score	37	40	/50	

Executive summary

This second site visit to this project was undertaken remotely due to the contractors coronavirus precautions, however it is clear from the photographs issued and my Teams consultation with the site management that there are excellent policies and procedures in place across the criteria of the Scheme. The overall external appearance can now be termed as excellent with the site hoarding being maintained; however the Schemes first impressions standard could still be considered further. Newsletters are being issued and are displayed on community noticeboards to the site perimeters. There are targets in place for employing local labour and apprentices which are all being achieved. The contractor has carried out work at the local church which will leave a lasting community legacy. Excellent environmental policies and procedures are now evident with zero waste to landfill being achieved and promoted. Further development of a project specific carbon dashboard could be undertaken. Access to site is now via a card operated turnstile and there are thermal cameras to record temperatures of all entering site. The COVID QR track & trace is in operation and excellent safety and emergency arrangements are being maintained. The site setup now offers comprehensive facilities which covers all aspects of the Schemes checklist. Some healthy living and lifestyle campaigns are being promoted along with mental health awareness. Development of mental health first aiders could be considered. I would like to thank Joe Pitt, Eilish Kwai, Chris Dalby and Aydin Tatlici for their time for this remote second site visit.

Detailed summary of findings

Care about Appearance

First visit findings and score	7	/9
The site is fully enclosed by good condition hoardings – generally painted but the main frontage with dibond facings incorporating client and arts centre displays including time line history of the building, pavements clean, gates kept locked. Main site entry area well presented including childrens drawing competition entries, smart signage, information board, TV/communications screen, hanging helmet planters. Existing building enclosed by neat company logo monaflex. Working site areas look tidy, well organised. Main site accommodation block just installed – three storey stack of new eco type cabins in excellent condition, very well presented internally though some rooms, including new canteen, not yet operational, separate current canteen unit about to be removed. Operatives dress code includes tidy appearance, sub cons required to have their own correct company logo high viz, own employees with company/client logo high viz, operatives asked to remove PPE before leaving site. Smoking permitted only in the two smoking areas provided – rather basic at present with no seating and only one has a roof. Surrounding pavements swept and litter picked daily, wheels jet washed before leaving, wheel wash being installed this week, road sweeper in twice weekly and on call. Regular management condition checks all areas, weekly formal checklists completed. Inductions/site rules/toolbox talks include reference to personal appearance standards and to general housekeeping. Company identity promoted via communications, branded workwear, signage, company website, social media. Posters displayed promoting company values.		
Second visit updated findings and score	8	/9
The overall external appearance of this project can now be scored as excellent with the hoarding being maintained with daily inspections that include litter picks. The history of the town hall is being promoted on the hoarding along with excellent signage, further development of the Schemes first impression standard could still be considered. The workforce all wear their own branded PPE and a formal offsite dress code appearance policy is being promoted. The separate smoking and vaping shelters have now been fully developed along with the site setup providing workforce welfare and new subcontractor offices. All of the COVID precautions are being well promoted with signage and there are one-way systems in place. The workforce are all inducted on good housekeeping and general site tidiness with a contractor league table and green card system in operation. The project is being promoted on the contractor's website which has social media links.		

Respect the Community

First visit findings and score	8	/9
Extensive engagement with local stakeholders/steering group prior to commencement and continuing with regular meetings, pre-start letter drops issued to the local community with follow up newsletters every quarter and displayed in the community notice board, warning letter drops also issued for special activities, meet the builder session held and regular surgeries continue. Company/site/emergency contact details displayed externally. Complaints recording/resolution procedure in place, just one complaint since commencement re noise. Deliveries scheduled via datascope system, rush hours avoided, instructions/directions issued with orders, holding locations identified. Operatives encouraged to use public transport – could display local bus/train details, minimal parking possible on site. Local sub cons considered for tenders, some local labour employed and monitored against project KPI's, local shops/cafes/suppliers used. CCS well promoted – posters and banner displayed, flags just delivered, CCS explained at inductions and in toolbox talks, CCS logo on posters/signs, could include more promotion of CCS in the newsletters. Inductions include reference to courteous behaviour, no shouting/swearing, no radios, restricted use mobile phones. Arrangements would be made for any disabled visitors – could have an assistance sign at the pedestrian entry. Contractor performance questionnaires issued with the newsletter updates. Company has a corporate social responsibility policy though not displayed here, site specific community engagement plan prepared and activities so far include – safety/project talk to nearby school, drawing competition (safety theme) with school – winning entries well displayed on the hoarding with prizes/book tokens issued plus a donation to the school for books from a local bookshop, attended college careers fair, remembrance day event within the old building, repairs underway to the altar in a nearby church, more events planned for the future including contributing to the local Xmas festival in the square, team here take part in company organised charity events.		
Second visit updated findings and score	8	/9
There are quarterly newsletters being issued by both the client and the contractor and therefore the local residents are receiving updates every 6 weeks. The letters contain site contact information which is being well promoted to the site perimeters. Permitted working hours are 8am-9pm Monday to Friday and 8am-3pm Saturdays, however the contractor is finishing at 6pm during the week and 1pm on Saturdays. There is a detailed traffic management plan in place that considers delivery times and routes etc. Local labour and apprentices are being employed where possible. During the coronavirus pandemic the contractor has been providing virtual construction workshops for the local college with promotions for careers for women in construction. The school artwork from last years hoarding competition is now being displayed to the hoarding. The local church has been supported with works undertaken to the stage and flooring which will leave a legacy. There is a war memorial which the contractor ensures there is access to for Remembrance Sunday. A Christmas tree was sponsored last year and the contractor will do the same again this year, further promotion of a formal CSR action plan to the community could be undertaken.		

Protect the Environment

First visit findings and score	7	/9
Company environmental policy displayed, pre-start surveys done, site specific environmental management plan in place – issues covered at inductions/toolbox talks. Site waste management plan, segregation at site, demolition rubble kept for crushing and re-use here, feedback issued re % recycling achieved – planning to display results and charts showing actual waste quantities v target. Working methods adopted to minimise disturbance, noise/waste/vibration levels monitored. Retained trees fenced off, COSHH bins, diesel in double bunded bowsters/drip trays/spill kits, operatives with spillage training. Company certified with ISO 14001, monthly environmental audits plus twice yearly head office audits. Water and electricity metered, usage minimised, planning to display charts showing actual usage v targets. Site accommodation cabins eco type with lights on PIR, push taps, looking into possible rainwater harvesting. Rather limited display of environmental posters at present but more planned (site offices only just set up), planning to include more environmental promotions in newsletters. Operatives and deliveries travel recorded, company monitors the carbon footprint generated from all its projects and own premises, pre-assessment of carbon footprint done for this project – planning to display together with running results v target. Deliveries organised to minimise travel including arranging joint deliveries from local suppliers. NRMM plant schedule maintained. Company promoting waste and packaging reductions with supply chain (two staff graduates here specifically tasked with this) including finding sustainable options and minimising single use plastics, company also pursuing paperwork reductions including using tablets for many procedures.		
Second visit updated findings and score	8	/9
The contractor is promoting its environmental policy and procedures to an excellent level with them being included within the workforce inductions and displayed within the office and welfare areas. A site waste management plan is in operation with a target of 95% recycle results being set and zero waste to landfill being achieved with the waste separation ongoing. The target and achievements are now being promoted. The COSHH control is excellent with spill kits and drip trays in use. The existing ecology within the site is being managed and maintained. Full carbon footprint reporting is being undertaken and monthly environmental audits are carried out, further development of a project specific carbon dashboard could be considered. The mobile machinery is all registered under the NRMM registration and the workforce are encouraged to active commute to site. There are formal noise, air and vibration monitors in operation.		

Secure everyone's Safety

First visit findings and score	8	/9
Nearest A&E details displayed, first aid kits/trauma kits provided, first aid room being fitted out. H&S plan kept updated, risk assessments/method statements reviewed. Weekly safety audits plus sub con own weekly safety audits and twice yearly head office audits. Correct PPE checked, spares kept. Finger recognition turnstile entry provides in/out records, full time security presence at entry. Site fully enclosed, hoardings lit, security 24/7, CCTV. Traffic management plans updated, emergency and fire plans in place. Operatives encouraged to contribute safety improvement ideas – suggestion cards/small rewards, sub con league table displayed. Company organises regular safety campaigns, planning to display more H&S posters/alerts in canteen once fitted out (did have some in old canteen). Site based training here has included face fit masks, crane rescue, manual handling, fire marshalls. Inductions site specific, re-inductions after summer holidays. Zero tolerance drugs and alcohol, random testing organised for December. Site gates kept locked, vehicles banked on/off, trained traffic marshalls/gatemen. Seven first aiders – first aider high viz or helmet cross. Six defibrillators – location recorded on AED app, could display “kept here” sign on the hoarding. Visitors sign in via face recognition with pass issued, short inductions/escorted as appropriate. Company is a CLOCS champion, supply chain required to be FORS bronze minimum, full CLOCS compliance checks carried out on vehicles/drivers arriving with compliance check forms including photo records. Procedures in place for recording accidents and near misses. Planning to provide a hazard board. Safe Start daily briefings. Translators at inductions if needed.		
Second visit updated findings and score	8	/9
Access to site is via card operated turnstiles and the management team are all well identified with management wearing black hats and first aid stickers for identification. There is an entrance tunnel to the site which is promoting all of the coronavirus precautions. There are 6 defibrillators on site and the nearest A&E and minor injury units are being promoted. All of the task specific RAMS are briefed to the workforce with briefing sheets signed and there are permits to work in operation along with the COVID precautions. FORS registration is a mandatory requirement and the contractor is working to the full CLOCS standard, having CLOCS monitored visits could be considered. Daily briefings are given which include COVID precautions and subcontractor supervisor meetings are held weekly. There is a workforce suggestion system in place and the site rules are being well promoted which include the drug and alcohol policy with random testing.		

Value their Workforce

First visit findings and score	7	/9
Equality/diversity policies displayed, bullying/harassment etc included in inductions, open door policy adopted including providing HR surgeries, help lines displayed, company current “talk to us” campaign. Training organised, company has own training academy. Planning to display more occupational health/healthy lifestyle posters (site accommodation only just set up). Operatives induction process includes record of CSCS cards (mandatory), medical conditions, emergency contacts. Welfare includes serviced canteen (today still in old unit – about to be transferred into new canteen), changing/drying room with lockers, toilets, 6 male showers, separate female toilet/changing/2 showers, welfare all very clean and tidy today – two full time welfare operatives. CSCS cards checked for validity. Head office checks that sub cons/agencies have their own right to work check procedures in place including spot checks at sites. Planning to employ trade apprentices here – two already arranged, trainee staff also employed here, company supporting women into construction promotion with one female engineer taken on here for work experience via Haringey (case study prepared). Operatives total travel/working hours monitored for fatigue avoidance, all take breaks. HAV watches issued. Company promoting mental health/stress awareness, one of the team here about to take the mental health first aider training course. Some of the locals taken on or being considered for employment are from disadvantaged groups. No separate location for e-cig smokers but planned. Occupational health nurse visits organised – first one soon. First aid room will be made available as a quiet/prayer room. No current recreational facilities but looking into possible fitness room. Washing machine provided. Company encourages employees to pursue additional qualifications, own training academy and own e-learning courses. Team here familiar with CCS best practice hub, all encouraged to take the CCS short on line training modules (spotlights used for toolbox talks), site has issued postings on social media.		
Second visit updated findings and score	8	/9
There are thermal cameras at the site entrance recording temperatures of all entering site along with the track & trace QR code in operation. A COVID questionnaire is undertaken for all entering site. Training for the entire workforce is being supported with training courses held on site and the Schemes spotlights being promoted. Occupational health and next of kin details are recorded on induction. Apprentices are being employed both directly and through the subcontract supply chain. The welfare arrangements are now comprehensive with all facilities in place which includes separate showers for male and female and laundry facilities. Healthy living and lifestyle promotions are evident along with mental health awareness, development of mental health first aiders within the management team could still be considered. The site management refer to the Schemes best practice hub and have undertaken some of the e-learning, promoting construction via the Schemes #loveconstruction campaign could also be considered.		



Certificate of Excellence

Presented to

Joe Pitt

of

Ardmore Construction Ltd

For

Hornsey Town Hall

When visited by the Considerate Constructors Scheme's Monitor, this site achieved a level of excellence by scoring at least 8 points in each of the following five sections of the Scheme's Code of Considerate Practice:

Care about
Appearance

Respect the
Community

Protect the
Environment

Secure everyone's
Safety

Value their
Workforce

Isabel Martinson MBE
Executive Chairman, Considerate Constructors Scheme



HTH - BREEAM Man 3 & HQM Home Delivery 29 - Monitoring Records

From Mirabell Schmidt <MSchmidt@ardmoregroup.co.uk>

Date Thu 2024-11-21 13:49

To Katy Venables <katy.venables@whitecode.co.uk>

Cc Elliot Bacon <EBacon@ardmoregroup.co.uk>; Bethan Street <BStreet@ardmoregroup.co.uk>

 1 attachment (580 KB)

BREEAM Man 3 and HQM Home Delivery 29 - HTH Monitoring.pdf;

Hi Katy,

Please see attached monitoring of electricity, gas, fuel and water for Hornsey Town Hall. This document confirms total kWh and total kgCO2 and is applicable to:

HQM Home Delivery 29 Construction Energy Use

and

BREEAM Man 3 Responsible Construction Practices

The person responsible for collating data is Georgi Dinchev, Assistant Logistics Manager.

Please review and confirm that the above is sufficient to close out the relevant criteria.

Thank you,

Kind regards,

Mirabell Schmidt

Design Manager

T: 0208 344 0300



www.ardmoregroup.co.uk

Cambridge House

Head Office | 6 Wharf Studios | 28 Wharf Road | London | N1 7GR

ARDMORE CONSTRUCTION LIMITED
MONITORING RECORDS
Electricity, Gas, Fuel and Water
HORNSEY TOWN HALL



	Electricity (kWh)	Gas (kWh)	Fuel (lts)	Water (m3)
Jul-19			1000	
Aug-19				
Sep-19				
Oct-19			2700	
Nov-19			3080	
Dec-19			800	
Jan-20	83		4195	
Feb-20			2593	
Mar-20			5329	
Apr-20	188			
May-20			3000	
Jun-20			3231	
Jul-20			5000	
Aug-20			3841	887
Sep-20	16		5063	
Oct-20	91		5277	
Nov-20	1159		3977	
Dec-20	328.6		1152	
Jan-21	951.6		2000	
Feb-21	922.5			
Mar-21	2949.5			
Apr-21	1199.8			
May-21	1236.5		1000	
Jun-21	2036.2		900	
Jul-21	1559.7			
Aug-21	1924.8			119
Sep-21	2595.4		800	
Oct-21	8781		800	
Nov-21	18326.1		1800	
Dec-21	23598		9690	
Jan-22	18785		44482	
Feb-22	16044		17354	1165
Mar-22	11824		9534	
Apr-22	9429		535	
May-22	5303	6822.85	2005	
Jun-22	2342	21618.86	1015	
Jul-22	3076.2	25460.78	817	
Aug-22	3089.8			1550
Sep-22	3007.9	39541.51	984	
Oct-22	2222		700	
Nov-22		23328.69	1315	
Dec-22	2215.2	40588.58	677	
Jan-23			9	
Feb-23	3456.2		701	181
Mar-23	32533		500	92
Apr-23	18755		502	404
May-23	11481		500	209
Jun-23	10767		421	333
Jul-23	11668		500	301
Aug-23	11336		500	170
Sep-23	8947		500	204
Oct-23	10369		500.00	173
Nov-23	14165			171
Dec-23	2,135.70			98
Jan-24	10,965.50		501.00	192
Feb-24	8,335.80			77
Mar-24	8,467.50			19
Apr-24	7,846.50		500.00	50
May-24	23,060.30			31
Jun-24	19,213.80		500.00	3
Jul-24	23,844.40			
Aug-24	24,218.40			
Sep-24	23,581.40			2
Oct-24				
Nov-24				
Dec-24				

	Electricity (kWh)	Gas (kWh)	Fuel (lts)	Water (m3)
TOTALS	430,431.30	157,361.27	152,780.00	6,431.00

1 litre = 8.87 kWh
1,355,158.60

TOTAL kWh (Electricity, Gas and Fuel)	1,942,951.17
---------------------------------------	--------------

	1kWh = 0.207 kgCO2
TOTAL kgCO2	402,190.89

PROJECT VALUE £	66,300,000.00
-----------------	---------------

TOTAL CARBON (total kgCO2/project value)	0.006066
TOTAL WATER (total m3/project value)	0.000097



ARDMORE CONSTRUCTION LIMITED
Man 03 Responsible Construction Practices
Monitoring Records for Materials Transported to Site
HORNSEY TOWN HALL

BOOKING ID	COMPANY	VEHICLE	Litres	DISTANCE (MILE)	DISTANCE (KM)	CO2 (KG)
30181		Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	42.39	79.4	127.78	112.83
39835		Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	0.00	0	0.00	0
40022		Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	0.00	0	0.00	0
52994		Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	0.00	0	0.00	0
44033		Artic (>3.5-33.0t) - Laden: 50 percent	0.00	0	0.00	0
44034		Artic (>3.5-33.0t) - Laden: 100 percent	0.00	0	0.00	0
44035		Artic (>3.5-33.0t) - Laden: 100 percent	0.00	0	0.00	0
46515		Artic (>33.0t) - Laden: 50 percent	205.05	364	585.80	545.75
30119		Artic (>33.0t) - Laden: 50 percent	0.00	0	0.00	0
44297		Artic (>33.0t) - Laden: 100 percent	0.00	0	0.00	0
31370		Rigid (>3.5-7.5t) - Laden: percent	0.00	20	32.19	0
48604		Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	0.00	0	0.00	0
48631		Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	0.00	0	0.00	0
48632		Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	0.00	0	0.00	0
35881		Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	0.00	0	0.00	0
35938		Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	0.00	0	0.00	0
36670		Rigid (>3.5-7.5t) - Laden: 50 percent	0.00	0	0.00	0
30941		Rigid (>3.5-7.5t) - Laden: 50 percent	7.13	20	32.19	18.99
30216		Rigid (>3.5-7.5t) - Laden: 50 percent	28.33	79.4	127.78	75.41
37181		Rigid (>7.5-17.0t) - Laden: 0 percent	0.00	0	0.00	0
31376		Rigid (>17.0t) - Laden: 0 percent	9.44	20	32.19	25.13
52729		Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
52730		Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
52465		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
52695		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
53007		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
53023		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
53058		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
53059		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
53182		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
52076		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
52210		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
52243		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
50674		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
51460		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
51477		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
51338		Van/Light Commercial - Diesel (<3.50t)	0.00	20	32.19	0
51355		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
51682		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
51760		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
51761		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
51856		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
31378		Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
31715		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
30856		Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
30860		Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
30861		Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
30215		Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
30079		Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
31659		Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
31939		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
31943		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
31971		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
31977		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
31979		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
31777		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32047		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32050		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32222		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32225		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32227		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32228		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32234		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32252		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32253		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32257		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32392		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32399		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32400		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32316		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32405		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32409		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32413		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
32426		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
33386		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
33494		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
33866		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
33870		Van/Light Commercial - Diesel (<3.50t)	37.96	254	408.77	101.04
33937		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
33939		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
33967		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
33992		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
34074		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
34084		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0

42860		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
42883		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
42891		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
42956		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
42958		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
42963		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
43019		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
43021		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
43163		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
43197		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
43269		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
43313		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
43322		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
43334		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
43351		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
43352		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46389		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46497		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46510		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46512		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46331		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46350		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46247		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46264		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46637		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46658		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46682		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46760		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46771		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46772		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
44779		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
44837		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
44842		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
44843		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
44897		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
44956		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
44957		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
44958		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
45074		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
45626		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
45627		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
45630		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
45666		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
45668		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
45789		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
45843		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
45880		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
45973		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46094		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46102		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
46134		Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
28636	ABM TILNG	Car - Medium LPG/CNG	2.85	25	40.23	7.58
40641	ABM TILNG	Artic (>3.5-33.0t) - Laden: 0 percent	6.56	15	24.14	17.47
49504	ABM TILNG	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	10.68	20	32.19	28.42
52366	ABM TILNG	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	10.68	20	32.19	28.42
55936	ABM TILNG	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	10.68	20	32.19	28.42
63589	ABM TILNG	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	10.68	20	32.19	28.42
64413	ABM TILNG	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	10.68	20	32.19	28.42
63462	ABM TILNG	Artic (>3.5-33.0t) - Laden: 50 percent	10.94	20	32.19	29.12
55578	ABM TILNG	Artic (>3.5-33.0t) - Laden: 50 percent	10.94	20	32.19	29.12
53238	ABM TILNG	Artic (>3.5-33.0t) - Laden: 50 percent	10.94	20	32.19	29.12
53491	ABM TILNG	Artic (>3.5-33.0t) - Laden: 50 percent	10.94	20	32.19	29.12
52878	ABM TILNG	Artic (>3.5-33.0t) - Laden: 50 percent	10.94	20	32.19	29.12
51390	ABM TILNG	Artic (>3.5-33.0t) - Laden: 50 percent	10.94	20	32.19	29.12
52277	ABM TILNG	Artic (>3.5-33.0t) - Laden: 100 percent	13.13	20	32.19	34.94
54497	ABM TILNG	Artic (>33.0t) - Laden: 0 percent	12.68	30	48.28	33.74
54315	ABM TILNG	Artic (>33.0t) - Laden: 50 percent	16.90	30	48.28	44.98
49476	ABM TILNG	Artic (>33.0t) - Laden: 50 percent	11.27	20	32.19	29.99
49284	ABM TILNG	Artic (>33.0t) - Laden: 50 percent	11.27	20	32.19	29.99
49201	ABM TILNG	Artic (>33.0t) - Laden: 50 percent	11.27	20	32.19	29.99
49233	ABM TILNG	Artic (>33.0t) - Laden: 50 percent	11.27	20	32.19	29.99
49081	ABM TILNG	Artic (>33.0t) - Laden: 50 percent	11.27	20	32.19	29.99
49121	ABM TILNG	Artic (>33.0t) - Laden: 50 percent	11.27	20	32.19	29.99
49122	ABM TILNG	Artic (>33.0t) - Laden: 50 percent	11.27	20	32.19	29.99
49123	ABM TILNG	Artic (>33.0t) - Laden: 50 percent	11.27	20	32.19	29.99
50343	ABM TILNG	Artic (>33.0t) - Laden: 50 percent	11.27	20	32.19	29.99
76213	ABM TILNG	Artic (>33.0t) - Laden: 62 percent (Avg)	17.91	30	48.28	47.68
41901	ABM TILNG	Rigid (>3.5-7.5t) - Laden: percent	4.93	15	24.14	13.11
41903	ABM TILNG	Rigid (>3.5-7.5t) - Laden: 100 percent	5.78	15	24.14	15.39
41902	ABM TILNG	Rigid (>7.5-17.0t) - Laden: 0 percent	5.89	15	24.14	15.67
42005	ABM TILNG	Rigid (>7.5-17.0t) - Laden: 0 percent	5.89	15	24.14	15.67
41905	ABM TILNG	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	6.55	15	24.14	17.42
44483	ABM TILNG	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	8.73	20	32.19	23.23
41176	ABM TILNG	Rigid (>7.5-17.0t) - Laden: 50 percent	6.28	14	22.53	16.72
38280	ABM TILNG	Rigid (>7.5-17.0t) - Laden: 50 percent	8.97	20	32.19	23.88
39457	ABM TILNG	Rigid (>17.0t) - Laden: 50 percent	8.63	15	24.14	22.98
44314	ABM TILNG	Rigid (>17.0t) - Laden: 50 percent	11.52	20	32.19	30.65
40108	ABM TILNG	Rigid (>17.0t) - Laden: 54 percent (Avg)	11.68	20	32.19	31.1
39867	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
39632	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12

39572	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
39859	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
39758	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
39460	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
39334	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
39335	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
39341	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
39295	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
39240	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
38732	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
38137	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
38444	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
41261	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
41262	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
41906	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
41907	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
42006	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
41956	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
42244	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
42167	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
42216	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
41747	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
41730	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
41661	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
35419	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	1.64	10	16.09	3.41
35310	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	1.64	10	16.09	3.41
35274	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	1.64	10	16.09	3.41
35275	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	1.64	10	16.09	3.41
37863	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
37860	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
37861	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
36204	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
36830	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
36831	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
44303	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
43550	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
43216	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
43267	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
42577	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	6.54	40	64.37	13.64
45039	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	4.91	30	48.28	10.23
45040	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
50345	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
50385	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
50504	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	4.91	30	48.28	10.23
49136	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
47371	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
48244	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	4.91	30	48.28	10.23
48281	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	4.91	30	48.28	10.23
47642	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	4.91	30	48.28	10.23
28695	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
35066	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	1.64	10	16.09	3.41
34880	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	1.64	10	16.09	3.41
35134	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	1.64	10	16.09	3.41
34326	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
33389	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	4.91	30	48.28	10.23
32407	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
32403	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
30249	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	9.82	60	96.56	20.46
30311	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	9.82	60	96.56	20.46
29246	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	9.82	60	96.56	20.46
29247	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	9.82	60	96.56	20.46
51371	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	4.91	30	48.28	10.23
64586	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
66342	ABM TILNG	Van/Light Commercial - Petrol (<3.50t)	3.27	20	32.19	6.82
66817	ABM TILNG	Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
52058	ABM TILNG	Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
22265	ADDINGTONS	Car - Petrol Small (<1.4L)	6.20	50	80.47	12.93
31400	ADDINGTONS	Car - Petrol Medium (1.4L - 2.0L)	13.86	89.4	143.87	28.9
22956	ADDINGTONS	Car - Diesel Small (<1.7L)	2.99	35	56.33	7.95
22210	ADDINGTONS	Car - Diesel Large (>2.0L)	2.79	20	32.19	7.42
18620	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 0 percent	105.90	242	389.46	281.86
24785	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 0 percent	105.90	242	389.46	281.86
25529	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
25553	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	26.69	50	80.47	71.05
25992	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	18.69	35	56.33	49.74
26069	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
26545	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.35	25	40.23	35.53
27130	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
23056	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
23736	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
24613	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
28893	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
28093	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	34.71	65	104.61	92.37
28165	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
27697	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
18533	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
18548	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
18279	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
19210	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
22136	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88

22138	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
22513	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
22671	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
22806	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
20961	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	130.27	244	392.68	346.72
21309	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
21768	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
31066	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	139.88	262	421.65	372.3
31195	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	130.27	244	392.68	346.72
30300	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
29844	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
32038	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	143.09	268	431.30	380.83
33561	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
34001	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
34212	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
35071	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
36550	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	139.88	262	421.65	372.3
35378	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	171.91	322	518.21	457.56
35880	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	129.20	242	389.46	343.88
37529	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	27.35	50	80.47	72.8
20968	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	133.47	244	392.68	355.24
19701	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	132.38	242	389.46	352.33
19079	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	132.38	242	389.46	352.33
19302	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	132.38	242	389.46	352.33
19756	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	132.38	242	389.46	352.33
19978	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	132.38	242	389.46	352.33
18669	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	132.38	242	389.46	352.33
18671	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	132.38	242	389.46	352.33
28402	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	132.38	242	389.46	352.33
23409	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 50 percent	132.38	242	389.46	352.33
26532	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 100 percent	158.85	242	389.46	422.8
18574	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 100 percent	158.85	242	389.46	422.8
18777	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 100 percent	177.24	270	434.52	471.72
20330	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 100 percent	160.17	244	392.68	426.29
20959	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 100 percent	160.17	244	392.68	426.29
34364	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 100 percent	158.85	242	389.46	422.8
30850	ADDINGTONS	Artic (>3.5-33.0t) - Laden: 100 percent	158.85	242	389.46	422.8
26546	ADDINGTONS	Artic (>33.0t) - Laden: 50 percent	14.08	25	40.23	37.48
26551	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: percent	1.31	4	6.44	3.49
26239	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: percent	22.98	70	112.65	61.16
22277	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: percent	22.98	70	112.65	61.16
33934	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: percent	3.28	10	16.09	8.74
31382	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
31383	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
31385	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
31386	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
31387	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
31388	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
31389	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
31390	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
20342	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
19746	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	45.24	126.8	204.06	120.42
25496	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	24.98	70	112.65	66.48
37549	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
19729	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 100 percent	35.92	93.2	149.99	95.6
21055	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 100 percent	36.07	93.6	150.63	96.01
20669	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 100 percent	93.26	242	389.46	248.22
21479	ADDINGTONS	Rigid (>3.5-7.5t) - Laden: 100 percent	3.85	10	16.09	10.26
21027	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 0 percent	1.96	5	8.05	5.22
21468	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	0.90	2	3.22	2.39
28097	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	56.89	126.8	204.06	151.42
31365	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	56.98	127	204.39	151.66
30938	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	56.98	127	204.39	151.66
30397	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	56.98	127	204.39	151.66
29182	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	56.98	127	204.39	151.66
29553	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	56.98	127	204.39	151.66
33800	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	56.98	127	204.39	151.66
37191	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	0.90	2	3.22	2.39
35160	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	0.90	2	3.22	2.39
38216	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 50 percent	0.90	2	3.22	2.39
35329	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	15.15	30	48.28	40.31
33410	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	47.04	93.2	149.99	125.21
30194	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	47.04	93.2	149.99	125.21
29649	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	47.04	93.2	149.99	125.21
31091	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	47.04	93.2	149.99	125.21
25494	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	46.95	93	149.67	124.95
26552	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	2.02	4	6.44	5.37
22604	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	47.04	93.2	149.99	125.21
19081	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	17.56	34.8	56.01	46.75
19126	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	47.04	93.2	149.99	125.21
19052	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	47.04	93.2	149.99	125.21
20441	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	47.04	93.2	149.99	125.21
20152	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	41.59	82.4	132.61	110.7
18370	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	47.04	93.2	149.99	125.21
18124	ADDINGTONS	Rigid (>7.5-17.0t) - Laden: 100 percent	47.04	93.2	149.99	125.21
35158	ADDINGTONS	Rigid (>17.0t) - Laden: 0 percent	1.42	3	4.83	3.77
35161	ADDINGTONS	Rigid (>17.0t) - Laden: 50 percent	1.15	2	3.22	3.06
20224	ADDINGTONS	Rigid (>17.0t) - Laden: 50 percent	2.88	5	8.05	7.66
21026	ADDINGTONS	Rigid (>17.0t) - Laden: 50 percent	2.88	5	8.05	7.66
27040	ADDINGTONS	Rigid (>17.0t) - Laden: 50 percent	1.73	3	4.83	4.6

31392	ADDINGTONS	Rigid (>17.0t) - Laden: 50 percent	5.76	10	16.09	15.32
31352	ADDINGTONS	Rigid (>17.0t) - Laden: 50 percent	1.73	3	4.83	4.6
31395	ADDINGTONS	Rigid (>17.0t) - Laden: 54 percent (Avg)	5.84	10	16.09	15.55
21565	ADDINGTONS	Rigid (>17.0t) - Laden: 54 percent (Avg)	5.84	10	16.09	15.55
22846	ADDINGTONS	Rigid (>17.0t) - Laden: 54 percent (Avg)	20.45	35	56.33	54.43
21564	ADDINGTONS	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
21604	ADDINGTONS	Rigid (>17.0t) - Laden: 100 percent	33.97	50	80.47	90.41
35452	ADDINGTONS	Rigid (>17.0t) - Laden: 100 percent	3.40	5	8.05	9.04
35842	ADDINGTONS	Rigid (>17.0t) - Laden: 100 percent	3.40	5	8.05	9.04
37642	ADDINGTONS	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
37905	ADDINGTONS	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
27364	ADDINGTONS	Van/Light Commercial - Diesel (<3.50t)	10.46	70	112.65	27.85
33575	ADDINGTONS	Van/Light Commercial - Diesel (<3.50t)	10.46	70	112.65	27.85
33932	ADDINGTONS	Van/Light Commercial - Diesel (<3.50t)	5.98	38	61.15	15.91
59378	Ainscough Crane Hire Limited	Artic (>33.0t) - Laden: 100 percent	22.39	31.8	51.18	59.6
59479	Ainscough Crane Hire Limited	Artic (>33.0t) - Laden: 100 percent	39.15	55.6	89.48	104.2
61017	Ainscough Crane Hire Limited	Artic (>33.0t) - Laden: 100 percent	39.29	55.8	89.80	104.57
58747	Ainscough Crane Hire Limited	Artic (>33.0t) - Laden: 100 percent	27.04	38.4	61.80	71.97
70429	Ainscough Crane Hire Limited	Rigid (>3.5-7.5t) - Laden: 100 percent	21.43	55.6	89.48	57.03
46393	ALPINE FINISHING LIMITED	Van/Light Commercial - Petrol (<3.50t)	9.06	55.4	89.16	18.89
46237	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
45947	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
45785	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
42389	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	10.43	69.8	112.33	27.77
48252	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
48812	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	7.92	53	85.30	21.08
49100	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
49514	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
50488	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
50503	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
41778	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	10.43	69.8	112.33	27.77
41936	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	10.43	69.8	112.33	27.77
41014	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
41278	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
41126	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
57750	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	10.43	69.8	112.33	27.77
57751	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	10.43	69.8	112.33	27.77
56754	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	7.92	53	85.30	21.08
61236	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.31	55.6	89.48	22.12
62101	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
50812	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
50948	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
52064	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
53081	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
53034	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
53036	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
54327	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
53520	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	10.43	69.8	112.33	27.77
53546	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	10.43	69.8	112.33	27.77
53651	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	10.43	69.8	112.33	27.77
55649	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
56193	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
56244	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
56348	ALPINE FINISHING LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.28	55.4	89.16	22.04
51931	Alsford timber	Rigid (>17.0t) - Laden: 54 percent (Avg)	26.76	45.8	73.71	71.22
51701	Alsford timber	Rigid (>17.0t) - Laden: 54 percent (Avg)	26.76	45.8	73.71	71.22
49978	Alsford timber	Van/Light Commercial - Diesel (<3.50t)	6.85	45.8	73.71	18.22
59038	anixter cables	Rigid (>7.5-17.0t) - Laden: 100 percent	100.96	200	321.87	268.7
51513	anixter cables	Van/Light Commercial - Diesel (<3.50t)	36.47	244	392.68	97.06
51694	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
52031	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
53135	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
52930	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
52259	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
52304	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
56410	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
55861	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	6.56	15	24.14	17.47
54515	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
54602	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
53810	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
54249	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
59576	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
59578	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
62675	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	4.38	10	16.09	11.65
62676	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	4.38	10	16.09	11.65
58032	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
56661	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
72744	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
76547	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
79126	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
79551	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
79696	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
79922	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
80605	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
49599	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	4.38	10	16.09	11.65
33427	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	27.22	62.2	100.10	72.44
31408	ARDMORE	Artic (>3.5-33.0t) - Laden: 0 percent	27.22	62.2	100.10	72.44
26826	ARDMORE	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	26.69	50	80.47	71.05
46542	ARDMORE	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	5.34	10	16.09	14.21
46037	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	7.11	13	20.92	18.93

49598	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	5.47	10	16.09	14.56
36223	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	3.83	7	11.27	10.19
36224	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	3.83	7	11.27	10.19
36225	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	3.83	7	11.27	10.19
36226	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	3.83	7	11.27	10.19
36227	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	3.83	7	11.27	10.19
36228	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	3.83	7	11.27	10.19
36229	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	3.83	7	11.27	10.19
36230	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	3.83	7	11.27	10.19
36231	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	3.83	7	11.27	10.19
36232	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	3.83	7	11.27	10.19
22620	ARDMORE	Artic (>3.5-33.0t) - Laden: 50 percent	9.63	17.6	28.32	25.62
35415	ARDMORE	Artic (>3.5-33.0t) - Laden: 100 percent	11.29	17.2	27.68	30.05
35292	ARDMORE	Artic (>3.5-33.0t) - Laden: 100 percent	11.82	18	28.97	31.45
33450	ARDMORE	Artic (>33.0t) - Laden: 0 percent	7.60	18	28.97	20.24
35116	ARDMORE	Artic (>33.0t) - Laden: 0 percent	7.60	18	28.97	20.24
66110	ARDMORE	Artic (>33.0t) - Laden: 0 percent	6.34	15	24.14	16.87
66112	ARDMORE	Artic (>33.0t) - Laden: 0 percent	6.34	15	24.14	16.87
66032	ARDMORE	Artic (>33.0t) - Laden: 50 percent	10.70	19	30.58	28.49
66109	ARDMORE	Artic (>33.0t) - Laden: 50 percent	9.01	16	25.75	23.99
66652	ARDMORE	Artic (>33.0t) - Laden: 50 percent	9.01	16	25.75	23.99
56891	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.07	9	14.48	13.49
56894	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
56897	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
56898	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
56899	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
56900	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
56901	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
56902	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
21220	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
36912	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
50367	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
44780	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
46212	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
42862	ARDMORE	Artic (>33.0t) - Laden: 50 percent	5.63	10	16.09	14.99
34356	ARDMORE	Artic (>33.0t) - Laden: 62 percent (Avg)	4.78	8	12.87	12.71
62677	ARDMORE	Artic (>33.0t) - Laden: 100 percent	7.04	10	16.09	18.74
62678	ARDMORE	Artic (>33.0t) - Laden: 100 percent	7.04	10	16.09	18.74
26479	ARDMORE	Rigid (>3.5-7.5t) - Laden: percent	2.63	8	12.87	6.99
21886	ARDMORE	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.24	17.6	28.32	16.61
42443	ARDMORE	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
51117	ARDMORE	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
51118	ARDMORE	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
51119	ARDMORE	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
51120	ARDMORE	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
51121	ARDMORE	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
51122	ARDMORE	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
51123	ARDMORE	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
36847	ARDMORE	Rigid (>3.5-7.5t) - Laden: 100 percent	6.63	17.2	27.68	17.64
35394	ARDMORE	Rigid (>3.5-7.5t) - Laden: 100 percent	6.94	18	28.97	18.46
40813	ARDMORE	Rigid (>3.5-7.5t) - Laden: 100 percent	6.63	17.2	27.68	17.64
41707	ARDMORE	Rigid (>3.5-7.5t) - Laden: 100 percent	6.94	18	28.97	18.46
25028	ARDMORE	Rigid (>3.5-7.5t) - Laden: 100 percent	6.78	17.6	28.32	18.05
25033	ARDMORE	Rigid (>3.5-7.5t) - Laden: 100 percent	6.78	17.6	28.32	18.05
34213	ARDMORE	Rigid (>3.5-7.5t) - Laden: 100 percent	6.94	18	28.97	18.46
18503	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
18504	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
18505	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
18506	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
18507	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
18508	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
18509	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
18510	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
18511	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
18512	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
36213	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	2.75	7	11.27	7.31
36214	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	2.75	7	11.27	7.31
36215	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	2.75	7	11.27	7.31
36217	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	2.75	7	11.27	7.31
36218	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	2.75	7	11.27	7.31
36219	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	2.75	7	11.27	7.31
36220	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	2.75	7	11.27	7.31
36221	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	2.75	7	11.27	7.31
36222	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	2.75	7	11.27	7.31
42445	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	3.93	10	16.09	10.45
57942	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	0.00	0	0.00	0
57943	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	0.00	0	0.00	0
57944	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	0.00	0	0.00	0
57945	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	0.00	0	0.00	0
57946	ARDMORE	Rigid (>7.5-17.0t) - Laden: 0 percent	0.00	0	0.00	0
57947	ARDMORE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	4.36	10	16.09	11.61
57948	ARDMORE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	4.36	10	16.09	11.61
57949	ARDMORE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	4.36	10	16.09	11.61
57950	ARDMORE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	4.36	10	16.09	11.61
57951	ARDMORE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	4.36	10	16.09	11.61
57550	ARDMORE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	4.36	10	16.09	11.61
57551	ARDMORE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	4.36	10	16.09	11.61
57552	ARDMORE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	4.36	10	16.09	11.61
57553	ARDMORE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	4.36	10	16.09	11.61
41401	ARDMORE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	7.86	18	28.97	20.91

47405	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
47552	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
46960	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
47949	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
48060	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
48923	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
48767	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
48530	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
42480	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
42908	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
44798	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
44918	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
44920	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
33681	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
33683	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
34043	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
34736	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
34766	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
34768	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
34769	BCM GRC international	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	176.19	330	531.08	468.93
50849	BCM GRC international	Artic (>33.0t) - Laden: 0 percent	139.43	330	531.08	371.09
51154	BCM GRC international	Artic (>33.0t) - Laden: 50 percent	185.90	330	531.08	494.77
53065	BCM GRC international	Artic (>33.0t) - Laden: 50 percent	185.90	330	531.08	494.77
51393	BCM GRC international	Artic (>33.0t) - Laden: 62 percent (Avg)	197.05	330	531.08	524.47
53963	BCM GRC international	Artic (>33.0t) - Laden: 62 percent (Avg)	195.86	328	527.86	521.29
54180	BCM GRC international	Artic (>33.0t) - Laden: 100 percent	230.96	328	527.86	614.7
53473	BCM GRC international	Artic (>33.0t) - Laden: 100 percent	250.67	356	572.93	667.18
53256	BCM GRC international	Artic (>33.0t) - Laden: 100 percent	232.36	330	531.08	618.45
55368	BCM GRC international	Artic (>33.0t) - Laden: 100 percent	232.36	330	531.08	618.45
54973	BCM GRC international	Artic (>33.0t) - Laden: 100 percent	232.36	330	531.08	618.45
55176	BCM GRC international	Artic (>33.0t) - Laden: 100 percent	252.08	358	576.14	670.93
54780	BCM GRC international	Artic (>33.0t) - Laden: 100 percent	232.36	330	531.08	618.45
54462	BCM GRC international	Artic (>33.0t) - Laden: 100 percent	232.36	330	531.08	618.45
54508	BCM GRC international	Artic (>33.0t) - Laden: 100 percent	232.36	330	531.08	618.45
31696	BCM GRC international	Rigid (>3.5-7.5t) - Laden: percent	108.33	330	531.08	288.32
45660	BCM GRC international	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	117.00	330	531.08	311.39
31695	BCM GRC international	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	144.00	329	529.47	383.26
27999	BCM GRC international	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	144.00	330	531.08	383.26
28141	BCM GRC international	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	144.00	330	531.08	383.26
46117	BCM GRC international	Rigid (>17.0t) - Laden: 54 percent (Avg)	192.81	330	531.08	513.18
64618	BLAKLEY ELECTRICS	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	14.96	42.2	67.91	39.82
78248	BLAKLEY ELECTRICS	Van/Light Commercial - Diesel (<3.50t)	6.34	42.4	68.24	16.87
48672	BLOK N MESH	Van/Light Commercial - Diesel (<3.50t)	7.89	52.8	84.97	21
30227	bright metalwork ltd	Car - Diesel Large (>2.0L)	0.00	0	0.00	0
68592	brook air diffusion ltd	Van/Light Commercial - Diesel (<3.50t)	12.20	81.6	131.32	32.46
61338	BSB ENGINEERING SERVICES LIMITED	Van/Light Commercial - Diesel (<3.50t)	14.80	99	159.32	39.38
79741	CALEDONIAN PLYWOOD COMPANY	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	209.29	392	630.86	557.03
80759	CALEDONIAN PLYWOOD COMPANY	Artic (>33.0t) - Laden: 50 percent	441.64	784	1261.72	1175.45
35081	CALEDONIAN PLYWOOD COMPANY	Rigid (>3.5-7.5t) - Laden: 50 percent	22.69	63.6	102.35	60.4
55896	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	27.75	63.6	102.35	73.87
55284	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
53350	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
53657	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
52343	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
52079	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
60334	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
57344	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
56924	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
58096	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
69622	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.36	63.2	101.71	75.47
75822	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.36	63.2	101.71	75.47
34839	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
28438	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
23882	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
50669	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
45898	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.81	64.2	103.32	76.67
40698	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	27.64	61.6	99.14	73.56
41803	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
35788	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
37534	CALEDONIAN PLYWOOD COMPANY	Rigid (>7.5-17.0t) - Laden: 50 percent	27.64	61.6	99.14	73.56
81428	CALEDONIAN PLYWOOD COMPANY	Rigid (>17.0t) - Laden: 54 percent (Avg)	458.08	784	1261.72	1219.2
50686	Chilter ngrc	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	99.98	282	453.83	266.1
44880	CLEVELAND CABLE COMPANY	Rigid (>3.5-7.5t) - Laden: 100 percent	13.95	36.2	58.26	37.13
47933	CLEVELAND CABLE COMPANY	Rigid (>3.5-7.5t) - Laden: 100 percent	13.95	36.2	58.26	37.13
47477	CLEVELAND CABLE COMPANY	Rigid (>3.5-7.5t) - Laden: 100 percent	13.95	36.2	58.26	37.13
32450	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	164.07	376	605.11	436.69
42776	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
37794	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
41830	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
41831	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
40225	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
40338	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
39838	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
39839	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
39840	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
51485	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
51486	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	168.71	376	605.11	449.02
38421	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	189.80	376	605.11	505.16
39127	Complete Doorset Solutions LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	189.80	376	605.11	505.16
38440	Complete Doorset Solutions LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	219.69	376	605.11	584.72

21714	Conquip	Rigid (>17.0t) - Laden: 50 percent	73.12	127	204.39	194.6
36505	Conquip	Van/Light Commercial - Diesel (<3.50t)	18.95	126.8	204.06	50.44
27510	Coveya	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	126.00	236	379.80	335.36
61253	Crittall Windows	Rigid (>17.0t) - Laden: 54 percent (Avg)	7.48	12.8	20.60	19.91
46576	Crittall windows Ltd	Rigid (>17.0t) - Laden: 54 percent (Avg)	59.13	101.2	162.87	157.38
46394	Crittall windows Ltd	Rigid (>17.0t) - Laden: 54 percent (Avg)	59.13	101.2	162.87	157.38
46157	Crittall windows Ltd	Rigid (>17.0t) - Laden: 54 percent (Avg)	59.60	102	164.15	158.62
46330	Crittall windows Ltd	Rigid (>17.0t) - Laden: 54 percent (Avg)	59.60	102	164.15	158.62
56083	CSI	Van/Light Commercial - Diesel (<3.50t)	55.60	372	598.67	147.98
32509	DATASCOPE	Car - Petrol Small (<1.4L)	0.12	1	1.61	0.26
59203	day aggregates	Rigid (>7.5-17.0t) - Laden: 100 percent	11.91	23.6	37.98	31.71
53181	day aggregates	Rigid (>17.0t) - Laden: 100 percent	16.03	23.6	37.98	42.67
47139	day aggregates	Rigid (>17.0t) - Laden: 100 percent	16.03	23.6	37.98	42.67
42430	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	154.03	352	566.49	409.97
36245	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	151.41	346	556.83	402.99
36246	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	151.41	346	556.83	402.99
33916	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	152.29	348	560.05	405.32
34547	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	151.41	346	556.83	402.99
29546	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	151.41	346	556.83	402.99
29547	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	151.41	346	556.83	402.99
29076	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	152.29	348	560.05	405.32
29198	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	152.29	348	560.05	405.32
31762	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	151.41	346	556.83	402.99
30476	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	151.41	346	556.83	402.99
28106	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	137.41	314	505.33	365.72
28478	dfds	Artic (>3.5-33.0t) - Laden: 0 percent	152.29	348	560.05	405.32
53780	DNS	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
54232	DNS	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
36095	edincare	Van/Light Commercial - Diesel (<3.50t)	6.91	46.2	74.35	18.38
70293	ELTRADE ELECTRICAL LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	7.13	20	32.19	18.99
68345	ELTRADE ELECTRICAL LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	5.35	15	24.14	14.25
73003	ELTRADE ELECTRICAL LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	7.13	20	32.19	18.99
70592	ELTRADE ELECTRICAL LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	6.42	18	28.97	17.09
71057	ELTRADE ELECTRICAL LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	5.00	14	22.53	13.3
71758	ELTRADE ELECTRICAL LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	3.57	10	16.09	9.5
71996	ELTRADE ELECTRICAL LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	4.49	10	16.09	11.94
71477	ELTRADE ELECTRICAL LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	4.49	10	16.09	11.94
72937	ELTRADE ELECTRICAL LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	4.49	10	16.09	11.94
72450	ELTRADE ELECTRICAL LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	4.49	10	16.09	11.94
69089	ELTRADE ELECTRICAL LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	4.49	10	16.09	11.94
68932	ELTRADE ELECTRICAL LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	4.49	10	16.09	11.94
68729	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
68731	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
68732	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
68733	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
68734	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
69121	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
69122	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
69123	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
69124	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
69083	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
69560	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
69561	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
69562	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
69564	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
69565	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
69566	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
69569	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
69570	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
69571	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
68426	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.65	11	17.70	4.38
68428	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
68430	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.65	11	17.70	4.38
67838	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67839	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67840	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67841	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67842	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67843	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67844	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67826	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67828	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67829	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67830	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
67831	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
72422	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
72136	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	2.24	15	24.14	5.97
72140	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
70659	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
70726	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
70760	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
73719	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
76853	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
76658	ELTRADE ELECTRICAL LTD	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
33495	ENCON	Rigid (>3.5-7.5t) - Laden: 50 percent	12.99	36.4	58.58	34.57
20279	ENCON	Rigid (>7.5-17.0t) - Laden: 0 percent	14.29	36.4	58.58	38.03
37341	ENCON	Rigid (>7.5-17.0t) - Laden: 50 percent	16.33	36.4	58.58	43.47
37553	ENCON	Rigid (>7.5-17.0t) - Laden: 100 percent	18.37	36.4	58.58	48.9
38045	ENCON	Rigid (>7.5-17.0t) - Laden: 100 percent	18.37	36.4	58.58	48.9
36442	ENCON	Rigid (>7.5-17.0t) - Laden: 100 percent	34.53	68.4	110.08	91.9

39519	ENCON	Rigid (>17.0t) - Laden: 0 percent	17.19	36.4	58.58	45.74
36443	ENCON	Rigid (>17.0t) - Laden: 100 percent	33.97	50	80.47	90.41
36446	ENCON	Rigid (>17.0t) - Laden: 100 percent	33.97	50	80.47	90.41
36563	ENCON	Rigid (>17.0t) - Laden: 100 percent	22.14	32.6	52.46	58.94
36564	ENCON	Rigid (>17.0t) - Laden: 100 percent	28.26	41.6	66.95	75.22
37410	ENCON	Rigid (>17.0t) - Laden: 100 percent	10.87	16	25.75	28.93
46852	ENCON	Rigid (>17.0t) - Laden: 100 percent	24.73	36.4	58.58	65.81
22364	EOS	Rigid (>3.5-7.5t) - Laden: 100 percent	191.92	498	801.45	510.8
19013	EOS	Rigid (>7.5-17.0t) - Laden: 100 percent	251.38	498	801.45	669.06
24787	EOS	Rigid (>7.5-17.0t) - Laden: 100 percent	244.31	484	778.92	650.25
21663	EOS	Rigid (>17.0t) - Laden: 50 percent	286.71	498	801.45	763.09
21364	EOS	Rigid (>17.0t) - Laden: 50 percent	286.71	498	801.45	763.09
18210	EOS	Van/Light Commercial - Diesel (<3.50t)	85.49	572	920.54	227.54
22326	EUROPEAN BUILDING MATERIALS LTD	Rigid (>17.0t) - Laden: 100 percent	59.92	88.2	141.94	159.47
22330	EUROPEAN BUILDING MATERIALS LTD	Rigid (>17.0t) - Laden: 100 percent	59.92	88.2	141.94	159.47
30495	Excel Waterproofing Contractors Limited	Rigid (>3.5-7.5t) - Laden: percent	14.90	45.4	73.06	39.67
34864	Excel Waterproofing Contractors Limited	Rigid (>3.5-7.5t) - Laden: 100 percent	7.71	20	32.19	20.51
30421	Excel Waterproofing Contractors Limited	Rigid (>7.5-17.0t) - Laden: 0 percent	17.82	45.4	73.06	47.44
37179	Excel Waterproofing Contractors Limited	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	8.73	20	32.19	23.23
36538	Excel Waterproofing Contractors Limited	Rigid (>17.0t) - Laden: 50 percent	11.52	20	32.19	30.65
36604	Excel Waterproofing Contractors Limited	Rigid (>17.0t) - Laden: 54 percent (Avg)	45.34	77.6	124.88	120.68
36096	Excel Waterproofing Contractors Limited	Van/Light Commercial - Diesel (<3.50t)	0.75	5	8.05	1.99
36911	Excel Waterproofing Contractors Limited	Van/Light Commercial - LPG/CNG (<3.50t)	3.14	20	32.19	8.35
41797	FALCON	Rigid (>17.0t) - Laden: 100 percent	139.94	206	331.52	372.47
42720	FALCON	Rigid (>17.0t) - Laden: 100 percent	139.94	206	331.52	372.47
58968	FALCON	Rigid (>17.0t) - Laden: 100 percent	138.58	204	328.31	368.85
58743	FALCON	Rigid (>17.0t) - Laden: 100 percent	138.58	204	328.31	368.85
44013	FLOORCRAFT	Van/Light Commercial - Diesel (<3.50t)	5.23	35	56.33	13.92
44014	FLOORCRAFT	Van/Light Commercial - Diesel (<3.50t)	5.23	35	56.33	13.92
44101	FLOORCRAFT	Van/Light Commercial - Diesel (<3.50t)	14.95	100	160.93	39.78
44832	FLOORCRAFT	Van/Light Commercial - Diesel (<3.50t)	5.23	35	56.33	13.92
37108	FLOORCRAFT	Van/Light Commercial - Diesel (<3.50t)	1.65	11	17.70	4.38
37109	FLOORCRAFT	Van/Light Commercial - Diesel (<3.50t)	1.65	11	17.70	4.38
36708	FLOORCRAFT	Van/Light Commercial - Diesel (<3.50t)	1.65	11	17.70	4.38
32301	FLOORCRAFT	Van/Light Commercial - Diesel (<3.50t)	1.68	11.2	18.02	4.46
31808	GAP GROUP LTD	Rigid (>3.5-7.5t) - Laden: percent	0.98	3	4.83	2.62
33679	GAP GROUP LTD	Rigid (>3.5-7.5t) - Laden: percent	0.98	3	4.83	2.62
43789	GAP GROUP LTD	Rigid (>3.5-7.5t) - Laden: percent	10.57	32.2	51.82	28.13
36192	GAP GROUP LTD	Rigid (>7.5-17.0t) - Laden: 0 percent	12.64	32.2	51.82	33.65
39470	GAP GROUP LTD	Van/Light Commercial - Petrol (<3.50t)	0.49	3	4.83	1.02
59690	GREENSIDE LANDSCAPES	Car - Petrol Medium (1.4L -2.0L)	7.76	50	80.47	16.17
47566	GREENSIDE LANDSCAPES	Car - Diesel Medium (1.7L -2.0L)	0.53	5	8.05	1.41
47567	GREENSIDE LANDSCAPES	Car - Diesel Large (>2.0L)	2.09	15	24.14	5.56
47568	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	3.06	7	11.27	8.15
46834	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	0.00	3	4.83	0
47217	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	3.06	7	11.27	8.15
49084	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	50.59	115.6	186.04	134.64
49461	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	6.56	15	24.14	17.47
49462	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	65.64	150	241.40	174.71
46590	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	4.38	10	16.09	11.65
46591	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	6.56	15	24.14	17.47
59250	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	21.88	50	80.47	58.24
59159	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	21.88	50	80.47	58.24
57006	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	21.88	50	80.47	58.24
57314	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	0.44	1	1.61	1.16
54601	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 0 percent	2.19	5	8.05	5.82
56218	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 50 percent	19.15	35	56.33	50.96
56219	GREENSIDE LANDSCAPES	Artic (>3.5-33.0t) - Laden: 100 percent	22.98	35	56.33	61.15
59800	GREENSIDE LANDSCAPES	Rigid (>3.5-7.5t) - Laden: percent	19.37	59	94.95	51.55
59255	GREENSIDE LANDSCAPES	Rigid (>3.5-7.5t) - Laden: percent	16.42	50	80.47	43.69
59252	GREENSIDE LANDSCAPES	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	16.38	46.2	74.35	43.59
49460	GREENSIDE LANDSCAPES	Rigid (>7.5-17.0t) - Laden: 100 percent	7.57	15	24.14	20.15
40746	GREENSIDE LANDSCAPES	Rigid (>7.5-17.0t) - Laden: 100 percent	37.15	73.6	118.45	98.88
40747	GREENSIDE LANDSCAPES	Rigid (>7.5-17.0t) - Laden: 100 percent	37.15	73.6	118.45	98.88
40748	GREENSIDE LANDSCAPES	Rigid (>7.5-17.0t) - Laden: 100 percent	37.15	73.6	118.45	98.88
40749	GREENSIDE LANDSCAPES	Rigid (>7.5-17.0t) - Laden: 100 percent	37.15	73.6	118.45	98.88
40750	GREENSIDE LANDSCAPES	Rigid (>7.5-17.0t) - Laden: 100 percent	37.15	73.6	118.45	98.88
66943	GREENSIDE LANDSCAPES	Rigid (>17.0t) - Laden: 54 percent (Avg)	5.84	10	16.09	15.55
57099	GREENSIDE LANDSCAPES	Rigid (>17.0t) - Laden: 100 percent	50.00	73.6	118.45	133.08
54430	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	10.46	70	112.65	27.85
38793	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	2.24	15	24.14	5.97
38797	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	2.24	15	24.14	5.97
39544	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
39545	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
39546	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
39717	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	2.24	15	24.14	5.97
40426	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	10.97	73.4	118.13	29.2
36268	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	2.24	15	24.14	5.97
36358	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	1.50	3	4.83	3.98
36360	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	2.24	15	24.14	5.97
36577	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
36513	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
37195	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	2.24	15	24.14	5.97
37520	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
37706	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
35269	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
35431	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	0.75	5	8.05	1.99
35537	GREENSIDE LANDSCAPES	Van/Light Commercial - Diesel (<3.50t)	1.50	10	16.09	3.98
27652	HARDALL INTERNATIONAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	9.69	64.8	104.29	25.78
27654	HARDALL INTERNATIONAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	9.69	64.8	104.29	25.78

29836	HILTI GB Limited	Van/Light Commercial - Diesel (<3.50t)	0.42	2.8	4.51	1.11
29278	IP BUILDERS	Car - Petrol Small (<1.4L)	0.00	0	0.00	0
30171	IP BUILDERS	Car - Petrol Large (>2.0L)	97517.90	435353	700631.00	203266.32
29790	IP BUILDERS	Artic (>3.5-33.0t) - Laden: 0 percent	0.00	0	0.00	0
34209	IP BUILDERS	Artic (>3.5-33.0t) - Laden: 0 percent	7.09	16.2	26.07	18.87
18090	IP BUILDERS	Artic (>3.5-33.0t) - Laden: 0 percent	10.07	23	37.01	26.79
45969	IP BUILDERS	Artic (>3.5-33.0t) - Laden: 0 percent	7.18	16.4	26.39	19.1
30281	IP BUILDERS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	12.28	23	37.01	32.68
30283	IP BUILDERS	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	12.28	23	37.01	32.68
30280	IP BUILDERS	Artic (>3.5-33.0t) - Laden: 50 percent	12.58	23	37.01	33.49
47102	IP BUILDERS	Artic (>3.5-33.0t) - Laden: 50 percent	0.00	0	0.00	0
37246	IP BUILDERS	Artic (>3.5-33.0t) - Laden: 50 percent	0.55	1	1.61	1.46
41252	IP BUILDERS	Artic (>3.5-33.0t) - Laden: 100 percent	7.88	12	19.31	20.97
41254	IP BUILDERS	Artic (>33.0t) - Laden: 0 percent	5.07	12	19.31	13.49
35773	IP BUILDERS	Artic (>33.0t) - Laden: 50 percent	0.00	0	0.00	0
18642	IP BUILDERS	Artic (>33.0t) - Laden: 50 percent	85.62	152	244.62	227.89
34177	IP BUILDERS	Artic (>33.0t) - Laden: 62 percent (Avg)	8.84	14.8	23.82	23.52
27944	IP BUILDERS	Artic (>33.0t) - Laden: 100 percent	11.55	16.4	26.39	30.74
23364	IP BUILDERS	Artic (>33.0t) - Laden: 100 percent	11.41	16.2	26.07	30.36
35771	IP BUILDERS	Artic (>33.0t) - Laden: 100 percent	0.00	0	0.00	0
43271	IP BUILDERS	Artic (>33.0t) - Laden: 100 percent	0.00	0	0.00	0
51006	IP BUILDERS	Rigid (>3.5-7.5t) - Laden: percent	3.94	12	19.31	10.48
29746	IP BUILDERS	Rigid (>3.5-7.5t) - Laden: 50 percent	0.00	0	0.00	0
34518	IP BUILDERS	Rigid (>3.5-7.5t) - Laden: 100 percent	6.24	16.2	26.07	16.62
36203	IP BUILDERS	Rigid (>3.5-7.5t) - Laden: 100 percent	0.00	0	0.00	0
38058	IP BUILDERS	Rigid (>3.5-7.5t) - Laden: 100 percent	6.24	16.2	26.07	16.62
30282	IP BUILDERS	Rigid (>7.5-17.0t) - Laden: 0 percent	12689.71	32323	52018.70	33774.3
34776	IP BUILDERS	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	9.16	21	33.80	24.39
41251	IP BUILDERS	Rigid (>7.5-17.0t) - Laden: 100 percent	11.61	23	37.01	30.9
41996	IP BUILDERS	Rigid (>7.5-17.0t) - Laden: 100 percent	0.00	2	3.22	0
42175	IP BUILDERS	Rigid (>7.5-17.0t) - Laden: 100 percent	12.62	25	40.23	33.59
46883	IP BUILDERS	Rigid (>7.5-17.0t) - Laden: 100 percent	62.09	123	197.95	165.25
48213	IP BUILDERS	Rigid (>17.0t) - Laden: 50 percent	6.91	12	19.31	18.39
49180	IP BUILDERS	Rigid (>17.0t) - Laden: 54 percent (Avg)	7.01	12	19.31	18.66
40837	IP BUILDERS	Rigid (>17.0t) - Laden: 100 percent	8.15	12	19.31	21.7
40927	IP BUILDERS	Rigid (>17.0t) - Laden: 100 percent	14.27	21	33.80	37.97
39730	IP BUILDERS	Rigid (>17.0t) - Laden: 100 percent	0.00	0	0.00	0
30923	IP BUILDERS	Van/Light Commercial - Diesel (<3.50t)	0.15	1	1.61	0.4
41736	J.T.ELLIS	Car - Diesel Medium (1.7L -2.0L)	10625.39	100000	160934.00	28280
41737	J.T.ELLIS	Car - Diesel Medium (1.7L -2.0L)	10625.39	100000	160934.00	28280
41738	J.T.ELLIS	Car - Diesel Medium (1.7L -2.0L)	10625.39	100000	160934.00	28280
44776	J.T.ELLIS	Car - Diesel Medium (1.7L -2.0L)	8500.31	80000	128747.20	22624
48738	J.T.ELLIS	Rigid (>3.5-7.5t) - Laden: percent	0.00	0	0.00	0
34219	J.T.ELLIS	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	124.09	350	563.27	330.26
44747	J.T.ELLIS	Rigid (>3.5-7.5t) - Laden: 50 percent	177.70	498	801.45	472.95
43127	J.T.ELLIS	Rigid (>3.5-7.5t) - Laden: 100 percent	191.92	498	801.45	510.8
47216	J.T.ELLIS	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	217.31	498	801.45	578.38
50825	J.T.ELLIS	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	0.00	0	0.00	0
49304	J.T.ELLIS	Rigid (>7.5-17.0t) - Laden: 50 percent	218.06	486	782.14	580.38
31497	J.T.ELLIS	Rigid (>17.0t) - Laden: 50 percent	230.29	400	643.74	612.92
54520	J.T.ELLIS	Rigid (>17.0t) - Laden: 50 percent	279.80	486	782.14	744.7
43508	J.T.ELLIS	Van/Light Commercial - Petrol (<3.50t)	13087.70	80000	128747.20	27280
43179	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	11956.94	80000	128747.20	31824
42461	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	11956.94	80000	128747.20	31824
46147	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	55.30	370	595.46	147.19
46149	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	55.30	370	595.46	147.19
46151	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	55.30	370	595.46	147.19
46152	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	55.30	370	595.46	147.19
46209	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	55.30	370	595.46	147.19
46367	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	55.30	370	595.46	147.19
46291	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	55.30	370	595.46	147.19
41863	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	29.89	200	321.87	79.56
41864	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	29.89	200	321.87	79.56
41865	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	29.89	200	321.87	79.56
41870	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	29.89	200	321.87	79.56
41871	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	29.89	200	321.87	79.56
41445	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	26903.12	180000	289681.20	71604
42023	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	14946.18	100000	160934.00	39780
40781	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	269031.20	1800000	2896812.00	716040
40782	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	26903.12	180000	289681.20	71604
40783	J.T.ELLIS	Van/Light Commercial - Diesel (<3.50t)	26903.12	180000	289681.20	71604
43178	J.T.ELLIS	Van/Light Commercial - LPG/CNG (<3.50t)	12555.09	80000	128747.20	33416
30653	Jawroofing	Artic (>3.5-33.0t) - Laden: 50 percent	19.58	35.8	57.61	52.12
56345	Jawroofing	Artic (>3.5-33.0t) - Laden: 100 percent	109.62	167	268.76	291.77
54551	Jawroofing	Artic (>33.0t) - Laden: 50 percent	94.07	167	268.76	250.38
30656	Jawroofing	Artic (>33.0t) - Laden: 62 percent (Avg)	21.38	35.8	57.61	56.9
31265	Jawroofing	Artic (>33.0t) - Laden: 62 percent (Avg)	99.72	167	268.76	265.41
50164	Jawroofing	Artic (>33.0t) - Laden: 62 percent (Avg)	99.48	166.6	268.12	264.78
41938	Jawroofing	Artic (>33.0t) - Laden: 100 percent	117.59	167	268.76	312.97
30654	Jawroofing	Artic (>33.0t) - Laden: 100 percent	25.21	35.8	57.61	67.09
30424	Jawroofing	Artic (>33.0t) - Laden: 100 percent	25.63	36.4	58.58	68.22
30420	Jawroofing	Artic (>33.0t) - Laden: 100 percent	25.21	35.8	57.61	67.09
53231	Jawroofing	Artic (>33.0t) - Laden: 100 percent	117.59	167	268.76	312.97
18545	Jawroofing	Rigid (>3.5-7.5t) - Laden: percent	2.82	8.6	13.84	7.51
21728	Jawroofing	Rigid (>3.5-7.5t) - Laden: percent	2.82	8.6	13.84	7.51
21178	Jawroofing	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	3.05	8.6	13.84	8.11
23443	Jawroofing	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	3.05	8.6	13.84	8.11
23555	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	59.59	167	268.76	158.6
25332	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	59.59	167	268.76	158.6
27458	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	57.88	162.2	261.03	154.04

28430	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	59.59	167	268.76	158.6
19125	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	3.07	8.6	13.84	8.17
31235	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	3.07	8.6	13.84	8.17
39738	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	60.45	169.4	272.62	160.88
39863	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	59.45	166.6	268.12	158.22
35489	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	59.59	167	268.76	158.6
45968	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	5.99	16.8	27.04	15.95
54226	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	59.59	167	268.76	158.6
64448	Jawroofing	Rigid (>3.5-7.5t) - Laden: 50 percent	59.59	167	268.76	158.6
29188	Jawroofing	Rigid (>3.5-7.5t) - Laden: 100 percent	64.36	167	268.76	171.29
28111	Jawroofing	Rigid (>3.5-7.5t) - Laden: 100 percent	64.36	167	268.76	171.29
32347	Jawroofing	Rigid (>7.5-17.0t) - Laden: 0 percent	65.56	167	268.76	174.5
43644	Jawroofing	Rigid (>7.5-17.0t) - Laden: 0 percent	3.38	8.6	13.84	8.99
37657	Jawroofing	Rigid (>7.5-17.0t) - Laden: 0 percent	12.41	31.6	50.86	33.02
58386	Jawroofing	Rigid (>7.5-17.0t) - Laden: 0 percent	65.56	167	268.76	174.5
59926	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	72.87	167	268.76	193.95
59991	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	72.87	167	268.76	193.95
61417	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	2.36	5.4	8.69	6.27
65208	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	74.18	170	273.59	197.44
63796	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	72.87	167	268.76	193.95
66436	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	75.67	173.4	279.06	201.39
67960	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	72.96	167.2	269.08	194.19
52892	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	2.71	6.2	9.98	7.2
36088	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	70.69	162	260.71	188.15
45779	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	73.22	167.8	270.05	194.88
46685	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	72.87	167	268.76	193.95
48634	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	72.87	167	268.76	193.95
48109	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	72.87	167	268.76	193.95
48169	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	72.87	167	268.76	193.95
34732	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	72.87	167	268.76	193.95
28020	Jawroofing	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	72.87	167	268.76	193.95
27052	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	72.78	162.2	261.03	193.7
21730	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
29005	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
31053	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
48659	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
50556	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	7.54	16.8	27.04	20.06
46665	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	26.29	58.6	94.31	69.98
43676	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	1.97	4.4	7.08	5.25
43504	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
44750	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	48.46	108	173.81	128.97
44762	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
44572	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	1.97	4.4	7.08	5.25
38628	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
39241	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.75	166.6	268.12	198.95
39190	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.75	166.6	268.12	198.95
39246	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.75	166.6	268.12	198.95
41940	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
41926	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
42312	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	4.94	11	17.70	13.14
40948	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	72.69	162	260.71	193.46
52735	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	2.42	5.4	8.69	6.45
53234	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
53112	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	2.69	6	9.66	7.17
52462	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	7.54	16.8	27.04	20.06
51882	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
51877	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
54076	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	2.42	5.4	8.69	6.45
54287	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
53270	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
53239	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
53253	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	7.54	16.8	27.04	20.06
56346	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
66490	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	23.87	53.2	85.62	63.53
70493	Jawroofing	Rigid (>7.5-17.0t) - Laden: 50 percent	74.93	167	268.76	199.43
53783	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
53784	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
51881	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
51885	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
53235	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
41494	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
41495	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
41496	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
42235	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
41930	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	8.48	16.8	27.04	22.57
44624	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
44626	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
46338	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.70	167.8	270.05	225.44
45970	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.70	167.8	270.05	225.44
48612	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	8.48	16.8	27.04	22.57
30098	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	84.30	167	268.76	224.36
25162	Jawroofing	Rigid (>7.5-17.0t) - Laden: 100 percent	211.00	418	672.70	561.58
45632	Jawroofing	Rigid (>17.0t) - Laden: 50 percent	96.61	167.8	270.05	257.12
35273	Jawroofing	Rigid (>17.0t) - Laden: 50 percent	93.27	162	260.71	248.23
56295	Jawroofing	Rigid (>17.0t) - Laden: 50 percent	96.14	167	268.76	255.89
56311	Jawroofing	Rigid (>17.0t) - Laden: 50 percent	93.15	161.8	260.39	247.93
63755	Jawroofing	Rigid (>17.0t) - Laden: 50 percent	96.14	167	268.76	255.89
47608	Jawroofing	Rigid (>17.0t) - Laden: 54 percent (Avg)	97.57	167	268.76	259.7
39244	Jawroofing	Rigid (>17.0t) - Laden: 100 percent	113.18	166.6	268.12	301.23
24552	Jawroofing	Rigid (>17.0t) - Laden: 100 percent	113.45	167	268.76	301.95

24774	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	1.28	8.6	13.84	3.42
24458	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.28	28.6	46.03	11.38
23680	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.28	28.6	46.03	11.38
28941	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
22287	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.28	28.6	46.03	11.38
19687	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.28	28.6	46.03	11.38
20272	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.28	28.6	46.03	11.38
29604	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
34753	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
33380	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
38696	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
42240	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
41752	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
41249	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
41180	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
35255	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
35964	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
48277	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
49187	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	2.51	16.8	27.04	6.68
46732	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	1.59	10.6	17.06	4.22
43286	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.31	28.8	46.35	11.46
61901	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
56881	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	24.96	167	268.76	66.43
66613	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
64495	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
67515	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	4.48	30	48.28	11.93
66718	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
68199	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	24.99	167.2	269.08	66.51
68344	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
68166	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
68167	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
70341	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
69960	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	25.38	169.8	273.27	67.55
68650	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	25.38	169.8	273.27	67.55
56135	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
53545	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	2.51	16.8	27.04	6.68
51457	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	25.38	169.8	273.27	67.55
70433	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
70256	Jawroofing	Van/Light Commercial - Diesel (<3.50t)	7.03	47	75.64	18.7
48455	JEWSON	Artic (>3.5-33.0t) - Laden: 100 percent	6.56	10	16.09	17.47
27429	JEWSON	Artic (>3.5-33.0t) - Laden: 100 percent	6.56	10	16.09	17.47
48456	JEWSON	Artic (>33.0t) - Laden: 0 percent	4.23	10	16.09	11.25
48454	JEWSON	Artic (>33.0t) - Laden: 0 percent	4.23	10	16.09	11.25
48453	JEWSON	Artic (>33.0t) - Laden: 100 percent	7.04	10	16.09	18.74
50258	JEWSON	Artic (>33.0t) - Laden: 100 percent	7.04	10	16.09	18.74
33431	JEWSON	Artic (>33.0t) - Laden: 100 percent	7.04	10	16.09	18.74
54039	JEWSON	Artic (>33.0t) - Laden: 100 percent	7.04	10	16.09	18.74
47956	JEWSON	Rigid (>7.5-17.0t) - Laden: 100 percent	5.05	10	16.09	13.43
46905	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
44105	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46733	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46734	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46735	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46736	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46688	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46689	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46690	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46691	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46630	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46632	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46634	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46805	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46806	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46809	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46810	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46811	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46812	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46813	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46815	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46816	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46818	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46819	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46821	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
46822	JEWSON	Rigid (>17.0t) - Laden: 100 percent	0.68	1	1.61	1.81
46823	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
36092	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
35162	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
35163	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
35164	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
35165	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
35166	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
35167	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
35169	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
35171	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
36261	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
37206	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
37207	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
37208	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
37210	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
37395	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08

37919	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
37920	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
42289	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
38697	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
38686	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
38420	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
38760	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
33554	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
33556	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
33559	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
34059	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
32176	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
32214	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
32215	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
32217	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
32218	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
34774	JEWSON	Rigid (>17.0t) - Laden: 100 percent	13.59	20	32.19	36.16
34651	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
34656	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
29609	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
29610	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
29294	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
27433	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
27485	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
27718	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
28653	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
28207	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
25678	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
25767	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
25768	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
18830	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
18140	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
22707	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
22708	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
22709	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
22710	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
65402	JEWSON	Rigid (>17.0t) - Laden: 100 percent	6.79	10	16.09	18.08
29476	JEWSON	Van/Light Commercial - Diesel (<3.50t)	14946.03	99999	160932.39	39779.6
30460	JEWSON	Van/Light Commercial - LPG/CNG (<3.50t)	1.57	10	16.09	4.18
27341	JEWSON	Van/Light Commercial - LPG/CNG (<3.50t)	1.57	10	16.09	4.18
43347	JEWSON	Van/Light Commercial - LPG/CNG (<3.50t)	1.57	10	16.09	4.18
50316	JEWSON	Van/Light Commercial - LPG/CNG (<3.50t)	1.57	10	16.09	4.18
68120	JEWSON	Van/Light Commercial - LPG/CNG (<3.50t)	1.57	10	16.09	4.18
54802	JEWSON	Van/Light Commercial - LPG/CNG (<3.50t)	1.57	10	16.09	4.18
51509	JEWSON	Van/Light Commercial - LPG/CNG (<3.50t)	1.57	10	16.09	4.18
50819	JEWSON	Van/Light Commercial - LPG/CNG (<3.50t)	1.57	10	16.09	4.18
52834	JEWSON	Van/Light Commercial - LPG/CNG (<3.50t)	1.57	10	16.09	4.18
51151	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
38906	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
39323	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
38466	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
38695	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
39617	keyfix	Van/Light Commercial - Diesel (<3.50t)	37.96	254	408.77	101.04
37927	keyfix	Van/Light Commercial - Diesel (<3.50t)	37.96	254	408.77	101.04
37928	keyfix	Van/Light Commercial - Diesel (<3.50t)	37.96	254	408.77	101.04
35474	keyfix	Van/Light Commercial - Diesel (<3.50t)	37.96	254	408.77	101.04
36086	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
34755	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
34859	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
34153	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
34386	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
33795	keyfix	Van/Light Commercial - Diesel (<3.50t)	34.98	234	376.59	93.09
18117	KEY/LINE	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	6.55	15	24.14	17.42
42385	LOADS	Rigid (>17.0t) - Laden: 54 percent (Avg)	11.80	20.2	32.51	31.41
40878	LOADS	Rigid (>17.0t) - Laden: 54 percent (Avg)	0.00	0	0.00	0
42509	LOADS	Rigid (>17.0t) - Laden: 54 percent (Avg)	11.80	20.2	32.51	31.41
43941	LOADS	Rigid (>17.0t) - Laden: 54 percent (Avg)	11.80	20.2	32.51	31.41
51038	LOADS	Rigid (>17.0t) - Laden: 54 percent (Avg)	11.80	20.2	32.51	31.41
51243	LOADS	Rigid (>17.0t) - Laden: 54 percent (Avg)	11.80	20.2	32.51	31.41
51698	LOADS	Rigid (>17.0t) - Laden: 54 percent (Avg)	11.80	20.2	32.51	31.41
52302	LOADS	Rigid (>17.0t) - Laden: 54 percent (Avg)	11.80	20.2	32.51	31.41
52200	LOADS	Rigid (>17.0t) - Laden: 54 percent (Avg)	11.80	20.2	32.51	31.41
54502	LOADS	Rigid (>17.0t) - Laden: 54 percent (Avg)	0.00	0	0.00	0
26672	LONG WATER SUPPLY	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	32.03	60	96.56	85.26
21278	LONGWATER	Rigid (>7.5-17.0t) - Laden: 50 percent	142.68	318	511.77	379.76
50010	LONGWATER	Rigid (>7.5-17.0t) - Laden: 50 percent	56.53	126	202.78	150.47
47134	LONGWATER	Rigid (>7.5-17.0t) - Laden: 50 percent	56.53	126	202.78	150.47
53467	LONGWATER	Rigid (>17.0t) - Laden: 50 percent	0.00	126	202.78	0
21675	LONGWATER	Rigid (>17.0t) - Laden: 54 percent (Avg)	48.73	83.4	134.22	129.7
20608	LONGWATER	Rigid (>17.0t) - Laden: 54 percent (Avg)	55.74	95.4	153.53	148.36
20093	LONGWATER	Rigid (>17.0t) - Laden: 54 percent (Avg)	52.00	89	143.23	138.4
21771	LONGWATER	Rigid (>17.0t) - Laden: 100 percent	56.66	83.4	134.22	150.8
30940	LONGWATER	Rigid (>17.0t) - Laden: 100 percent	60.46	89	143.23	160.92
22391	LORDS BM	Rigid (>17.0t) - Laden: 54 percent (Avg)	12.04	20.6	33.15	32.04
31591	MCM	Rigid (>17.0t) - Laden: 100 percent	35.05	51.6	83.04	93.3
32449	MCM	Rigid (>17.0t) - Laden: 100 percent	33.69	49.6	79.82	89.68
54179	Mideco ltd	Artic (>33.0t) - Laden: 100 percent	3.52	5	8.05	9.37
48087	Mideco ltd	Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
43880	Mideco ltd	Van/Light Commercial - Diesel (<3.50t)	2.54	17	27.36	6.76
42757	Mideco ltd	Van/Light Commercial - Diesel (<3.50t)	3.74	25	40.23	9.95

45876	Mideco ltd	Van/Light Commercial - Diesel (<3.50t)	3.74	25	40.23	9.95
44815	Mideco ltd	Van/Light Commercial - Diesel (<3.50t)	2.24	15	24.14	5.97
44885	Mideco ltd	Van/Light Commercial - Diesel (<3.50t)	2.54	17	27.36	6.76
42021	Mideco ltd	Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
41534	Mideco ltd	Van/Light Commercial - Diesel (<3.50t)	4.48	30	48.28	11.93
23460	MIERS CONSTRUCTION	Rigid (>3.5-7.5t) - Laden: 50 percent	45.24	126.8	204.06	120.42
19132	MIERS CONSTRUCTION	Rigid (>7.5-17.0t) - Laden: 50 percent	56.08	125	201.17	149.27
34387	MIERS CONSTRUCTION	Rigid (>17.0t) - Laden: 0 percent	59.96	127	204.39	159.58
22565	MIERS CONSTRUCTION	Rigid (>17.0t) - Laden: 50 percent	75.53	131.2	211.15	201.04
21051	MIERS CONSTRUCTION	Rigid (>17.0t) - Laden: 50 percent	73.35	127.4	205.03	195.22
38354	MIERS CONSTRUCTION	Rigid (>17.0t) - Laden: 50 percent	73.12	127	204.39	194.6
35597	MIERS CONSTRUCTION	Rigid (>17.0t) - Laden: 50 percent	73.12	127	204.39	194.6
37514	MIERS CONSTRUCTION	Rigid (>17.0t) - Laden: 50 percent	84.51	146.8	236.25	224.94
37141	MIERS CONSTRUCTION	Rigid (>17.0t) - Laden: 50 percent	73.35	127.4	205.03	195.22
22128	MIERS CONSTRUCTION	Rigid (>17.0t) - Laden: 54 percent (Avg)	74.55	127.6	205.35	198.43
37559	Modular clay products	Artic (>3.5-33.0t) - Laden: 100 percent	107.39	163.6	263.29	285.83
36407	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	0.00	0	0.00	0
27318	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	9.29	17.4	28.00	24.73
28090	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	9.93	18.6	29.93	26.43
28251	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	10.04	18.8	30.26	26.71
28268	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	10.04	18.8	30.26	26.71
31298	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	0.00	0	0.00	0
30955	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	180.46	338	543.96	480.3
30793	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	587.29	1100	1770.27	1563.1
31151	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	9.61	18	28.97	25.58
31155	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	9.61	18	28.97	25.58
31078	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	0.00	0	0.00	0
31079	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	21.78	40.8	65.66	57.98
29750	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	10.25	19.2	30.90	27.28
28246	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 50 percent	10.28	18.8	30.26	27.37
28678	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>3.5-33.0t) - Laden: 100 percent	11.55	17.6	28.32	30.75
28406	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>33.0t) - Laden: 50 percent	10.59	18.8	30.26	28.19
28418	NWP ELECTRICAL & MECHANICAL LIMITED	Artic (>33.0t) - Laden: 50 percent	10.59	18.8	30.26	28.19
28682	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.24	17.6	28.32	16.61
28309	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.67	18.8	30.26	17.74
27690	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	30.49	86	138.40	81.15
27526	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.59	18.6	29.93	17.55
29754	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.81	19.2	30.90	18.12
30253	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.81	19.2	30.90	18.12
29506	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.81	19.2	30.90	18.12
29520	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.81	19.2	30.90	18.12
29037	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.67	18.8	30.26	17.74
30945	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	389.98	1100	1770.27	1037.96
30545	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	14.47	40.8	65.66	38.5
30620	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	0.00	0	0.00	0
30484	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	112.74	318	511.77	300.06
30485	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.38	18	28.97	16.98
30486	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.38	18	28.97	16.98
30658	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	0.00	0	0.00	0
30459	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	87.92	248	399.12	234.01
30455	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.38	18	28.97	16.98
31479	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	146.78	414	666.27	390.65
33719	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.38	18	28.97	16.98
33721	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.38	18	28.97	16.98
33725	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	6.38	18	28.97	16.98
29144	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 50 percent	134.17	376	605.11	357.09
27304	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 50 percent	12.92	36.2	58.26	34.38
28765	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 50 percent	6.28	17.6	28.32	16.71
28949	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 50 percent	6.71	18.8	30.26	17.85
29538	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>3.5-7.5t) - Laden: 100 percent	7.48	19.4	31.22	19.9
31342	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>17.0t) - Laden: 54 percent (Avg)	241.89	414	666.27	643.81
31296	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>17.0t) - Laden: 54 percent (Avg)	10.52	18	28.97	27.99
31297	NWP ELECTRICAL & MECHANICAL LIMITED	Rigid (>17.0t) - Laden: 54 percent (Avg)	241.89	414	666.27	643.81
33720	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Petrol (<3.50t)	67.73	414	666.27	141.17
28624	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Petrol (<3.50t)	4.55	27.8	44.74	9.48
36610	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Petrol (<3.50t)	22.31	136.4	219.51	46.51
36243	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Petrol (<3.50t)	40.57	248	399.12	84.57
36406	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	40.06	268	431.30	106.61
36184	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
37530	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	2.69	18	28.97	7.16
37511	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	2.69	18	28.97	7.16
41854	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	43.34	290	466.71	115.36
42466	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	38.26	256	411.99	101.84
42467	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	43.34	290	466.71	115.36
42468	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	43.34	290	466.71	115.36
48620	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	12.05	80.6	129.71	32.06
28617	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	11.87	79.4	127.78	31.59
28543	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	5.95	39.8	64.05	15.83
28499	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	11.87	79.4	127.78	31.59
28977	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
28984	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	11.72	78.4	126.17	31.19
28708	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	59.78	400	643.74	159.12
28310	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	28.16	188.4	303.20	74.95
28304	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
28203	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	11.87	79.4	127.78	31.59
28204	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	0.78	5.2	8.37	2.07
28206	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	5.95	39.8	64.05	15.83
28131	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	2.09	14	22.53	5.57
27210	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	2.78	18.6	29.93	7.4
27216	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0

27323	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	65.76	440	708.11	175.03
27692	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	28.19	188.6	303.52	75.03
27782	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	2.09	14	22.53	5.57
27707	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	69.65	466	749.95	185.37
27709	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	2.78	18.6	29.93	7.4
27855	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	8.82	59	94.95	23.47
27891	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	2.78	18.6	29.93	7.4
27892	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	65.76	440	708.11	175.03
27897	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	2.78	18.6	29.93	7.4
27906	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	27.74	185.6	298.69	73.83
27907	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	65.76	440	708.11	175.03
27908	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	65.76	440	708.11	175.03
27927	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	3.32	22.2	35.73	8.83
26881	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	2.78	18.6	29.93	7.4
26882	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	11.87	79.4	127.78	31.59
26452	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	2.78	18.6	29.93	7.4
31477	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	57.69	386	621.21	153.55
31478	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	28.16	188.4	303.20	74.95
30457	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	12.58	84.2	135.51	33.49
30445	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	50.82	340	547.18	135.25
30360	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	6.10	40.8	65.66	16.23
30621	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	28.16	188.4	303.20	74.95
31182	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	16.98	113.6	182.82	45.19
29235	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	11.87	79.4	127.78	31.59
29236	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	11.87	79.4	127.78	31.59
29748	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
29749	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
29593	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	11.87	79.4	127.78	31.59
29756	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
29778	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	57.69	386	621.21	153.55
29779	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	57.69	386	621.21	153.55
29861	NWP ELECTRICAL & MECHANICAL LIMITED	Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
73140	oakdene finishes	Car - Petrol Medium (1.4L - 2.0L)	2.98	19.2	30.90	6.21
74737	oakdene finishes	Car - Diesel Small (<1.7L)	0.44	5.2	8.37	1.18
72368	oakdene finishes	Car - Large Petrol Hybrid	0.00	0	0.00	0
72097	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
72832	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
72920	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
73208	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
70450	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	5.95	36.4	58.58	12.41
70921	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	60.86	372	598.67	126.85
71478	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
75084	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
73535	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
75318	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
75798	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
73981	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
74346	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
76781	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
76782	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
76265	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
76267	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
76464	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
76908	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
76909	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
76910	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
77307	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
78051	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
78300	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
78301	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
73702	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	0.00	0	0.00	0
68176	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	5.95	36.4	58.58	12.41
67649	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	2.16	13.2	21.24	4.5
67666	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	60.86	372	598.67	126.85
69038	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	60.86	372	598.67	126.85
69809	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	5.95	36.4	58.58	12.41
67340	oakdene finishes	Van/Light Commercial - Petrol (<3.50t)	2.46	15	24.14	5.12
67276	oakdene finishes	Van/Light Commercial - Diesel (<3.50t)	5.44	36.4	58.58	14.48
70445	oakdene finishes	Van/Light Commercial - Diesel (<3.50t)	6.01	40.2	64.70	15.99
54267	OZZAS SECURITY SYSTEMS LTD	Car - Petrol Small (<1.4L)	1.64	13.2	21.24	3.41
69435	PADDINGTON CONSTRUCTION - STEEL	Artic (>3.5-33.0t) - Laden: 0 percent	8.31	19	30.58	22.13
69023	PADDINGTON CONSTRUCTION - STEEL	Artic (>3.5-33.0t) - Laden: 0 percent	8.31	19	30.58	22.13
68609	PADDINGTON CONSTRUCTION - STEEL	Artic (>3.5-33.0t) - Laden: 0 percent	5.52	12.6	20.28	14.68
68518	PADDINGTON CONSTRUCTION - STEEL	Artic (>3.5-33.0t) - Laden: 0 percent	7.09	16.2	26.07	18.87
48446	PADDINGTON CONSTRUCTION - STEEL	Artic (>3.5-33.0t) - Laden: 0 percent	7.88	18	28.97	20.96
49516	PADDINGTON CONSTRUCTION - STEEL	Artic (>3.5-33.0t) - Laden: 0 percent	8.23	18.8	30.26	21.9
49345	PADDINGTON CONSTRUCTION - STEEL	Van/Light Commercial - Diesel (<3.50t)	2.81	18.8	30.26	7.48
49982	PANEL SUPPLIES	Artic (>33.0t) - Laden: 62 percent (Avg)	37.98	63.6	102.35	101.08
48999	PANEL SUPPLIES	Rigid (>3.5-7.5t) - Laden: 50 percent	22.05	61.8	99.46	58.69
47372	PANEL SUPPLIES	Rigid (>3.5-7.5t) - Laden: 100 percent	24.51	63.6	102.35	65.23
66853	PANEL SUPPLIES	Rigid (>3.5-7.5t) - Laden: 100 percent	24.51	63.6	102.35	65.23
72062	PANEL SUPPLIES	Rigid (>7.5-17.0t) - Laden: 0 percent	24.97	63.6	102.35	66.46
50910	PANEL SUPPLIES	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	27.75	63.6	102.35	73.87
52298	PANEL SUPPLIES	Rigid (>7.5-17.0t) - Laden: 50 percent	28.54	63.6	102.35	75.95
51143	PANEL SUPPLIES	Rigid (>7.5-17.0t) - Laden: 100 percent	32.11	63.6	102.35	85.45
46158	PANEL SUPPLIES	Rigid (>17.0t) - Laden: 50 percent	46.06	80	128.75	122.58
34874	PANEL SUPPLIES	Rigid (>17.0t) - Laden: 50 percent	36.61	63.6	102.35	97.45
19859	PANEL SUPPLIES	Rigid (>17.0t) - Laden: 54 percent (Avg)	37.51	64.2	103.32	99.84
20296	PANEL SUPPLIES	Rigid (>17.0t) - Laden: 54 percent (Avg)	37.51	64.2	103.32	99.84
18849	PANEL SUPPLIES	Rigid (>17.0t) - Laden: 54 percent (Avg)	39.15	67	107.83	104.19

49027	PANEL SUPPLIES	Rigid (>17.0t) - Laden: 54 percent (Avg)	37.16	63.6	102.35	98.9
64887	PERI	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	28.71	65.8	105.89	76.42
65300	PERI	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	32.38	74.2	119.41	86.18
59946	PERI	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	28.71	65.8	105.89	76.42
59453	PERI	Rigid (>7.5-17.0t) - Laden: 100 percent	33.21	65.8	105.89	88.4
55457	PERI	Rigid (>17.0t) - Laden: 50 percent	32.93	57.2	92.05	87.65
42910	PERI	Rigid (>17.0t) - Laden: 50 percent	32.93	57.2	92.05	87.65
41550	PERI	Rigid (>17.0t) - Laden: 50 percent	32.93	57.2	92.05	87.65
40454	PERI	Rigid (>17.0t) - Laden: 50 percent	32.93	57.2	92.05	87.65
40713	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
39936	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	33.42	57.2	92.05	88.95
38133	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	38.45	65.8	105.89	102.33
37942	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
41706	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	34.71	59.4	95.59	92.37
41733	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
42371	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	43.35	74.2	119.41	115.39
37725	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
36366	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	38.45	65.8	105.89	102.33
36746	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
45080	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	33.42	57.2	92.05	88.95
49264	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
50393	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	32.60	55.8	89.80	86.77
48327	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
48270	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	33.42	57.2	92.05	88.95
48271	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	33.42	57.2	92.05	88.95
18365	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	21.39	36.6	58.90	56.92
20281	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
20020	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
19441	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
22874	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	43.47	74.4	119.73	115.7
24779	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
23454	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	38.56	66	106.22	102.64
23432	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	33.42	57.2	92.05	88.95
27687	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	33.42	57.2	92.05	88.95
33477	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	38.45	65.8	105.89	102.33
33847	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	0.00	0	0.00	0
56178	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	19.75	33.8	54.40	52.56
58080	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	33.42	57.2	92.05	88.95
58851	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	43.35	74.2	119.41	115.39
65803	PERI	Rigid (>17.0t) - Laden: 54 percent (Avg)	34.36	58.8	94.63	91.44
57976	PERI	Van/Light Commercial - Diesel (<3.50t)	6.88	46	74.03	18.3
80568	PERI	Van/Light Commercial - Diesel (<3.50t)	8.55	57.2	92.05	22.75
21576	Precon Products LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	69.03	158.2	254.60	183.73
22848	Precon products LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	69.03	158.2	254.60	183.73
59808	Precon products LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	75.67	173.4	279.06	201.39
56059	Precon products LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	75.67	173.4	279.06	201.39
62305	Precon products LTD	Van/Light Commercial - Diesel (<3.50t)	25.11	168	270.37	66.83
63984	Precon products LTD	Van/Light Commercial - Diesel (<3.50t)	25.92	173.4	279.06	68.98
21584	Precon Products LTD	Van/Light Commercial - Diesel (<3.50t)	22.09	147.8	237.86	58.79
65592	Premier Security & Fire Consultants Ltd	Van/Light Commercial - Diesel (<3.50t)	4.16	27.8	44.74	11.06
67582	Premier Security & Fire Consultants Ltd	Van/Light Commercial - Diesel (<3.50t)	8.07	54	86.90	21.48
67665	Premier Security & Fire Consultants Ltd	Van/Light Commercial - Diesel (<3.50t)	8.07	54	86.90	21.48
67980	Premier Security & Fire Consultants Ltd	Van/Light Commercial - Diesel (<3.50t)	8.07	54	86.90	21.48
68861	Premier Security & Fire Consultants Ltd	Van/Light Commercial - Diesel (<3.50t)	7.77	52	83.69	20.69
69779	Premier Security & Fire Consultants Ltd	Van/Light Commercial - Diesel (<3.50t)	7.77	52	83.69	20.69
70225	Premier Security & Fire Consultants Ltd	Van/Light Commercial - Diesel (<3.50t)	8.37	56	90.12	22.28
70381	Premier Security & Fire Consultants Ltd	Van/Light Commercial - Diesel (<3.50t)	8.67	58	93.34	23.07
71248	Premier Security & Fire Consultants Ltd	Van/Light Commercial - Diesel (<3.50t)	7.77	52	83.69	20.69
71313	Premier Security & Fire Consultants Ltd	Van/Light Commercial - Diesel (<3.50t)	7.77	52	83.69	20.69
62885	Prime Mechanical Limited	Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
62587	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
62588	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
60072	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.94	294	473.15	116.95
57424	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.34	290	466.71	115.36
57425	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.34	290	466.71	115.36
67077	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
71157	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
73176	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
73182	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
73063	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
78651	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
73267	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
73268	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
73544	PROTEC INTERNATIONAL LTD	Van/Light Commercial - Diesel (<3.50t)	43.05	288	463.49	114.57
18797	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	0.00	0	0.00	0
26328	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	32.25	60.4	97.20	85.83
26345	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	24794.82	46441	74739.36	65992.66
26387	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	24794.82	46441	74739.36	65992.66
35153	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	24794.82	46441	74739.36	65992.66
45809	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.03	24.4	39.27	34.67
45820	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.03	24.4	39.27	34.67
46174	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.03	24.4	39.27	34.67
46175	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.03	24.4	39.27	34.67
46194	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.03	24.4	39.27	34.67
46195	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	87.77	164.4	264.58	233.61
46196	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	87.77	164.4	264.58	233.61
46197	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.03	24.4	39.27	34.67
46198	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.03	24.4	39.27	34.67
46572	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.03	24.4	39.27	34.67
44296	RMC MCRAIL	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.03	24.4	39.27	34.67

25641	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	11.85	26.4	42.49	31.53
25179	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	11.04	24.6	39.59	29.38
19294	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	51.15	114	183.46	136.14
18957	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	11.04	24.6	39.59	29.38
18958	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	11.04	24.6	39.59	29.38
18831	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	9.15	20.4	32.83	24.36
18612	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	11.04	24.6	39.59	29.38
22189	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	5.20	11.6	18.67	13.85
22297	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	2.06	4.6	7.40	5.49
22828	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	11.04	24.6	39.59	29.38
46009	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 50 percent	4.49	10	16.09	11.94
19862	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 100 percent	12.52	24.8	39.91	33.32
20572	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 100 percent	12.52	24.8	39.91	33.32
25214	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 100 percent	13.33	26.4	42.49	35.47
25290	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 100 percent	13.33	26.4	42.49	35.47
26044	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 100 percent	0.00	0	0.00	0
23867	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 100 percent	5.85	11.6	18.67	15.58
22902	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 100 percent	12.42	24.6	39.59	33.05
23701	RMC MCRAIL	Rigid (>7.5-17.0t) - Laden: 100 percent	5.85	11.6	18.67	15.58
23710	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	14.16	24.6	39.59	37.69
24414	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	14.16	24.6	39.59	37.69
24416	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	14.16	24.6	39.59	37.69
25300	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	15.20	26.4	42.49	40.45
25211	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	0.00	0	0.00	0
25642	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	0.00	0	0.00	0
25318	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	0.00	0	0.00	0
19641	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	6.68	11.6	18.67	17.77
19642	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	6.68	11.6	18.67	17.77
19510	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	55.84	97	156.11	148.63
19512	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	6.68	11.6	18.67	17.77
18615	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	7.83	13.6	21.89	20.84
18819	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	52.97	92	148.06	140.97
18100	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	6.68	11.6	18.67	17.77
18071	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	6.68	11.6	18.67	17.77
18072	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	6.68	11.6	18.67	17.77
18259	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	61.14	106.2	170.91	162.73
18260	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	11.75	20.4	32.83	31.26
22298	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	6.68	11.6	18.67	17.77
22075	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	6.68	11.6	18.67	17.77
21668	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	6.68	11.6	18.67	17.77
21792	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	43.64	75.8	121.99	116.15
21818	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	14.16	24.6	39.59	37.69
21193	RMC MCRAIL	Rigid (>17.0t) - Laden: 50 percent	94.88	164.8	265.22	252.52
21029	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	6.78	11.6	18.67	18.04
21115	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	14.61	25	40.23	38.88
21116	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	14.61	25	40.23	38.88
21822	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	14.38	24.6	39.59	38.26
21662	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	14.38	24.6	39.59	38.26
22901	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	6.78	11.6	18.67	18.04
22784	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	14.38	24.6	39.59	38.26
22464	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	52.00	89	143.23	138.4
22465	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	11.92	20.4	32.83	31.72
18227	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	7.36	12.6	20.28	19.59
18073	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	6.78	11.6	18.67	18.04
18153	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	14.38	24.6	39.59	38.26
18959	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	7.95	13.6	21.89	21.15
18960	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	7.95	13.6	21.89	21.15
18616	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	7.95	13.6	21.89	21.15
18763	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	14.38	24.6	39.59	38.26
19683	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	10.75	18.4	29.61	28.61
20176	RMC MCRAIL	Rigid (>17.0t) - Laden: 54 percent (Avg)	6.78	11.6	18.67	18.04
20354	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	7.88	11.6	18.67	20.97
20355	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	7.88	11.6	18.67	20.97
20356	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	7.88	11.6	18.67	20.97
18226	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	16.71	24.6	39.59	44.48
22430	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	7.88	11.6	18.67	20.97
22389	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	35.19	51.8	83.36	93.66
22390	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	7.88	11.6	18.67	20.97
22691	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	7.88	11.6	18.67	20.97
22830	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	16.71	24.6	39.59	44.48
22320	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	16.85	24.8	39.91	44.84
21030	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	7.88	11.6	18.67	20.97
22903	RMC MCRAIL	Rigid (>17.0t) - Laden: 100 percent	7.88	11.6	18.67	20.97
22942	RMC MCRAIL	Van/Light Commercial - Diesel (<3.50t)	15.87	106.2	170.91	42.25
21667	RMC MCRAIL	Van/Light Commercial - Diesel (<3.50t)	3.68	24.6	39.59	9.79
22785	RMC MCRAIL	Van/Light Commercial - Diesel (<3.50t)	3.68	24.6	39.59	9.79
18614	RMC MCRAIL	Van/Light Commercial - Diesel (<3.50t)	3.68	24.6	39.59	9.79
18393	RMC MCRAIL	Van/Light Commercial - Diesel (<3.50t)	3.68	24.6	39.59	9.79
19020	RMC MCRAIL	Van/Light Commercial - Diesel (<3.50t)	3.68	25	40.23	9.79
19281	RMC MCRAIL	Van/Light Commercial - Diesel (<3.50t)	19.91	133.2	214.36	52.99
19044	RMC MCRAIL	Van/Light Commercial - Diesel (<3.50t)	11.33	75.8	121.99	30.15
66909	RMC MCRAIL	Van/Light Commercial - Diesel (<3.50t)	0.69	4.6	7.40	1.83
44877	RYNO LTD	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	139.88	262	421.65	372.3
41267	RYNO LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	392.82	1108	1783.15	1045.51
45297	RYNO LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	483.49	1108	1783.15	1286.83
47258	RYNO LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	483.49	1108	1783.15	1286.83
47382	RYNO LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	153.08	262	421.65	407.44
49237	RYNO LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	323.69	554	891.57	861.53
44878	RYNO LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	647.39	1108	1783.15	1723.05
44823	RYNO LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	323.69	554	891.57	861.53

53392	Selectaglaze Ltd	Van/Light Commercial - Petrol (<3.50t)	6.51	39.8	64.05	13.57
45646	Selectaglaze Ltd	Van/Light Commercial - Diesel (<3.50t)	5.95	39.8	64.05	15.83
43129	Selectaglaze Ltd	Van/Light Commercial - Diesel (<3.50t)	5.95	39.8	64.05	15.83
43130	Selectaglaze Ltd	Van/Light Commercial - Diesel (<3.50t)	5.95	39.8	64.05	15.83
43368	Selectaglaze Ltd	Van/Light Commercial - Diesel (<3.50t)	5.95	39.8	64.05	15.83
43369	Selectaglaze Ltd	Van/Light Commercial - Diesel (<3.50t)	5.95	39.8	64.05	15.83
47288	Selo	Rigid (>17.0t) - Laden: 54 percent (Avg)	116.04	198.6	319.61	308.84
41052	Selo	Rigid (>17.0t) - Laden: 54 percent (Avg)	118.03	202	325.09	314.13
41378	Selo	Rigid (>17.0t) - Laden: 54 percent (Avg)	116.04	198.6	319.61	308.84
51248	Selo	Rigid (>17.0t) - Laden: 54 percent (Avg)	115.80	198.2	318.97	308.22
51250	Selo	Rigid (>17.0t) - Laden: 54 percent (Avg)	116.04	198.6	319.61	308.84
44082	Selo	Van/Light Commercial - Diesel (<3.50t)	30.79	206	331.52	81.95
47242	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	59.48	398	640.52	158.32
41530	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	59.48	398	640.52	158.32
53393	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	59.19	396	637.30	157.53
66892	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	7.80	52.2	84.01	20.77
66025	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	10.07	67.4	108.47	26.81
66026	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	10.07	67.4	108.47	26.81
66148	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	1.25	8.4	13.52	3.34
66150	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	1.25	8.4	13.52	3.34
64438	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	10.07	67.4	108.47	26.81
64646	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	10.16	68	109.44	27.05
64698	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	10.07	67.4	108.47	26.81
63529	SHERIDAN LIFTS	Van/Light Commercial - Diesel (<3.50t)	59.19	396	637.30	157.53
30987	SHIELDS STONEMWORK AND RESTORATIONS LTD	Van/Light Commercial - Diesel (<3.50t)	13.21	88.4	142.27	35.17
31496	SHIELDS STONEMWORK AND RESTORATIONS LTD	Van/Light Commercial - Diesel (<3.50t)	13.21	88.4	142.27	35.17
61612	SIG	Rigid (>7.5-17.0t) - Laden: 100 percent	30.08	59.6	95.92	80.07
60289	SIG	Rigid (>17.0t) - Laden: 54 percent (Avg)	34.94	59.8	96.24	92.99
61080	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	14.11	94.4	151.92	37.55
61127	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
65271	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	14.11	94.4	151.92	37.55
64135	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	14.11	94.4	151.92	37.55
64356	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	14.11	94.4	151.92	37.55
65310	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
67714	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
53534	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	14.11	94.4	151.92	37.55
53377	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	14.11	94.4	151.92	37.55
56229	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
55365	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
51652	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
51754	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
73289	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
73377	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
73511	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	14.14	94.6	152.24	37.63
74471	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
74473	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
74474	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
78270	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
78058	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
73042	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	14.11	94.4	151.92	37.55
73210	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
79626	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
79675	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
81363	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
46890	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
47913	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
49392	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.99	80.2	129.07	31.9
49339	SKYLINE	Van/Light Commercial - Diesel (<3.50t)	11.96	80	128.75	31.82
33464	Spraylat International Ltd	Van/Light Commercial - LPG/CNG (<3.50t)	0.00	1	1.61	0
56017	STRUCKTOR UK	Rigid (>3.5-7.5t) - Laden: 50 percent	3.21	9	14.48	8.55
53935	STRUCKTOR UK	Rigid (>7.5-17.0t) - Laden: 0 percent	3.53	9	14.48	9.4
54104	STRUCKTOR UK	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	3.49	9	12.87	9.29
54304	STRUCKTOR UK	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	3.93	8	14.48	10.45
56199	STRUCKTOR UK	Rigid (>7.5-17.0t) - Laden: 50 percent	2.24	5	8.05	5.97
54413	STRUCKTOR UK	Rigid (>7.5-17.0t) - Laden: 50 percent	4.04	9	14.48	10.75
56195	STRUCKTOR UK	Rigid (>17.0t) - Laden: 50 percent	4.03	7	11.27	10.73
56196	STRUCKTOR UK	Van/Light Commercial - Petrol (<3.50t)	0.98	6	9.66	2.05
56194	STRUCKTOR UK	Van/Light Commercial - Petrol (<3.50t)	1.47	9	14.48	3.07
56198	STRUCKTOR UK	Van/Light Commercial - Petrol (<3.50t)	1.47	9	14.48	3.07
56024	STRUCKTOR UK	Van/Light Commercial - Petrol (<3.50t)	0.98	6	9.66	2.05
54523	STRUCKTOR UK	Van/Light Commercial - Petrol (<3.50t)	1.47	9	14.48	3.07
54875	STRUCKTOR UK	Van/Light Commercial - Petrol (<3.50t)	0.98	6	9.66	2.05
54341	STRUCKTOR UK	Van/Light Commercial - Petrol (<3.50t)	1.47	9	14.48	3.07
54301	STRUCKTOR UK	Van/Light Commercial - Petrol (<3.50t)	1.47	9	14.48	3.07
54303	STRUCKTOR UK	Van/Light Commercial - Petrol (<3.50t)	1.47	9	14.48	3.07
53934	STRUCKTOR UK	Van/Light Commercial - Petrol (<3.50t)	0.65	4	6.44	1.36
53936	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	0.90	6	9.66	2.39
53938	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	0.90	6	9.66	2.39
53932	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.35	9	14.48	3.58
53933	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	0.90	6	9.66	2.39
54337	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.35	9	14.48	3.58
54343	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.35	9	14.48	3.58
54299	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.35	9	14.48	3.58
54300	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.35	9	14.48	3.58
54193	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.04	7	11.27	2.78
54100	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.35	9	14.48	3.58
54101	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	0.90	6	9.66	2.39
54103	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.04	7	11.27	2.78
55353	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	0.60	4	6.44	1.59
54877	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.04	7	11.27	2.78

54878	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	0.90	6	9.66	2.39
54879	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.04	7	11.27	2.78
55501	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.35	9	14.48	3.58
55502	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.35	9	14.48	3.58
55113	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	1.35	9	14.48	3.58
56022	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	0.60	4	6.44	1.59
56020	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	0.90	6	9.66	2.39
56234	STRUCKTOR UK	Van/Light Commercial - Diesel (<3.50t)	0.45	3	4.83	1.19
56197	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	0.79	5	8.05	2.09
56021	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	0.79	5	8.05	2.09
56019	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	1.41	9	14.48	3.76
55845	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	0.94	6	9.66	2.51
55503	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	1.41	9	14.48	3.76
55439	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	1.41	9	14.48	3.76
55366	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	1.10	7	11.27	2.92
54876	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	0.94	6	9.66	2.51
54105	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	1.10	7	11.27	2.92
54263	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	1.41	9	14.48	3.76
54422	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	1.41	9	14.48	3.76
54424	STRUCKTOR UK	Van/Light Commercial - LPG/CNG (<3.50t)	1.25	8	12.87	3.34
24656	Sunbelt Rentals Limited	Rigid (>3.5-7.5t) - Laden: percent	15.95	48.6	78.21	42.46
46184	SWANN	Van/Light Commercial - Diesel (<3.50t)	20.18	135	217.26	53.7
64604	TCS	Rigid (>7.5-17.0t) - Laden: 100 percent	19.89	39.4	63.41	52.93
71550	TCS	Rigid (>7.5-17.0t) - Laden: 100 percent	115.09	228	366.93	306.32
71011	TCS	Rigid (>7.5-17.0t) - Laden: 100 percent	115.09	228	366.93	306.32
75251	TCS	Van/Light Commercial - Diesel (<3.50t)	6.61	44.2	71.13	17.58
75975	TCS	Van/Light Commercial - Diesel (<3.50t)	6.61	44.2	71.13	17.58
43488	THE TIMBER GROUP	Rigid (>3.5-7.5t) - Laden: 50 percent	6.64	18.6	29.93	17.66
36319	THE TIMBER GROUP	Rigid (>17.0t) - Laden: 50 percent	10.71	18.6	29.93	28.5
32207	THE TIMBER GROUP	Rigid (>17.0t) - Laden: 54 percent (Avg)	10.99	18.8	30.26	29.24
64106	TIGER SUPPLIES	Van/Light Commercial - Petrol (<3.50t)	16.52	101	162.54	34.44
66970	TIGER SUPPLIES	Van/Light Commercial - Petrol (<3.50t)	6.54	40	64.37	13.64
67043	TIGER SUPPLIES	Van/Light Commercial - Petrol (<3.50t)	6.54	40	64.37	13.64
61629	TIGER SUPPLIES	Van/Light Commercial - Petrol (<3.50t)	16.52	101	162.54	34.44
63774	TIGER SUPPLIES	Van/Light Commercial - Petrol (<3.50t)	16.52	101	162.54	34.44
52365	TIGER SUPPLIES	Van/Light Commercial - Petrol (<3.50t)	6.54	40	64.37	13.64
52692	TIGER SUPPLIES	Van/Light Commercial - Diesel (<3.50t)	14.53	97.2	156.43	38.67
52980	TIGER SUPPLIES	Van/Light Commercial - Diesel (<3.50t)	14.53	97.2	156.43	38.67
53192	TIGER SUPPLIES	Van/Light Commercial - Diesel (<3.50t)	14.38	96.2	154.82	38.27
53516	TIGER SUPPLIES	Van/Light Commercial - Diesel (<3.50t)	14.53	97.2	156.43	38.67
54977	TIGER SUPPLIES	Van/Light Commercial - Diesel (<3.50t)	14.53	97.2	156.43	38.67
56434	TIGER SUPPLIES	Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
63637	TIGER SUPPLIES	Van/Light Commercial - Diesel (<3.50t)	0.00	0	0.00	0
67452	TIGER SUPPLIES	Van/Light Commercial - Diesel (<3.50t)	15.10	101	162.54	40.18
81089	Tiger Supplies Ltd	Van/Light Commercial - Diesel (<3.50t)	14.53	97.2	156.43	38.67
31356	TopDec	Van/Light Commercial - Diesel (<3.50t)	2.24	15	24.14	5.97
33468	Triangle Fire Systems	Car - Diesel Small (<1.7L)	3.42	40	64.37	9.09
33473	Triangle Fire Systems	Van/Light Commercial - Diesel (<3.50t)	6.13	41	65.98	16.31
33539	Triangle Fire Systems	Van/Light Commercial - Diesel (<3.50t)	4.48	30	48.28	11.93
28337	Triangle Fire Systems	Van/Light Commercial - Diesel (<3.50t)	4.48	30	48.28	11.93
28338	Triangle Fire Systems	Van/Light Commercial - Diesel (<3.50t)	4.48	30	48.28	11.93
41728	Triangle Fire Systems	Van/Light Commercial - Diesel (<3.50t)	5.98	40	64.37	15.91
48596	VALKO CONSTRUCTION LTD	Car - Diesel Large (>2.0L)	2.09	15	24.14	5.56
36551	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 0 percent	15.31	35	56.33	40.76
19088	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
19600	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 0 percent	8.31	19	30.58	22.13
18836	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 0 percent	6.56	15	24.14	17.47
18837	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 0 percent	6.56	15	24.14	17.47
18697	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 0 percent	5.25	12	19.31	13.98
18218	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 0 percent	10.94	25	40.23	29.12
21198	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 0 percent	7.44	17	27.36	19.8
18194	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	8.01	15	24.14	21.32
18216	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.35	25	40.23	35.53
18217	VALKO CONSTRUCTION LTD	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.35	25	40.23	35.53
37744	VALKO CONSTRUCTION LTD	Artic (>33.0t) - Laden: 0 percent	19.01	45	72.42	50.6
37729	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
37726	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
37274	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
36210	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	9.52	29	46.67	25.34
35395	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
35418	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
35676	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
36178	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.54	26	41.84	22.72
38862	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
38096	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
38506	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
19705	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	6.56	20	32.19	17.47
20599	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
20543	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
20259	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	6.24	19	30.58	16.6
19757	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
19758	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
20835	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	4.60	14	22.53	12.23
20432	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
21602	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
21849	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
21580	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
21581	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
21349	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
22876	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	4.93	15	24.14	13.11

22584	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
22519	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	4.93	15	24.14	13.11
28196	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.86	27	43.45	23.59
28239	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
28154	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
28577	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
28578	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
28515	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	7.88	24	38.62	20.97
28049	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	6.89	21	33.80	18.35
27389	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	11.49	35	56.33	30.58
24431	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	6.24	19	30.58	16.6
23337	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
24794	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	6.24	19	30.58	16.6
25216	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
25217	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	6.89	21	33.80	18.35
25792	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
27161	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
27191	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	5.58	17	27.36	14.85
33607	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
33608	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
33382	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
33383	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
33378	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
33425	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
33961	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
34039	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
33699	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
32235	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
31994	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
34195	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
34443	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
34103	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
34211	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
34814	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
34659	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
31021	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
31223	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
31226	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
31207	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
30695	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
30696	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
30697	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
30517	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
30190	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
30257	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
28873	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
29621	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: percent	8.21	25	40.23	21.84
30255	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	12.41	35	56.33	33.03
28381	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	8.86	25	40.23	23.59
22215	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	3.90	11	17.70	10.38
38134	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	8.86	25	40.23	23.59
38292	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	10.64	30	48.28	28.31
39584	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	28.36	80	128.75	75.49
40769	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	28.36	80	128.75	75.49
36260	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	8.86	25	40.23	23.59
37189	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	7.80	22	35.41	20.76
44814	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 46 percent (Avg)	16.31	46	74.03	43.41
36658	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	8.92	25	40.23	23.74
37323	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	8.92	25	40.23	23.74
37479	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	8.92	25	40.23	23.74
40772	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	14.27	40	64.37	37.99
39774	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	28.55	80	128.75	75.98
29725	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	8.92	25	40.23	23.74
28814	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 50 percent	6.06	17	27.36	16.14
28813	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 100 percent	6.55	17	27.36	17.44
40292	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 100 percent	32.76	85	136.79	87.18
37805	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 100 percent	9.63	25	40.23	25.64
42901	VALKO CONSTRUCTION LTD	Rigid (>3.5-7.5t) - Laden: 100 percent	19.27	50	80.47	51.29
43359	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 0 percent	21.98	56	90.12	58.51
43818	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 0 percent	31.80	81	130.36	84.64
44156	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 0 percent	19.63	50	80.47	52.25
44934	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 0 percent	20.41	52	83.69	54.33
37481	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 0 percent	9.81	25	40.23	26.12
39686	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 0 percent	11.78	30	48.28	31.35
41416	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 0 percent	24.34	62	99.78	64.78
22323	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 0 percent	5.89	15	24.14	15.67
51514	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 0 percent	32.19	82	131.97	85.68
39809	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	17.46	40	64.37	46.46
40208	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	40.15	92	148.06	106.85
44527	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	26.18	60	96.56	69.68
44528	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	26.18	60	96.56	69.68
43627	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	22.69	52	83.69	60.39
47321	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 39 percent (Avg)	35.78	82	131.97	95.23
48595	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	36.79	82	131.97	97.92
43626	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	38.59	86	138.40	102.7
45631	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	36.79	82	131.97	97.92
44876	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	38.59	86	138.40	102.7
46305	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	36.79	82	131.97	97.92
39960	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	35.90	80	128.75	95.54
38701	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	11.22	25	40.23	29.85

40830	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	35.90	80	128.75	95.54
27388	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	15.71	35	56.33	41.8
53067	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	36.79	82	131.97	97.92
52313	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	36.79	82	131.97	97.92
54062	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	36.79	82	131.97	97.92
61206	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 50 percent	36.79	82	131.97	97.92
58203	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
66371	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
67835	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
54116	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
54605	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
52001	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
52758	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
40831	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	40.38	80	128.75	107.48
40815	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	40.38	80	128.75	107.48
41812	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	43.41	86	138.40	115.54
42264	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	43.41	86	138.40	115.54
38863	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	12.62	25	40.23	33.59
46369	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	26.25	52	83.69	69.86
44935	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	43.41	86	138.40	115.54
44946	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	43.41	86	138.40	115.54
44049	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	12.62	25	40.23	33.59
42861	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	43.41	86	138.40	115.54
42530	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	28.27	56	90.12	75.24
42531	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	28.27	56	90.12	75.24
48598	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	21.20	42	67.59	56.43
47685	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
47458	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
50259	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
50260	VALKO CONSTRUCTION LTD	Rigid (>7.5-17.0t) - Laden: 100 percent	41.39	82	131.97	110.17
49540	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 0 percent	38.71	82	131.97	103.03
47687	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 0 percent	38.71	82	131.97	103.03
48085	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 0 percent	38.71	82	131.97	103.03
42457	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 0 percent	40.60	86	138.40	108.06
40209	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 0 percent	38.71	82	131.97	103.03
42234	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 0 percent	26.44	56	90.12	70.36
41756	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 0 percent	40.60	86	138.40	108.06
40966	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 0 percent	37.77	80	128.75	100.52
41217	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 0 percent	37.77	80	128.75	100.52
22417	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 0 percent	8.03	17	27.36	21.36
41419	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 50 percent	49.51	86	138.40	131.78
40210	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 50 percent	26.48	46	74.03	70.49
40211	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 50 percent	54.12	94	151.28	144.04
38210	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 50 percent	14.39	25	40.23	38.31
42458	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 50 percent	49.51	86	138.40	131.78
42903	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 50 percent	28.79	50	80.47	76.62
47960	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 50 percent	31.09	54	86.90	82.74
48949	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 50 percent	47.21	82	131.97	125.65
47283	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 50 percent	47.21	82	131.97	125.65
50961	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 50 percent	47.21	82	131.97	125.65
51656	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	47.91	82	131.97	127.52
66116	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	47.91	82	131.97	127.52
61567	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	47.91	82	131.97	127.52
47882	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	33.89	58	93.34	90.2
43908	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	49.66	85	136.79	132.18
41418	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 54 percent (Avg)	50.25	86	138.40	133.74
42726	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	58.42	86	138.40	155.5
46639	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	58.42	86	138.40	155.5
46991	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	55.70	82	131.97	148.26
47184	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	55.70	82	131.97	148.26
62242	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	55.70	82	131.97	148.26
63624	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	55.70	82	131.97	148.26
63625	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	55.70	82	131.97	148.26
59943	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	55.70	82	131.97	148.26
59015	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	40.76	60	96.56	108.49
63944	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	55.70	82	131.97	148.26
66939	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	10.19	15	24.14	27.12
68197	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	0.68	1	1.61	1.81
68348	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	0.68	1	1.61	1.81
68901	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	0.68	1	1.61	1.81
69466	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	0.68	1	1.61	1.81
51934	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	55.70	82	131.97	148.26
52463	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	55.70	82	131.97	148.26
53361	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	55.70	82	131.97	148.26
81470	VALKO CONSTRUCTION LTD	Rigid (>17.0t) - Laden: 100 percent	0.68	1	1.61	1.81
48597	VALKO CONSTRUCTION LTD	Van/Light Commercial - Diesel (<3.50t)	1.79	12	19.31	4.77
21851	VALKO CONSTRUCTION LTD	Van/Light Commercial - Diesel (<3.50t)	2.54	17	27.36	6.76
49186	WMS Underfloor Heating Limited	Car - Petrol Medium (1.4L -2.0L)	4.06	26.2	42.16	8.47
39943	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 0 percent	16.63	38	61.15	44.26
25932	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 0 percent	6.56	15	24.14	17.47
31210	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 0 percent	3.06	7	11.27	8.15
32457	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 0 percent	10.94	25	40.23	29.12
32458	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 0 percent	10.94	25	40.23	29.12
32459	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 0 percent	54.70	125	201.17	145.59
52053	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 0 percent	11.47	26.2	42.16	30.52
52054	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.99	26.2	42.16	37.23
52055	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.99	26.2	42.16	37.23
52056	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.99	26.2	42.16	37.23
52062	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.99	26.2	42.16	37.23
52037	WMS Underfloor Heating Limited	Artic (>3.5-33.0t) - Laden: 44 percent (Avg)	13.99	26.2	42.16	37.23

20652	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	11.80	25	40.23	31.41
21529	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	7.08	15	24.14	18.85
22794	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	16.52	35	56.33	43.98
21888	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	11.80	25	40.23	31.41
22167	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	25.97	55	88.51	69.11
20420	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	16.52	35	56.33	43.98
20418	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	7.08	15	24.14	18.85
22909	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	11.80	25	40.23	31.41
24227	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	25.97	55	88.51	69.11
24382	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	11.80	25	40.23	31.41
24383	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	16.52	35	56.33	43.98
28118	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	47.21	100	160.93	125.65
28120	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	25.97	55	88.51	69.11
28122	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	25.97	55	88.51	69.11
28278	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	35.41	75	120.70	94.24
28280	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	35.41	75	120.70	94.24
28293	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	35.41	75	120.70	94.24
28180	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	35.41	75	120.70	94.24
33893	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	17.94	38	61.15	47.75
30331	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	25.97	55	88.51	69.11
30083	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	11.80	25	40.23	31.41
30432	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	11.80	25	40.23	31.41
30433	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 0 percent	35.41	75	120.70	94.24
31922	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 54 percent (Avg)	4.09	7	11.27	10.89
25935	WMS Underfloor Heating Limited	Rigid (>17.0t) - Laden: 100 percent	10.19	15	24.14	27.12
32256	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	6.22	38	61.15	12.96
34227	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	6.22	38	61.15	12.96
34129	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	6.22	38	61.15	12.96
34770	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	6.22	38	61.15	12.96
45573	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	4.28	26.2	42.16	8.93
47599	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	4.28	26.2	42.16	8.93
48590	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	4.28	26.2	42.16	8.93
49347	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	4.28	26.2	42.16	8.93
49268	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	4.28	26.2	42.16	8.93
41560	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	6.22	38	61.15	12.96
40784	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	4.28	26.2	42.16	8.93
67646	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	4.28	26.2	42.16	8.93
61420	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	4.35	26.6	42.81	9.07
62846	WMS Underfloor Heating Limited	Van/Light Commercial - Petrol (<3.50t)	4.35	26.6	42.81	9.07
53354	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.92	26.2	42.16	10.42
53860	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.92	26.2	42.16	10.42
54257	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.92	26.2	42.16	10.42
54283	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.92	26.2	42.16	10.42
54284	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.92	26.2	42.16	10.42
41304	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	4.48	30	48.28	11.93
41310	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
41213	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
41214	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	2.99	20	32.19	7.96
39090	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	5.23	35	56.33	13.92
50510	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	5.68	38	61.15	15.12
49794	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	5.68	38	61.15	15.12
49796	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	5.68	38	61.15	15.12
49797	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	5.68	38	61.15	15.12
47606	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.92	26.2	42.16	10.42
44158	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	5.68	38	61.15	15.12
43165	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	5.68	38	61.15	15.12
30427	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	14.95	100	160.93	39.78
30428	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	14.95	100	160.93	39.78
30502	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	14.20	95	152.89	37.79
31211	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	1.19	8	12.87	3.18
30937	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	8.37	56	90.12	22.28
31363	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	11.66	78	125.53	31.03
24381	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.74	25	40.23	9.95
23992	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	2.24	15	24.14	5.97
24443	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.74	25	40.23	9.95
28297	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	11.21	75	120.70	29.83
28286	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.74	25	40.23	9.95
28279	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.74	25	40.23	9.95
20419	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.74	25	40.23	9.95
20349	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.74	25	40.23	9.95
20052	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.74	25	40.23	9.95
22168	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.98	26.6	42.81	10.58
20650	WMS Underfloor Heating Limited	Van/Light Commercial - Diesel (<3.50t)	3.74	25	40.23	9.95
18996	Yofil Ltd	Van/Light Commercial - Diesel (<3.50t)	55.90	374	601.89	148.78
TOTAL			1411554.74	5916258.8	9514372.05	3692646.78



ARDMORE CONSTRUCTION LIMITED
Man 03 Responsible Construction Practices
Monitoring Records for Waste Transported to Site
HORNSEY TOWN HALL

BOOKING ID	COMPANY	VEHICLE	Litres Consumed	DISTANCE (miles)	Distance (Km)	CO2 (kg)
20947	POWERDAY	Rigid (>3.5-7.5t) - Laden: percent	5.71	17.4	28.00	15.2
21473	POWERDAY	Rigid (>7.5-17.0t) - Laden: 0 percent	6.52	16.6	26.72	17.35
22226	POWERDAY	Rigid (>7.5-17.0t) - Laden: 0 percent	6.52	16.6	26.72	17.35
20310	POWERDAY	Rigid (>7.5-17.0t) - Laden: 0 percent	6.52	16.6	26.72	17.35
18611	POWERDAY	Rigid (>7.5-17.0t) - Laden: 0 percent	6.52	16.6	26.72	17.35
18327	POWERDAY	Rigid (>7.5-17.0t) - Laden: 0 percent	7.23	18.4	29.61	19.23
18355	POWERDAY	Rigid (>7.5-17.0t) - Laden: 0 percent	6.52	16.6	26.72	17.35
24460	POWERDAY	Rigid (>7.5-17.0t) - Laden: 0 percent	6.75	17.2	27.68	17.97
19785	POWERDAY	Rigid (>7.5-17.0t) - Laden: 50 percent	7.45	16.6	26.72	19.82
32188	POWERDAY	Rigid (>7.5-17.0t) - Laden: 50 percent	9.96	22.2	35.73	26.51
19828	POWERDAY	Rigid (>7.5-17.0t) - Laden: 100 percent	8.38	16.6	26.72	22.3
19829	POWERDAY	Rigid (>7.5-17.0t) - Laden: 100 percent	8.38	16.6	26.72	22.3
19830	POWERDAY	Rigid (>7.5-17.0t) - Laden: 100 percent	8.38	16.6	26.72	22.3
19025	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
19657	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
19290	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
18141	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
18610	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
18981	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
18829	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
22227	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
22557	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
22224	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
22052	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
21388	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
21838	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	7.84	16.6	26.72	20.86
21072	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.21	17.4	28.00	21.86
20975	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.21	17.4	28.00	21.86
21033	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.21	17.4	28.00	21.86
21034	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.21	17.4	28.00	21.86
21035	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.21	17.4	28.00	21.86
21036	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.21	17.4	28.00	21.86
24511	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.12	17.2	27.68	21.61
24525	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.12	17.2	27.68	21.61
24539	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.12	17.2	27.68	21.61
23922	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.12	17.2	27.68	21.61
23986	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.12	17.2	27.68	21.61
23996	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	8.12	17.2	27.68	21.61
24651	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	10.58	22.4	36.05	28.15
25123	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	10.58	22.4	36.05	28.15
25124	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	10.58	22.4	36.05	28.15
25127	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	10.58	22.4	36.05	28.15
25940	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	10.38	22	35.41	27.64
25941	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	10.38	22	35.41	27.64
25307	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	10.38	22	35.41	27.64
25638	POWERDAY	Rigid (>17.0t) - Laden: 0 percent	10.38	22	35.41	27.64
26950	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
26952	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27133	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27533	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27534	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27535	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27627	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27628	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27629	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27218	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27219	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27220	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27934	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
27935	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
27846	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27847	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
27848	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.67	22	35.41	33.71
28116	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
27994	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
28000	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
28002	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
28003	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
28133	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
28134	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
28135	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
28136	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
28102	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.90	17.2	27.68	26.36
28693	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28938	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28939	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28940	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28500	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28502	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28446	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28447	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28449	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28450	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28451	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28452	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28581	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
34235	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	9.79	17	27.36	26.05

29803	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29804	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29805	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29806	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29811	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29812	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29813	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29814	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29815	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29816	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29818	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29819	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29820	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29821	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29822	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29831	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29832	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29833	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29834	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29432	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29433	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29434	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
28833	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29054	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29060	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29064	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
29065	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
30845	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
30909	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
30910	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
30377	POWERDAY	Rigid (>17.0t) - Laden: 50 percent	12.78	22.2	35.73	34.02
26951	POWERDAY	Rigid (>17.0t) - Laden: 100 percent	14.95	22	35.41	39.78
19882	POWERDAY	Rigid (>17.0t) - Laden: 100 percent	11.28	16.6	26.72	30.01
TOTAL			2375.7134	4287.4	6900.14	6323.08