

Katy Venables

Whitecode
26-27 The Hill Northfleet,
Northfleet,
Gravesend.
DA11 9EU

02nd February 2025

RE: Hornsey Town Hall – Cover Letter for HQM 25 Water Efficiency

Dear Katy,

This letter is to confirm that Ardmore Construction Limited achieved the flow rate requirements at Hornsey Town Hall residential units as per the results table appended. These results were obtained on site by our Senior Mechanical and Electrical Manager, Mark Bevan on 20/10/24.

In addition to this all units were supplied with the following white goods:

- Washer Dryer – Siemens – WN44G290GB – 6.4l/kg on Eco40-60 mode
- Dishwasher – Siemens – SN61IX12TG – 0.875l/place setting (capacity 12 place settings)

Yours Sincerely,

Bethan Street
Head of Design

Hornsey Town Hall Development
Accommodation Schedule - Block A North Core
Uren House, 1 Farnfield Close, London. N8 9FF

					Water Flow Rates				
Block / Core	Level	Plot	Unit Type	Postal	WC	Shower	Bath	Basin Tap	Kitchen Sink
Block A / North Core	Lower Ground Floor	AN 09	2 Bed	Flat N09	4/2	6	N/A	5	6
Block A / North Core	Lower Ground Floor	AN 10	2 Bed	Flat N10	4/2	6	170	5	6
Block A / North Core	Ground Floor	AN 01	1 Bed	Flat N01	4/2	6	N/A	5	6
Block A / North Core	Ground Floor	AN 02	2 Bed	Flat N02	4/2	6	170	5	6
Block A / North Core	Ground Floor	AN 03	1 Bed	Flat N03	4/2	6	N/A	5	6
Block A / North Core	Ground Floor	AN 04	2 Bed	Flat N04	4/2	6	170	5	6
Block A / North Core	Ground Floor	AN 05	2Bed	Flat N05	4/2	6	170	5	6
Block A / North Core	Ground Floor	AN 06	2Bed	Flat N06	4/2	6	170	5	6
Block A / North Core	Ground Floor	AN 07	2 Bed	Flat N07	4/2	6	170	5	6
Block A / North Core	Ground Floor	AN 08	1 Bed	Flat N08	4/2	6	170	5	6
Block A / North Core	Level 01	AN 11	1 Bed	Flat N11	4/2	6	N/A	5	6
Block A / North Core	Level 01	AN 12	2 Bed	Flat N12	4/2	6	170	5	6
Block A / North Core	Level 01	AN 13	1 Bed	Flat N13	4/2	6	N/A	5	6
Block A / North Core	Level 01	AN 14	2 Bed	Flat N14	4/2	6	170	5	6
Block A / North Core	Level 01	AN 15	2 Bed	Flat N15	4/2	6	170	5	6
Block A / North Core	Level 01	AN 16	2 Bed	Flat N16	4/2	6	170	5	6
Block A / North Core	Level 01	AN 17	2 Bed	Flat N17	4/2	6	170	5	6
Block A / North Core	Level 01	AN 18	1 Bed	Flat N18	4/2	6	170	5	6
Block A / North Core	Level 02	AN 21	1 Bed	Flat N21	4/2	6	N/A	5	6
Block A / North Core	Level 02	AN 22	2 Bed	Flat N22	4/2	6	170	5	6
Block A / North Core	Level 02	AN 23	1 Bed	Flat N23	4/2	6	N/A	5	6
Block A / North Core	Level 02	AN 24	2 Bed	Flat N24	4/2	6	170	5	6
Block A / North Core	Level 02	AN 25	2 Bed	Flat N25	4/2	6	170	5	6
Block A / North Core	Level 02	AN 26	2 Bed	Flat N26	4/2	6	170	5	6
Block A / North Core	Level 02	AN 27	2 Bed	Flat N27	4/2	6	170	5	6
Block A / North Core	Level 02	AN 28	1 Bed	Flat N28	4/2	6	170	5	6
Block A / North Core	Level 03	AN 31	2 Bed	Flat N31	4/2	6	170	5	6
Block A / North Core	Level 03	AN 32	3 Bed	Flat N32	4/2	6	N/A	5	6
Block A / North Core	Level 03	AN 33	2 Bed	Flat N33	4/2	6	170	5	6
Block A / North Core	Level 03	AN 34	2 Bed	Flat N34	4/2	6	170	5	6
Block A / North Core	Level 03	AN 35	2 Bed	Flat N35	4/2	6	170	5	6
Block A / North Core	Level 03	AN 36	1 Bed	Flat N36	4/2	6	170	5	6
Block A / North Core	Level 04	AN 41	1 Bed	Flat N41	4/2	6	N/A	5	6
Block A / North Core	Level 04	AN 42	2 Bed	Flat N42	4/2	6	170	5	6
Block A / North Core	Level 04	AN 43	1 Bed	Flat N43	4/2	6	N/A	5	6
Block A / North Core	Level 04	AN 44	2 Bed	Flat N44	4/2	6	170	5	6
Block A / North Core	Level 04	AN 45	2 Bed	Flat N45	4/2	6	170	5	6
Block A / North Core	Level 04	AN 46	3 Bed/Duplex	Flat N46	4/2	6	170	5	6
Block A / North Core	Level 04	AN 47	2 Bed	Flat N47	4/2	6	170	5	6
Block A / North Core	Level 04	AN 48	3 Bed/Duplex	Flat N48	4/2	6	170	5	6
Block A / North Core	Level 05	AN 46	3 Bed/Duplex						
Block A / North Core	Level 05	AN 48	3 Bed/Duplex						

Hornsey Town Hall Development

Accommodation Schedule - Block A South Core

Uren House, 1 Farnfield Close, London. N8 9FF

					Water Flow Rates				
Block / Core	Level	Plot	Unit Type	Postal	WC	Shower	Bath	Basin Tap	Kitchen Sink
Block A / South Core	Ground Floor	AS 01	1 Bed	Flat S01	4/2	6	170	5	6
Block A / South Core	Ground Floor	AS 02	2 Bed	Flat S02	4/2	6	170	5	6
Block A / South Core	Ground Floor	AS 03	2 Bed	Flat S03	4/2	6	170	5	6
Block A / South Core	Ground Floor	AS 04	2 Bed	Flat S04	4/2	6	170	5	6
Block A / South Core	Ground Floor	AS 05	2 Bed	Flat S05	4/2	6	170	5	6
Block A / South Core	Ground Floor	AS 06	3 Bed	Flat S06	4/2	6	170	5	6
Block A / South Core	Ground Floor	AS 07	3 Bed	Flat S07	4/2	6	170	5	6
Block A / South Core	Ground Floor	AS 08	1 Bed	Flat S08	4/2	6	N/A	5	6
Block A / South Core	Level 01	AS 11	1 Bed	Flat S11	4/2	6	170	5	6
Block A / South Core	Level 01	AS 12	2 Bed	Flat S12	4/2	6	170	5	6
Block A / South Core	Level 01	AS 13	2 Bed	Flat S13	4/2	6	170	5	6
Block A / South Core	Level 01	AS 14	2 Bed	Flat S14	4/2	6	170	5	6
Block A / South Core	Level 01	AS 15	2 Bed	Flat S15	4/2	6	170	5	6
Block A / South Core	Level 01	AS 16	3 Bed	Flat S16	4/2	6	170	5	6
Block A / South Core	Level 01	AS 17	3 Bed	Flat S17	4/2	6	N/A	5	6
Block A / South Core	Level 01	AS 18	1 Bed	Flat S18	4/2	6	N/A	5	6
Block A / South Core	Level 02	AS 21	1 Bed	Flat S21	4/2	6	170	5	6
Block A / South Core	Level 02	AS 22	2 Bed	Flat S22	4/2	6	170	5	6
Block A / South Core	Level 02	AS 23	2 Bed	Flat S23	4/2	6	170	5	6
Block A / South Core	Level 02	AS 24	2 Bed	Flat S24	4/2	6	170	5	6
Block A / South Core	Level 02	AS 25	2 Bed	Flat S25	4/2	6	170	5	6
Block A / South Core	Level 02	AS 26	2 Bed	Flat S26	4/2	6	170	5	6
Block A / South Core	Level 02	AS 27	Studio	Flat S27	4/2	6	N/A	5	6
Block A / South Core	Level 02	AS 28	2 Bed	Flat S28	4/2	6	170	5	6
Block A / South Core	Level 02	AS 29	1 Bed	Flat S29	4/2	6	N/A	5	6
Block A / South Core	Level 03	AS 31	1 Bed	Flat S31	4/2	6	170	5	6
Block A / South Core	Level 03	AS 32	2 Bed	Flat S32	4/2	6	170	5	6
Block A / South Core	Level 03	AS 33	2 Bed	Flat S33	4/2	6	170	5	6
Block A / South Core	Level 03	AS 34	2 Bed	Flat S34	4/2	6	170	5	6
Block A / South Core	Level 03	AS 35	2 Bed	Flat S35	4/2	6	170	5	6
Block A / South Core	Level 03	AS 36	2 Bed	Flat S36	4/2	6	170	5	6
Block A / South Core	Level 03	AS 37	1 Bed	Flat S37	4/2	6	N/A	5	6
Block A / South Core	Level 03	AS 38	1 Bed	Flat S38	4/2	6	N/A	5	6
Block A / South Core	Level 04	AS 41	3 Bed/Duplex	Flat S41	4/2	6	170	5	6
Block A / South Core	Level 04	AS 42	2 Bed	Flat S42	4/2	6	170	5	6
Block A / South Core	Level 04	AS 43	3 Bed/Duplex	Flat S43	4/2	6	170	5	6
Block A / South Core	Level 04	AS 44	2 Bed	Flat S44	4/2	6	170	5	6
Block A / South Core	Level 04	AS 45	2 Bed	Flat S45	4/2	6	170	5	6
Block A / South Core	Level 04	AS 46	2 Bed	Flat S46	4/2	6	170	5	6
Block A / South Core	Level 04	AS 47	1 Bed	Flat S47	4/2	6	N/A	5	6
Block A / South Core	Level 04	AS 48	1 Bed	Flat S48	4/2	6	N/A	5	6
Block A / South Core	Level 04	AS 49	1 Bed	Flat S49	4/2	6	N/A	5	6
Block A / South Core	Level 05	AS 41	3 Bed/Duplex						
Block A / South Core	Level 05	AS 43	3 Bed/Duplex						

Hornsey Town Hall Development

Accommodation Schedule - Block B

Ayres House, 2 Farnfield Close, London. N8 9FH

Block / Core	Level	Plot	Unit Type	Postal	Water Flow Rates				
					WC	Shower	Bath	Basin Tap	Kitchen Sink
Block B	Lower Ground Floor	B 01	2 Bed	Flat 01	4/2	6	170	5	6
Block B	Lower Ground Floor	B 02	2 Bed	Flat 02	4/2	6	170	5	6
Block B	Lower Ground Floor	B 03	2 Bed	Flat 03	4/2	6	170	5	6
Block B	Lower Ground Floor	B 04	2 Bed	Flat 04	4/2	6	170	5	6
Block B	Ground Floor	B 11	1 Bed	Flat 11	4/2	6	N/A	5	6
Block B	Ground Floor	B 12	1 Bed	Flat 12	4/2	6	N/A	5	6
Block B	Ground Floor	B 13	2 Bed	Flat 13	4/2	6	170	5	6
Block B	Ground Floor	B 14	2 Bed	Flat 14	4/2	6	170	5	6
Block B	Ground Floor	B 15	2 Bed	Flat 15	4/2	6	170	5	6
Block B	Ground Floor	B 16	2 Bed	Flat 16	4/2	6	170	5	6
Block B	Level 01	B 21	2 Bed	Flat 21	4/2	6	170	5	6
Block B	Level 01	B 22	2 Bed	Flat 22	4/2	6	170	5	6
Block B	Level 01	B 23	2 Bed	Flat 23	4/2	6	170	5	6
Block B	Level 01	B 24	2 Bed	Flat 24	4/2	6	170	5	6
Block B	Level 01	B 25	2 Bed	Flat 25	4/2	6	170	5	6
Block B	Level 01	B 26	2 Bed	Flat 26	4/2	6	170	5	6
Block B	Level 02	B 31	2 Bed	Flat 31	4/2	6	170	5	6
Block B	Level 02	B 32	2 Bed	Flat 32	4/2	6	170	5	6
Block B	Level 02	B 33	2 Bed	Flat 33	4/2	6	170	5	6
Block B	Level 02	B 34	2 Bed	Flat 34	4/2	6	170	5	6
Block B	Level 02	B 35	2 Bed	Flat 35	4/2	6	170	5	6
Block B	Level 02	B 36	2 Bed	Flat 36	4/2	6	170	5	6
Block B	Level 03	B 41	2 Bed	Flat 41	4/2	6	170	5	6
Block B	Level 03	B 42	2 Bed	Flat 42	4/2	6	170	5	6
Block B	Level 03	B 43	2 Bed	Flat 43	4/2	6	170	5	6
Block B	Level 03	B 44	2 Bed	Flat 44	4/2	6	170	5	6
Block B	Level 03	B 45	2 Bed	Flat 45	4/2	6	170	5	6
Block B	Level 03	B 46	2 Bed	Flat 46	4/2	6	170	5	6
Block B	Level 04	B 51	2 Bed	Flat 51	4/2	6	170	5	6
Block B	Level 04	B 52	2 Bed	Flat 52	4/2	6	170	5	6
Block B	Level 04	B 53	2 Bed	Flat 53	4/2	6	170	5	6
Block B	Level 04	B 54	2 Bed	Flat 54	4/2	6	170	5	6
Block B	Level 04	B 55	2 Bed	Flat 55	4/2	6	170	5	6
Block B	Level 04	B 56	2 Bed	Flat 56	4/2	6	170	5	6
Block B	Level 05	B 61	2 Bed	Flat 61	4/2	6	170	5	6
Block B	Level 05	B 62	2 Bed	Flat 62	4/2	6	170	5	6
Block B	Level 05	B 63	2 Bed	Flat 63	4/2	6	170	5	6
Block B	Level 05	B 64	2 Bed	Flat 64	4/2	6	170	5	6
Block B	Level 05	B 65	2 Bed	Flat 65	4/2	6	170	5	6
Block B	Level 05	B 66	2 Bed	Flat 66	4/2	6	170	5	6

Hornsey Town Hall Development

Accommodation Schedule - Mews

Ruby Mes, Rose Place, The Broadway, London. N8 9FJ

					Water Flow Rates				
Block / Core	Level	Plot	Unit Type	Postal	WC	Shower	Bath	Basin Tap	Kitchen Sink
Mews	Ground Floor	PM 001	1 Bed	Flat 1	4/2	6	N/A	5	6
Mews	Ground Floor	PM 002	2 Bed	Flat 2	4/2	6	170	5	6
Mews	Ground Floor	PM 003	2 Bed	Flat 3	4/2	6	170	5	6
Mews	Level 01	PM 101	1 Bed	Flat 4	4/2	6	N/A	5	6
Mews	Level 01	PM 102	1 Bed	Flat 5	4/2	6	170	5	6
Mews	Level 01	PM 103	2 Bed	Flat 6	4/2	6	170	5	6
Mews	Level 02	PM 201	1 Bed	Flat 7	4/2	6	170	5	6
Mews	Level 02	PM 202	1 Bed	Flat 8	4/2	6	170	5	6
Mews	Level 02	PM 203	1 Bed	Flat 9	4/2	6	170	5	6

Hornsey Town Hall Development

Accommodation Schedule - Annex

Loft Apartments, Rose Place, The Broadway, London. N8 9FJ

Basil Lewis Court, 24 The Broadway, London. N8 9FE

					Water Flow Rates				
Block / Core	Level	Plot	Unit Type	Postal	WC	Shower	Bath	Basin Tap	Kitchen Sink
Loft	Level 01	BA-101	2 Bed	Flat 1	4/2	6	170	5	6
Loft	Level 01	BA-102	2 Bed	Flat 2	4/2	6	170	5	6
Loft	Level 01	BA-103	2 Bed	Flat 3	4/2	6	170	5	6
Loft	Level 01	BA-104	2 Bed	Flat 4	4/2	6	N/A	5	6
Loft	Level 02	BA-101	2 Bed (Duplex)						
Loft	Level 02	BA-102	2 Bed (Duplex)						
Loft	Level 02	BA-103	2 Bed (Duplex)						
Loft	Level 02	BA-104	2 Bed (Duplex)						
Annex	Level 0	BAA-106	1 Bed (Duplex)						
Annex	Level 01	BAA-101	1 Bed	Flat 1	4/2	6	N/A	5	6
Annex	Level 01	BAA-102	1 Bed	Flat 2	4/2	6	N/A	5	6
Annex	Level 01	BAA-103	1 Bed	Flat 3	4/2	6	N/A	5	6
Annex	Level 01	BAA-104	1 Bed	Flat 4	4/2	6	N/A	5	6
Annex	Level 01	BAA-105	1 Bed	Flat 5	4/2	6	N/A	5	6
Annex	Level 01	BAA-106	1 Bed	Flat 6	4/2	6	N/A	5	6
Annex	Level 02	BAA-201	1 Bed	Flat 7	4/2	6	N/A	5	6
Annex	Level 02	BAA-202	1 Bed	Flat 8	4/2	6	N/A	5	6
Annex	Level 02	BAA-203	1 Bed	Flat 9	4/2	6	N/A	5	6
Annex	Level 02	BAA-204	1 Bed	Flat 10	4/2	6	N/A	5	6
Annex	Level 02	BAA-205	1 Bed	Flat 11	4/2	6	N/A	5	6

iQ100, Fully-integrated
dishwasher, 60 cm
SN61IX12TG



Professional wifi-enabled dishwasher with program status projection on the floor, operable using a smartphone or voice assistant device.

- ✓ Home Connect – Control your smart dishwasher, no matter where you are.
- ✓ varioSpeed on demand – for a cycle time up to two times as fast, connectable any time, anywhere thanks to the Home Connect app
- ✓ Height adjustment of the top basket lets you make room for larger items.
- ✓ infoLight shines with a blue light on the kitchen floor when running but goes out when the washing and drying cycle is over.
- ✓ voiceControl - Your dishwasher can listen to you.

Energy Efficiency Class: E
Energy Consumption for 100 cycles Eco Programme: 92 kWh
Maximum number of place settings: 12
The water consumption of the eco programme in liters per cycle:
10.5 l
Programme duration: 4:30 h
Airborne acoustical noise emissions : 48 dB(A) re 1pW
Airborne acoustical noise emission class: C
Built-in / Free-standing: Built-in
Height of removable worktop: 0 mm
Dimensions of the product: 815 x 598 x 550 mm
Required niche size for installation (HxWxD): ..815-875 x 600 x 550 mm
Depth with open door 90 degree: 1150 mm
Adjustable feet: Yes - all from front
Maximum adjustability feet: 60 mm
Adjustable plinth: Both horizontal and vertical
Weight: 30.9 kg
Gross weight: 33.1 kg
Connection Rating: 2400 W
Fuse protection: 10 A
Nominal power: 220-240 V
Frequency: 50; 60 Hz
Length electrical supply cord: 175.0 cm
Plug type: GB plug
Length inlet hose: 165 cm
Length outlet hose: 190 cm
EAN code: 4242003897676
Installation type: Fully integrated

SZ30BI02	decorative strips stainless steel 81,5cm
SZ38BI00	Connection rail for divided furniture
SZ72010	inlet and outlet hose extention 2 m
SZ73000	Dishwashing aid set
SZ73001	Silver polishing cassette
SZ73010	Retractable hinge f. high corpus dimens.
SZ73050GB	Mains Kabel with GB-Plug
SZ73056	Attachment door, brushed steel
SZ73300	Wineglass-Tray
SZ73640	Rack insert for stemware dishwasher



iQ100, Fully-integrated dishwasher, 60 cm SN61IX12TG

New for 2021

Performance

- Energy Efficiency Class¹: E
- Energy² / Water³: 92 kWh / 10.5 litres
- Capacity: 12 place settings
- Programme duration⁴: 4:30 (h:min)
- Noise level: 48 dB(A) re 1 pW
- Noise Efficiency Class: C

Programmes/functions

- 5 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Speed 65 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, intensiveZone, Half Load, Speed on Demand - varioSpeed
- Machine care programme
- Silence on Demand (via app)

Flexible design elements

- vario baskets
- Height adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in bottom basket
- Cutlery basket in lower rack
- Upper rack cup shelf

Innovations and technology

- Home Connect ready
- dosageAssist detergent dispenser
- iQDrive motor
- Automatic detergent-aware system
- hydroSensor
- Glass care protection system

Design features

- Controls on top edge of door
- infoLight (blue) - Light projection on the floor
- Time delay (3, 6 or 9 hours)
- aquaStop®: Siemens home appliances' warranty in case of water damage – throughout the lifetime of the appliance.*
- Self-cleaning filter system with 3 piece corrugated filter
- incl. Steam protection for worktop
- Stainless steel/polinox interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm

* Please find warranty terms under <https://www.siemens-home.bsh-group.com/uk/customer-service/warranty/additional-warranties>



¹ Scale of Energy Efficiency Classes from A to G

² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C

**iQ100, Fully-integrated
dishwasher, 60 cm
SN61IX12TG**



iQ500, Washer dryer, 9/6 kg, 1400 rpm
WN44G290GB



WX975600	Floor securing component
WZ10131	Extension for cold water inlet /Aquastop
WZWP20W	Platform with pull-out, washer, cubic

smartFinish washer-dryer with speedPack saves time and reduces ironing effort.

- ✓ speedPack L: speed up your programmes. Or wash and dry in just 60 minutes.
- ✓ smartFinish: smooth away creases to cut down on ironing.
- ✓ Outdoor/waterproofing programme – Protects your waterproof textiles.
- ✓ Wash & Dry 45/60: fast, efficient washing and drying in 45 or 60 minutes.

Energy Efficiency Class Wash/Dry cycle(Regulation): E
Energy Efficiency Class Eco 40-60 programme (Regulation): C
Weighted energy consumption in kWh per 100 full Wash/Dry cycles: 372 kWh
Weighted energy consumption in kWh per 100 washing cycles of eco 40-60 programme: 64 kWh
Maximum capacity in kg in a Wash/Dry cycle: 6.0
Maximum capacity in kg in a wash cycle: 9.0
The water consumption of the full wash and dry cycle in liters per cycle: 84 l
The water consumption of the eco programme in liters per cycle: 41 l
Duration of the full wash and dry cycle in hours and mins at rated capacity: 7:45 h
Duration of eco 40-60 programme in hours and mins at rated capacity: 3:45 h
Spin-drying efficiency class of eco 40-60 programme: B
Airborne acoustical noise emissions : 69 dB(A) re 1pW
Airborne acoustical noise emission class: A
Built-in / Free-standing: Freestanding
Removable top: No
Door opening: Left
Length electrical supply cord: 210.0 cm
Dimensions of the product: 848x598x590 mm
Weight: 81.3 kg
Drum volume: 65 l
EAN code: 4242003867822



iQ500, Washer dryer, 9/6 kg, 1400 rpm WN44G290GB

Performance

- Energy Efficiency Class Wash and Dry¹: E
- Energy Efficiency Class Washing²: C
- Energy³ / Water⁴ Wash and Dry: 372 kWh / 84 litres
- Energy⁵ / Water⁶ Washing: 64 kWh / 41 litres
- Load capacity Wash and Dry / Washing: 1 - 6 kg / 1 - 9 kg
- Programme duration⁷ Wash and Dry / Washing: 7:45 h:min / 3:45 h:min
- Spin drying efficiency class: EU19_spin efficiency class: B
- Spin speed^{**}: 400 - 1400 rpm
- Noise level: 69 dB (A) re 1 pW
- Noise efficiency class: A

Programmes/functions

- Standard programmes for washing: cottons, easy-care, delicates/silk, wool/handwash
- Special programmes washing: rapid 15 minute quick wash, mixed fabrics, textile guard re-proofing programme, drain / spin, single rinse
- Most common washing programmes can be used as solo-drying programme or as washing and drying in one go programme
- Options washing: less ironing, Spin speed selection, auto stain (16 options), Start / Pause, Temperature selection, prewash
- Standard programmes for drying: cottons, easy-care
- Special programmes drying: Refresh, Intensive dry, Wool, Low heat drying, Wash & Dry 60'
- Drying options for most wash programmes
- autoDry function, and time selection options
- Options drying: Drying aim

Key features

- Automatic Stain removal - 4 stain removal options at the touch of a button
- varioSpeed: Up to 65% reduced washing cycle ***
- iQ Drive: innovative motor technology delivering energy efficiency, speed and durability
- antiVibration Design - for more stability and quietness
- Sound insulation by additional noise reduction material
- Reload Function: Stop the washing machine to add any forgotten items of laundry to the drum.

Additional features

- Large LED-Display for programme status indication, max. spin speed, remaining time and 24 h end time delay and load recommendation
- waveDrum: for highly effective and extremely gentle laundry care
- drum interior light
- Foam detection system
- Electronic child safety package
- Out of balance load adjustment
- Detergent dispensing: easy clean
- No

- Acoustic signals: Buzzer
- Aqua Protection
- Maintenance free condenser: automatic fluff removal

Technical Information

- Slide-under installation
- Large silver-black door with 165° opening
- Dimensions (H x W): 84.8 cm x 59.8 cm
- Appliance depth: 59.0 cm
- Appliance depth incl. door: 63.5 cm
- Appliance depth with open door: 107.2 cm

^{1 2} Scale of Energy Efficiency Classes from A to G

³ Energy consumption in kWh per 100 complete cycles (in Eco 40-60 programme)

⁴ Water consumption in litres per complete cycle (in Eco 40-60 programme)

⁵ Energy consumption in kWh per 100 washing cycles (in Eco 40-60 programme)

⁶ Weighted water consumption in litres per washing cycle (in Eco 40-60 programme)



⁷ Duration of Eco 40-60 programme, Wash and Dry cycle / Wash only cycle

^{**} Values are rounded.

^{***} Comparison between the program duration of Easy-care 40°C and the program duration of Easy-care 40°C + activated varioSpeed option

**iQ500, Washer dryer, 9/6 kg, 1400
rpm
WN44G290GB**

measurements in mm



measurements in mm