

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/1211
Application type	Conservation Area Notification
Site Address:	10 Rosebery Road, Hornsey, London, N10 2LH
Proposal	T1 Palm - Fell and treat stump with eco plugs (broadleaved). - TO COMBAT SUBSIDENCE DAMAGE

RECOMMENDATION:	No Objection	
Application date	30/04/2026	
Tree Inspector	DM	Date: 26 th May 2026

Site

The Palm tree T1, as highlighted within the report, seen in the photograph, and marked on the plan, is situated in the front garden of the property. It is publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Alexandra Park Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

T1 Palm - Fell and treat stump with eco plugs (broadleaved).

- TO COMBAT SUBSIDENCE DAMAGE

Issues

I hold no objection to the removal of the Palm T2.

Foundations are shallow with roots found underneath. Soil moisture is low, and Driscoll's guideline shows desiccation at depth.

BRE Digest 251 category is 3.

The Palm tree is low grade and has little amenity value.

The tree is not worthy of further protection.

Recommendation

No Objection