

Client Approval Specification

Alicia Peek
20 Southwood Hall, Muswell Hill Road
London
United Kingdom
N6 5UG

Prepared By: Shaun Figg

Date: 01/06/2026

Job No. : 13747-R0

Clement Windows

Clement House
Weydown Industrial Estate
Haslemere
Surrey
GU27 1HR

Telephone: 01428 643393

Fax: 01428 644436

Email: info@clementwg.co.uk

Internet: <https://clementwindows.co.uk/>

If after reviewing this specification document and the associated drawings package you are happy to proceed to manufacture, please complete the declaration below by initialing after each point and signing below, then return completed copy to us, so we can commence manufacture of your order.

I/We confirm acceptance of the provided fabrication drawings, as outlined on attached specification and drawing package, and confirm that the following details have been checked;

- The correct number of windows/doors are shown. initial _____
- Frame colour is correct. initial _____
- Furniture types are correct. initial _____
- Furniture finishes are correct. initial _____
- Glass specifications are correct. initial _____
- Glazing detail (i.e. leads, G+, T-bar) and joint detail (i.e. Flush or Fenestra) are correct, initial _____
- Opening arrangements and handing's are correct (diagrams are viewed from outside) initial _____
- Agreed sizes (where we have been unable to take dimensions) are correct. You may need to confirm with your builder. initial _____

Installation interface details where openings are not fully formed at time of survey are correct. You may need to confirm with your builder.

I/We confirm the above are as per our requirements. We also understand that any further changes required after signing this document may incur additional costs and impact on our ability to deliver to the agreed durations.

Signed:.....

Print Name:

Position In Company:..... (If applicable)


Date:.....

Note: All manufacturing sizes are as show on our fabrication drawings


Note: All elevations are viewed from the outside

Note: If you are in any doubt about any details regarding your order, please contact us with any questions before signing off your order




Item	Quantity	Description
Window/Door Ref : WF1 - Bed 1 (Front), WF3 - Bed 3 (Rear)		
1	2 Piece(s)	 Product: NG Externally Glazed Opening: Fixed Light Externally Glazed Top Hung Open Out Side Hung Left Open Out Side Hung Right Open Out Frame Col: Ext RAL: 9010 M Int RAL: 9010 M Sash Col: Ext RAL: 9010 M Int RAL: 9010 M Frame: CF8X Section - Outer Frame Long Leg Bars: Fenestra G+Bar Inside / B29548 Outside inc.Duplex Hardware: (Field / Description) 1 Silicone - White (Capping/Fronting/Perimeter) 2 Powder Coated 2 SWF Top Hung Hinge (BS2003) 2 NO 2 Peg Stay - B375SF + Locking Pin 2 Silicone - White (Capping/Fronting/Perimeter) 3 Silicone - White (Capping/Fronting/Perimeter) 4 Powder Coated 4 Handle - Hampstead (158SF) 4 Key Locking 4 Free Extended Hinge 4 Trickle Vent - Powder Coat to Match Frame 4 Powder Coated 4 Peg Stay - B375SF + Non-Locking Pin 4 J Banks Concealed Non-Locking Restrictor 4 2500mm2 Trickle Vent 4 Singlepoint Locking 4 Silicone - White (Capping/Fronting/Perimeter) 5 Silicone - White (Capping/Fronting/Perimeter) 6 Powder Coated 6 Handle - Hampstead (158SF) 6 Key Locking 6 Free Extended Hinge 6 Trickle Vent - Powder Coat to Match Frame 6 Powder Coated 6 Peg Stay - B375SF + Non-Locking Pin 6 J Banks Concealed Non-Locking Restrictor 6 2500mm2 Trickle Vent 6 Singlepoint Locking 6 Silicone - White (Capping/Fronting/Perimeter) Glass: 3 * (20mm) - 4mm Low Iron - 12mm Krypton Multitech Spacer - 4mm Eclaz 3 * (20mm) - 4mm Low Iron Tough - 12mm Krypton Multitech Spacer - 4mm Eclaz II

Item	Quantity	Description
		Tough safety mark Spacer Bar Col: White Weight (Kg): 89.9
	36 Pane(s)	
Window/Door Ref :	WF2 - Bed 2 (Left) Front	
2	1 Piece(s)	Product: NG Externally Glazed Opening: Fixed Light Externally Glazed Top Hung Open Out Side Hung Left Open Out Side Hung Right Open Out Frame Col: Ext RAL: 9010 M Int RAL: 9010 M Sash Col: Ext RAL: 9010 M Int RAL: 9010 M Frame: CF8X Section - Outer Frame Long Leg Bars: Fenestra G+Bar Inside / B29548 Outside inc. Duplex Hardware: (Field / Description) 1 Silicone - White (Capping/Fronting/Perimeter) 2 Powder Coated 2 SWF Top Hung Hinge (BS2003) 2 NO 2 Peg Stay - B375SF + Locking Pin 2 Silicone - White (Capping/Fronting/Perimeter) 3 Powder Coated 3 SWF Top Hung Hinge (BS2003) 3 NO 3 Peg Stay - B375SF + Locking Pin 3 Silicone - White (Capping/Fronting/Perimeter) 4 Silicone - White (Capping/Fronting/Perimeter) 5 Powder Coated 5 Handle - Hampstead (158SF) 5 Key Locking 5 Free Extended Hinge 5 Trickle Vent - Powder Coat to Match Frame 5 Powder Coated 5 Peg Stay - B375SF + Non-Locking Pin 5 J Banks Concealed Non-Locking Restrictor 5 2500mm2 Trickle Vent 5 Singlepoint Locking 5 Silicone - White (Capping/Fronting/Perimeter) 6 Silicone - White (Capping/Fronting/Perimeter) 7 Silicone - White (Capping/Fronting/Perimeter) 8 Powder Coated 8 Handle - Hampstead (158SF) 8 Key Locking 8 Free Extended Hinge 8 Trickle Vent - Powder Coat to Match Frame 8 Powder Coated




Window/Door Ref : WF4 - Hallway (Rear) 24 Pane(s)


Window/Door Ref : WF5 - Sitting Room ((Rear))


Item		Quantity	Description
4		1 Piece(s)	Product: NG Externally Glazed Opening: Fixed Light Externally Glazed Top Hung Open Out Side Hung Left Open Out Side Hung Right Open Out Frame Col: Ext RAL: 9010 M Int RAL: 9010 M Sash Col: Ext RAL: 9010 M Int RAL: 9010 M Frame: CF8X Section - Outer Frame Long Leg Bars: Fenestra G+Bar Inside / B29548 Outside inc.Duplex Hardware: (Field / Description) 1 Silicone - White (Capping/Fronting/Perimeter) 2 Silicone - White (Capping/Fronting/Perimeter) 3 Powder Coated 3 SWF Top Hung Hinge (BS2003) 3 NO 3 Peg Stay - B375SF + Locking Pin 3 Silicone - White (Capping/Fronting/Perimeter) 4 Silicone - White (Capping/Fronting/Perimeter) 5 Silicone - White (Capping/Fronting/Perimeter) 6 Powder Coated 6 Handle - Hampstead (158SF) 6 Key Locking 6 Free Extended Hinge 6 Trickle Vent - Powder Coat to Match Frame 6 Powder Coated 6 Peg Stay - B375SF + Non-Locking Pin 6 J Banks Concealed Non-Locking Restrictor 6 2500mm2 Trickle Vent 6 Singlepoint Locking 6 Silicone - White (Capping/Fronting/Perimeter) 7 Powder Coated 7 Handle - Hampstead (158SF) 7 Key Locking 7 Free Extended Hinge 7 Trickle Vent - Powder Coat to Match Frame 7 Powder Coated 7 Peg Stay - B375SF + Non-Locking Pin 7 J Banks Concealed Non-Locking Restrictor 7 2500mm2 Trickle Vent 7 Singlepoint Locking 7 Silicone - White (Capping/Fronting/Perimeter) 8 Silicone - White (Capping/Fronting/Perimeter) 9 Powder Coated 9 Handle - Hampstead (158SF) 9 Key Locking

Window/Door Ref : WF6 - Kitchen (Rear) 30 Pane(s)

5 	<table> <tr> <td data-bbox="124 1346 716 2074"> 1 Piece(s) </td><td data-bbox="716 1346 1497 2074"> Product: Opening: Frame Col: Sash Col: Frame: Bars: Hardware: NG Externally Glazed Top Hung Open Out Side Hung Left Open Out Ext RAL: 9010 M Int RAL: Ext RAL: 9010 M Int RAL: CF8X Section - Outer Frame Long Leg Fenestra G+Bar Inside / B29548 Outside inc.Duplex (Field / Description) 1 Powder Coated 1 Key Locking 1 SWF Top Hung Hinge (BS2003) 1 NO 1 Folding Opener 1 Silicone - White (Capping/Fronting/Perimeter) 2 Powder Coated 2 Handle - Hampstead (158SF) 2 Key Locking 2 Pear Drop Hinge (520) 2 Trickle Vent - Powder Coat to Match Frame 2 J Banks Concealed Non-Locking </td></tr> </table>	1 Piece(s)	Product: Opening: Frame Col: Sash Col: Frame: Bars: Hardware: NG Externally Glazed Top Hung Open Out Side Hung Left Open Out Ext RAL: 9010 M Int RAL: Ext RAL: 9010 M Int RAL: CF8X Section - Outer Frame Long Leg Fenestra G+Bar Inside / B29548 Outside inc.Duplex (Field / Description) 1 Powder Coated 1 Key Locking 1 SWF Top Hung Hinge (BS2003) 1 NO 1 Folding Opener 1 Silicone - White (Capping/Fronting/Perimeter) 2 Powder Coated 2 Handle - Hampstead (158SF) 2 Key Locking 2 Pear Drop Hinge (520) 2 Trickle Vent - Powder Coat to Match Frame 2 J Banks Concealed Non-Locking
1 Piece(s)	Product: Opening: Frame Col: Sash Col: Frame: Bars: Hardware: NG Externally Glazed Top Hung Open Out Side Hung Left Open Out Ext RAL: 9010 M Int RAL: Ext RAL: 9010 M Int RAL: CF8X Section - Outer Frame Long Leg Fenestra G+Bar Inside / B29548 Outside inc.Duplex (Field / Description) 1 Powder Coated 1 Key Locking 1 SWF Top Hung Hinge (BS2003) 1 NO 1 Folding Opener 1 Silicone - White (Capping/Fronting/Perimeter) 2 Powder Coated 2 Handle - Hampstead (158SF) 2 Key Locking 2 Pear Drop Hinge (520) 2 Trickle Vent - Powder Coat to Match Frame 2 J Banks Concealed Non-Locking		

[illegible]

Item	Quantity	Description
		Tough safety mark Spacer Bar Col: White Weight (Kg):59.2
	12 Pane(s)	
Window/Door Ref :	WF8 - Bathroom (Rear)	
7	1 Piece(s)	 Product: NG Externally Glazed Opening: Side Hung Left Open Out Side Hung Right Open Out Frame Col: Ext RAL: 9010 M Int RAL: 9010 M Sash Col: Ext RAL: 9010 M Int RAL: 9010 M Frame: CF8X Section - Outer Frame Long Leg Bars: Fenestra G+Bar Inside / B29548 Outside inc.Duplex Hardware: (Field / Description) 1 Powder Coated 1 Handle - Hampstead (158SF) 1 Key Locking 1 Free Extended Hinge 1 Trickle Vent - Powder Coat to Match Frame 1 Powder Coated 1 Peg Stay - B375SF + Non-Locking Pin 1 J Banks Concealed Non-Locking Restrictor 1 2500mm2 Trickle Vent 1 Singlepoint Locking 1 Silicone - White (Capping/Fronting/Perimeter) 2 Powder Coated 2 Handle - Hampstead (158SF) 2 Key Locking 2 Free Extended Hinge 2 Trickle Vent - Powder Coat to Match Frame 2 Powder Coated 2 Peg Stay - B375SF + Non-Locking Pin 2 J Banks Concealed Non-Locking Restrictor 2 2500mm2 Trickle Vent 2 Singlepoint Locking 2 Silicone - White (Capping/Fronting/Perimeter) Glass: 2 * (20mm) - 4mm Lacomat - 12mm Krypton Multitech Spacer - 4mm Eclaz Spacer Bar Col: White Weight (Kg):48.5
	6 Pane(s)	
Window/Door Ref :	WF9 - Entrance Hallway	

Item	Quantity	Description
8	1 Piece(s)	 Product: NG Externally Glazed Opening: Top Hung Open Out Side Hung Right Open Out Frame Col: Ext RAL: 9010 M Int RAL: 9010 M Sash Col: Ext RAL: 9010 M Int RAL: 9010 M Frame: CF8X Section - Outer Frame Long Leg Bars: Fenestra G+Bar Inside / B29548 Outside inc.Duplex Hardware: (Field / Description) 1 Powder Coated 1 SWF Top Hung Hinge (BS2003) 1 NO 1 Peg Stay - B375SF + Locking Pin 1 Silicone - White (Capping/Fronting/Perimeter) 2 Powder Coated 2 Handle - Hampstead (158SF) 2 Key Locking 2 Free Extended Hinge 2 Powder Coated 2 Peg Stay - B375SF + Non-Locking Pin 2 J Banks Concealed Non-Locking Restrictor 2 Singlepoint Locking 2 Silicone - White (Capping/Fronting/Perimeter) Glass: (20mm) - 4mm Low Iron - 12mm Krypton Multitech Spacer - 4mm Eclaz (20mm) - 4mm Low Iron Tough - 12mm Krypton Multitech Spacer - 4mm Eclaz II Tough safety mark Spacer Bar Col: White Weight (Kg):33.6
	6 Pane(s)	