

ELECTRICAL SERVICES SYMBOL LEGEND:

- LINETYPES:
- | | |
|-------|------------------------------------|
| ———— | CIRCUIT LINE (SWITCHED TOGETHER) |
| ----- | CIRCUIT LINE (SWITCHED SEPERATELY) |

CU	CONSUMER UNIT
DB	DOOR BELL
DW	DISHWASHER
EH	EXTRACT COOKER HOOD
FF	FRIDGE FREEZER
G	4 PLATE GRID SWITCH
H/L	HIGH LEVEL
HOB	HOB COOKER
L/L	LOW LEVEL
M/L	MID LEVEL
WP	WEATHER PROOF
WM	WASHING MACHINE
S	SHAVER SOCKET
TR	TOWEL RAIL (ELECTRIC)
UFHM	UNDERFLOOR HEATING MANIFOLD



12-WAY DUAL RCD SP&N CONSUMER UNIT

- | MODEL LINKS | | |
|-------------|---------------------|------|
| Type: | File Name: | Rev. |
| DWG | 240129_6940_BLOCK_D | --- |

- DRAWING TO BE READ IN CONJUNCTION WITH CLIENTS ER'S & CONTRACT DOCUMENTS
- SETTING OUT TO BE CO-ORDINATED ON SITE WITH STUD POSITIONS
- WHERE OUTLETS ARE ADJACENT ALLOW FOR A 40mm GAP BETWEEN
- ALL EQUIPMENT TO BE INSTALLED IN LINE WITH MANUFACTURERS RECOMMENDATIONS
- DRAWING TO BE READ IN CONJUNCTION WITH LUMINAIRE SCHEDULE

- * DRAWING TO BE READ IN CONJUNCTION WITH CLIENTS ER'S & CONTRACT DOCUMENTS
- * INSTALLATION TO BE CO-ORDINATED WITH MECHANICAL DRAWINGS
- * SETTING OUT TO BE CO-ORDINATED ON SITE WITH STUD POSITIONS
- WHERE OUTLETS ARE ADJACENT ALLOW FOR A 40mm CLEARANCE
- * ALL EQUIPMENT TO BE INSTALLED IN LINE WITH MANUFACTURERS RECOMMENDATIONS
- * SETTING OUT IN LINE WITH ARCHITECT FURNITURE LAYOUTS
- * NO BACK TO BACK SOCKETS OR ACCESSORIES
- * THE CONTRACTOR SHALL NOTE THE FOLLOWING:
 - DISTRIBUTION BOARD - 1350mm AFFL TO SWITCHES
 - SOCKETS & SWITCHES - 450-1200mm AFFL
 - SOCKET OUTLETS TO BE AT LEAST 300mm AWAY FROM ANY INTERNAL CORNER
 - ALL TV POINTS, THERMOSTATS ETC
 - TO ALSO BE IN CONJUNCTION WITH PART M
- * WITHIN KITCHENS, ALL ELECTRICAL ACCESSORIES ABOVE WORKTOP LEVEL ARE TO BE INSTALLED 300mm(MINIMUM) CLEAR FROM SINK/DRAINER & 150mm (MINIMUM) CLEAR OF HOB



Kench
Consultants

ADDRESS:
Unit 7, Sherwood House,
Walderslade Road,
Chatham, Kent, ME5
9UD

TELEPHONE: 0208 057 6552
WEBSITE:
www.kenchconsultants.com
E-MAIL:
info@kenchconsultants.com

Client:



Project:

BRUNEL WALK

Drawing Title:

TYPE N DUPLEX
UNIT 35 ELECTRICAL LAYOUT

Scale:	Date:	Checked:	Suitability:
1:50@A1	FEB '25	CD	S3
Drawing Status:			Revision:

STAGE 4 - APPROVAL P0

0053-KCL-00-ZZ-D-E-2226