

WARNING
ISOLATE ELECTRICITY
BEFORE REMOVING
THIS COVER



WARNING
Shock hazard

Do not work on this equipment until it
is isolated from both the mains and
the air conditioner supplies

Isolate air-con generator at: _____
Isolate the mains supply at: _____

Read and understand the safety instructions on the inside of the cover

MAINS SMOKE / HEAT ALARMS

HOW TO REMOVE ALARM

1. SWITCH OFF THE
CIRCUIT FOR ALARM BY
PULLING THE EMERGENCY
STOP BUTTON

2. PULL THE
EMERGENCY STOP
BUTTON

3. PULL THE
EMERGENCY STOP
BUTTON

4. PULL THE
EMERGENCY STOP
BUTTON

5. PULL THE
EMERGENCY STOP
BUTTON

6. PULL THE
EMERGENCY STOP
BUTTON

7. PULL THE
EMERGENCY STOP
BUTTON

8. PULL THE
EMERGENCY STOP
BUTTON

9. PULL THE
EMERGENCY STOP
BUTTON

10. PULL THE
EMERGENCY STOP
BUTTON

11. PULL THE
EMERGENCY STOP
BUTTON

12. PULL THE
EMERGENCY STOP
BUTTON

13. PULL THE
EMERGENCY STOP
BUTTON

14. PULL THE
EMERGENCY STOP
BUTTON

15. PULL THE
EMERGENCY STOP
BUTTON

16. PULL THE
EMERGENCY STOP
BUTTON

17. PULL THE
EMERGENCY STOP
BUTTON

18. PULL THE
EMERGENCY STOP
BUTTON

19. PULL THE
EMERGENCY STOP
BUTTON

20. PULL THE
EMERGENCY STOP
BUTTON

21. PULL THE
EMERGENCY STOP
BUTTON

22. PULL THE
EMERGENCY STOP
BUTTON

23. PULL THE
EMERGENCY STOP
BUTTON

24. PULL THE
EMERGENCY STOP
BUTTON

25. PULL THE
EMERGENCY STOP
BUTTON

26. PULL THE
EMERGENCY STOP
BUTTON

27. PULL THE
EMERGENCY STOP
BUTTON

28. PULL THE
EMERGENCY STOP
BUTTON

29. PULL THE
EMERGENCY STOP
BUTTON

30. PULL THE
EMERGENCY STOP
BUTTON

31. PULL THE
EMERGENCY STOP
BUTTON

32. PULL THE
EMERGENCY STOP
BUTTON

33. PULL THE
EMERGENCY STOP
BUTTON

34. PULL THE
EMERGENCY STOP
BUTTON

35. PULL THE
EMERGENCY STOP
BUTTON

36. PULL THE
EMERGENCY STOP
BUTTON

37. PULL THE
EMERGENCY STOP
BUTTON

38. PULL THE
EMERGENCY STOP
BUTTON

39. PULL THE
EMERGENCY STOP
BUTTON

40. PULL THE
EMERGENCY STOP
BUTTON

41. PULL THE
EMERGENCY STOP
BUTTON

42. PULL THE
EMERGENCY STOP
BUTTON

43. PULL THE
EMERGENCY STOP
BUTTON

44. PULL THE
EMERGENCY STOP
BUTTON

45. PULL THE
EMERGENCY STOP
BUTTON

46. PULL THE
EMERGENCY STOP
BUTTON

47. PULL THE
EMERGENCY STOP
BUTTON

48. PULL THE
EMERGENCY STOP
BUTTON

49. PULL THE
EMERGENCY STOP
BUTTON

50. PULL THE
EMERGENCY STOP
BUTTON


hager

Clearline
INVERTER



INVERTER
WARNING - Dual Supply
Isolate AC and DC
before carrying out work

Place on inverter front cover



vindian



PV Array DC Isolator

WARNING
Considerate time periods during daylight
Please do not isolate (inverter location)



DO NOT

Disconnect DC plugs
and external control leads
before off AC supply line



PV Input

UDCmax: 600Vd.c.

UMPP: 40...450Vd.c.

IDC,max: 16Ad.c.

ISC PV: 25Ad.c.

UAC,r: 220/230/240Va.c.

fAC, r: 50/60Hz

Output

PAC,r: 2000W

IAC,max: 9.1Aa.c.

Sr: 2000VA


Smax: 2000VA

P.F.: ~1,0.8cap...0.8ind, Toperating: -25...+60°C

Non-isolated, IP66, Protective Class I, OVC DCII/ACIII



S/N: 22000SSA24BR0002



S/N

Check Code: 045682

Viridian Solar Ltd

E-mail: info@viridiansolar.co.uk

viridiansolar.co.uk

