

PROTECTED TREE REPORT (TREE WORKS)

Haringey Council, L4,
Alexandra House, Station
Road N22 7TY

Application number	HGY/2026/1870
Application type	Conservation Area Notification
Site Address:	Highgate School Sports Field, Bishopswood Road, Hornsey, London
Proposal	Highgate School - Group of Sycamore next to IT Department: G1: Group of 5 sycamore (18m): Crown reduce by 2-3m to keep the tree at a size suitable for its location and as part of regular maintenance T2: Sycamore (18m): Crown reduce by 2-3m to keep the tree at a size suitable for its location and as part of regular maintenance T3: Sycamore (18m): Crown reduce by 2-3m to keep the tree at a size suitable for its location and as part of regular maintenance G2: Group of 3 Sycamore (18m): Crown reduce by 3m to keep the tree at a size suitable for its location and as part of regular maintenance

RECOMMENDATION:	No Objection	
Application date	03/07/2026	
Tree Inspector	DM	Date: 20 th July 2026

Site

The various trees, as listed above, marked on the plan, and seen in the photographs, are situated in the grounds of the property. They are not publicly visible.

A site visit was not deemed necessary to determine the appropriateness of the proposed works.

The location is also within the Highgate Conservation Area. This protects every tree with a diameter at breast height (taken at 1.5m) >75mm.

Proposal

Tree works proposed.

Highgate School - Group of Sycamore next to IT Department:

G1: Group of 5 sycamore (18m): Crown reduce by 2-3m to keep the tree at a size suitable for its location and as part of regular maintenance

T2: Sycamore (18m): Crown reduce by 2-3m to keep the tree at a size suitable for its location and as part of regular maintenance

T3: Sycamore (18m): Crown reduce by 2-3m to keep the tree at a size suitable for its location and as part of regular maintenance

G2: Group of 3 Sycamore (18m): Crown reduce by 3m to keep the tree at a size suitable for its location and as part of regular maintenance

Issues

I hold no objections to the reasonable proposed pruning works.

The specification is within standard good practice and husbandry.

The species generally responds well to such reductions and management regimes.

Recommendation

No Objection