

NOTE: All drawings are subject to **Planning** and **Building Control** approval, and require input from the Structural engineer, M&E, Part o, SAPS, Acoustician and Fire Consultants.

Boundary Treatment Key

- Boundary Type 1**
1100mm high metal railing in galvanized steel painted RAL 8000, refer to drawings 90-15
- Boundary Type 2**
1312.5mm high metal railing in galvanized steel painted RAL 8000, over 487.5 brick wall to form 1800mm high boundary. SBD - railing to be flush with outer facing of brick wall. Brick to match the proposed brick for the building. Refer to drawings 90-17
- Boundary Type 3**
1162.5mm high brick wall, consisting of Flemish bond brickwork with a single soldier course at the top. Brick to match the proposed brick for the building. Refer to drawing 90-18
- Boundary Type 4**
1800mm high closed board treated timber fence, left unpainted, with gravel boundary. To replace existing closed board timber fence. Refer to drawing 90-19
- Boundary Type 5**
1800mm high metal railing in galvanized steel painted RAL 8000, refer to drawings 90-20
- Boundary Type 6**
1800mm high metal railing in galvanized steel painted RAL 8000, over existing memorial wall, refer to drawings 90-24

- Gate 1, Single**
1100mm single gate in galvanized steel painted RAL 8000, incorporated into Boundary Type 1. Refer to drawing 90-15

Gate 2, Double
1100mm double gate in galvanized steel painted RAL 8000, refer to drawing 90-16

Gate 3, Single
1800mm single timber gate, incorporated into Boundary Type 4. Refer to drawing 90-21

Gate 4, Double
1800mm double gate in galvanized steel painted RAL 8000, incorporated into Boundary Type 2. SBD - gate to have key operated locking system to be agreed with local refuse dept. Refer to drawing 90-22.

Gate 5, Double
1800mm double gate in galvanized steel painted RAL 8000, incorporated into Boundary Type 5. Refer to drawing 90-23

SBD Requirement - LPS 1175SR2 Gate

Part M4(3) Gates **1** and **3** to Unit 1's Private amenity, and Gate **4** to have a 850mm(min) clear opening width and level threshold.

R6	18/08/26	Revised Landscape and Bike Store
R5	04/06/26	R Status Update
R4	07/05/26	R Status Update
R3	01/04/26	ASHP enclose access

REV	DATE	DESCRIPTION
Collaborating with: AJC Ltd		
Job:	Drawing:	Revision:
1131	90-14	R6
Project: Jansons Road London, N15 4JP		
Drawing: Landscape Strategy - Boundary Treatment		
Date:	Status:	
Dec '25	Information	
Drawn By:	Checked By:	
MC	EM	
 Colony Architects Ltd. The Wine Store, Brewery Court, Theale, Reading, RG7 5AJ +44 (0)118 380 0328 hello@colonyarchitects.com colonyarchitects.com  Chartered Practice		